

Medicare Hospital

INFORMATION

Report

EMBARGOED FOR RELEASE:
WEDNESDAY, JUNE 10, 1992
6 P.M. EDT



1992
Kansas

PUBS
RA
981
A2
M43
1988-1990, v.
18

RA981
.A2
M43
1988-1990
v.18

MEDICARE HOSPITAL INFORMATION

1988 • 1989 • 1990

~~~~~

Volume 18

~~~~~

KANSAS

~~~~~

LOUIS W. SULLIVAN, M.D.  
*Secretary*  
U.S. Department of Health and Human Services

WILLIAM TOBY  
*Acting Administrator*  
Health Care Financing Administration

# STATES BY VOLUME

| VOL | STATE                | VOL | STATE                |
|-----|----------------------|-----|----------------------|
| 1   | ALABAMA              | 28  | MONTANA              |
| 2   | ALASKA               | 29  | NEBRASKA             |
| 3   | ARIZONA              | 30  | NEVADA               |
| 4   | ARKANSAS             | 31  | NEW HAMPSHIRE        |
| 5   | CALIFORNIA (Part 1)  | 32  | NEW JERSEY           |
| 6   | CALIFORNIA (Part 2)  | 33  | NEW MEXICO           |
| 7   | COLORADO             | 34  | NEW YORK             |
| 8   | CONNECTICUT          | 35  | NORTH CAROLINA       |
| 9   | DELAWARE             | 36  | NORTH DAKOTA         |
| 10  | DISTRICT OF COLUMBIA | 37  | OHIO                 |
| 11  | FLORIDA              | 38  | OKLAHOMA             |
| 12  | GEORGIA              | 39  | OREGON               |
| 13  | HAWAII,              | 40  | PENNSYLVANIA         |
|     | AMERICAN SAMOA       | 41  | PUERTO RICO          |
|     | GUAM                 |     | VIRGIN ISLANDS       |
| 14  | IDAHO                | 42  | RHODE ISLAND         |
| 15  | ILLINOIS             | 43  | SOUTH CAROLINA       |
| 16  | INDIANA              | 44  | SOUTH DAKOTA         |
| 17  | IOWA                 | 45  | TENNESSEE            |
| 18  | KANSAS               | 46  | TEXAS (Part 1)       |
| 19  | KENTUCKY             | 47  | TEXAS (Part 2)       |
| 20  | LOUISIANA            | 48  | UTAH                 |
| 21  | MAINE                | 49  | VERMONT              |
| 22  | MARYLAND             | 50  | VIRGINIA             |
| 23  | MASSACHUSETTS        | 51  | WASHINGTON           |
| 24  | MICHIGAN             | 52  | WEST VIRGINIA        |
| 25  | MINNESOTA            | 53  | WISCONSIN            |
| 26  | MISSISSIPPI          | 54  | WYOMING              |
| 27  | MISSOURI             | 55  | TECHNICAL SUPPLEMENT |



## FOREWORD

The mission of the Health Care Financing Administration (HCFA) is to promote the timely delivery of appropriate, quality health care to the nation's aged, disabled, and poor. The agency must also ensure that beneficiaries are aware of the services for which they are eligible, that those services are accessible, and that agency policies and actions promote efficiency and quality within the total health care delivery system.

To that end, the annual release of the Medicare Hospital Information report is a key element in our continuing efforts to improve the effectiveness of medical practice and the quality of care provided to Medicare beneficiaries. It is also an important step in helping beneficiaries make more informed health care decisions.

**The information in this release is not intended as a direct measure of quality of care.** It is best used as a "screening tool"—that is, to identify potential problems for further review and, in consultation with medical staff, to evaluate a hospital's strengths and weaknesses. Thus, we believe that consumers can use this information to ask questions of their physicians, rather than reach judgments about the quality of care in a particular hospital. We also expect this information to be used by hospital administrators, physicians, peer review organizations, State survey and certification agencies, and researchers.

This publication presents information to answer the question "What is the actual mortality rate within a certain period of time for each hospital compared to the rate that would have been predicted, given what we know about the characteristics of the patients admitted?" Our basic approach to analyzing hospital mortality information has remained unchanged for the past five years; however, since the last publication of mortality information in May 1991, we have made some significant changes both in our methodology and in the way we display the results of our analysis. The four principal changes in the 1992 report are:

- A graphic presentation of the predicted and observed mortality rates for most hospitals for "All Causes" for Federal fiscal years 1988-1990 at 30, 90, and 180 days;
- The addition of information on certain variables that we use in computing the predicted mortality rates for each hospital;
- The addition of information on the geographic origin of each hospital's patients; and

# STATES BY VOLUME

| VOL | STATE                             | VOL | STATE                         |
|-----|-----------------------------------|-----|-------------------------------|
| 1   | ALABAMA                           | 28  | MONTANA                       |
| 2   | ALASKA                            | 29  | NEBRASKA                      |
| 3   | ARIZONA                           | 30  | NEVADA                        |
| 4   | ARKANSAS                          | 31  | NEW HAMPSHIRE                 |
| 5   | CALIFORNIA (Part 1)               | 32  | NEW JERSEY                    |
| 6   | CALIFORNIA (Part 2)               | 33  | NEW MEXICO                    |
| 7   | COLORADO                          | 34  | NEW YORK                      |
| 8   | CONNECTICUT                       | 35  | NORTH CAROLINA                |
| 9   | DELAWARE                          | 36  | NORTH DAKOTA                  |
| 10  | DISTRICT OF COLUMBIA              | 37  | OHIO                          |
| 11  | FLORIDA                           | 38  | OKLAHOMA                      |
| 12  | GEORGIA                           | 39  | OREGON                        |
| 13  | HAWAII,<br>AMERICAN SAMOA<br>GUAM | 40  | PENNSYLVANIA                  |
| 14  | IDAHO                             | 41  | PUERTO RICO<br>VIRGIN ISLANDS |
| 15  | ILLINOIS                          | 42  | RHODE ISLAND                  |
| 16  | INDIANA                           | 43  | SOUTH CAROLINA                |
| 17  | IOWA                              | 44  | SOUTH DAKOTA                  |
| 18  | KANSAS                            | 45  | TENNESSEE                     |
| 19  | KENTUCKY                          | 46  | TEXAS (Part 1)                |
| 20  | LOUISIANA                         | 47  | TEXAS (Part 2)                |
| 21  | MAINE                             | 48  | UTAH                          |
| 22  | MARYLAND                          | 49  | VERMONT                       |
| 23  | MASSACHUSETTS                     | 50  | VIRGINIA                      |
| 24  | MICHIGAN                          | 51  | WASHINGTON                    |
| 25  | MINNESOTA                         | 52  | WEST VIRGINIA                 |
| 26  | MISSISSIPPI                       | 53  | WISCONSIN                     |
| 27  | MISSOURI                          | 54  | WYOMING                       |
|     |                                   | 55  | TECHNICAL SUPPLEMENT          |

## FOREWORD

The mission of the Health Care Financing Administration (HCFA) is to promote the timely delivery of appropriate, quality health care to the nation's aged, disabled, and poor. The agency must also ensure that beneficiaries are aware of the services for which they are eligible, that those services are accessible, and that agency policies and actions promote efficiency and quality within the total health care delivery system.

To that end, the annual release of the Medicare Hospital Information report is a key element in our continuing efforts to improve the effectiveness of medical practice and the quality of care provided to Medicare beneficiaries. It is also an important step in helping beneficiaries make more informed health care decisions.

**The information in this release is not intended as a direct measure of quality of care.** It is best used as a "screening tool"—that is, to identify potential problems for further review and, in consultation with medical staff, to evaluate a hospital's strengths and weaknesses. Thus, we believe that consumers can use this information to ask questions of their physicians, rather than reach judgments about the quality of care in a particular hospital. We also expect this information to be used by hospital administrators, physicians, peer review organizations, State survey and certification agencies, and researchers.

This publication presents information to answer the question "What is the actual mortality rate within a certain period of time for each hospital compared to the rate that would have been predicted, given what we know about the characteristics of the patients admitted?" Our basic approach to analyzing hospital mortality information has remained unchanged for the past five years; however, since the last publication of mortality information in May 1991, we have made some significant changes both in our methodology and in the way we display the results of our analysis. The four principal changes in the 1992 report are:

- A graphic presentation of the predicted and observed mortality rates for most hospitals for "All Causes" for Federal fiscal years 1988-1990 at 30, 90, and 180 days;
- The addition of information on certain variables that we use in computing the predicted mortality rates for each hospital;
- The addition of information on the geographic origin of each hospital's patients; and

- A comparison of the average length of stay in each hospital with the average for the State and Nation.

These refinements should make this information an even more valuable educational tool to help improve the quality of care in hospitals. The changes were reviewed by a panel of outside experts. The methodology used to calculate the observed mortality rate, the predicted mortality rate, and the standard deviation are briefly described in the Technical Information section of the Introduction to this volume and in more detail in the Technical Supplement (Volume 55).

We acknowledge the assistance we have received from the American Hospital Association—not only for providing the information detailing selected hospital characteristics, but also for alerting its members to the importance of this information. We are also grateful to the personnel in each hospital who took the time to review the data thoroughly and to provide us with comments and suggestions. As before, we have published individual hospitals' comments in their respective State volumes. Over the years, these communications have helped to improve and refine the information included in this publication.

HCFA is committed to improving the Medicare Hospital Information report. To that end, we are continuing to work with representatives of hospital, consumer, employer and other organizations to make this annual report as useful as possible for all consumers.



# TABLE OF CONTENTS

|                                             |    |
|---------------------------------------------|----|
| Introduction.....                           | ix |
| ALLEN COUNTY HOSPITAL.....                  | 2  |
| ANDERSON COUNTY HOSPITAL.....               | 4  |
| ARKANSAS CITY MEMORIAL HOSPITAL .....       | 6  |
| ASBURY-SALINA REGIONAL MEDICAL CENTER.....  | 8  |
| ASHLAND DISTRICT HOSPITAL .....             | 10 |
| ATCHISON HOSPITAL .....                     | 12 |
| AUGUSTA MEDICAL COMPLEX INC .....           | 14 |
| BAXTER MEMORIAL HOSPITAL .....              | 16 |
| BETHANY MEDICAL CENTER .....                | 18 |
| BOB WILSON MEM GRANT COUNTY HOSPITAL .....  | 20 |
| CEDAR VALE REGIONAL HOSPITAL .....          | 22 |
| CENTRAL KANSAS MEDICAL CENTER.....          | 24 |
| CHEYENNE COUNTY HOSPITAL .....              | 26 |
| CITIZENS MEDICAL CENTER.....                | 28 |
| CLARA BARTON HOSPITAL.....                  | 30 |
| CLAY COUNTY HOSPITAL .....                  | 32 |
| COFFEY COUNTY HOSPITAL.....                 | 34 |
| COFFEYVILLE REGIONAL MEDICAL CENTER.....    | 36 |
| COMANCHE COUNTY HOSPITAL .....              | 38 |
| COMMUNITY HOSPITAL ONAGA INC.....           | 40 |
| COMMUNITY MEMORIAL HOSPITAL.....            | 42 |
| CUSHING MEMORIAL HOSPITAL.....              | 44 |
| DECATUR COUNTY HOSPITAL .....               | 46 |
| DECHAIRO HOSPITAL.....                      | 48 |
| DISTRICT HOSPITAL 4-STAFFORD.....           | 50 |
| EDWARDS COUNTY HOSPITAL.....                | 52 |
| ELLINWOOD DISTRICT HOSPITAL.....            | 54 |
| ELLSWORTH COUNTY VETERANS MEM HOSPITAL..... | 56 |
| FREDONIA REGIONAL HOSPITAL.....             | 58 |
| GEARY COMMUNITY HOSPITAL .....              | 60 |
| GOVE COUNTY HOSPITAL .....                  | 62 |
| GRAHAM COUNTY HOSPITAL .....                | 64 |
| GREELEY COUNTY HOSPITAL.....                | 66 |
| GREENWOOD COUNTY HOSPITAL .....             | 68 |
| GRISELL MEMORIAL HOSPITAL.....              | 70 |
| HALSTEAD HOSPITAL.....                      | 72 |
| HAMILTON COUNTY HOSPITAL.....               | 74 |
| HAYS MEDICAL CENTER .....                   | 76 |
| HERINGTON MUNICIPAL HOSPITAL .....          | 78 |
| HIAWATHA COMMUNITY HOSPITAL.....            | 80 |
| HODGEMAN COUNTY HEALTH CENTER .....         | 82 |

|                                                |     |
|------------------------------------------------|-----|
| HOLTON CITY HOSPITAL.....                      | 84  |
| HORTON COMMUNITY HOSPITAL.....                 | 86  |
| HOSPITAL DISTRICT 1 CRAWFORD COUNTY .....      | 88  |
| HOSPITAL DISTRICT 1 RICE COUNTY .....          | 90  |
| HOSPITAL DISTRICT 1-ATTICA .....               | 92  |
| HOSPITAL DISTRICT 1-SUMNER COUNTY .....        | 94  |
| HOSPITAL DISTRICT 1-WASHINGTON COUNTY .....    | 96  |
| HOSPITAL DISTRICT 2-NESS COUNTY .....          | 98  |
| HOSPITAL DISTRICT 5-HARPER COUNTY.....         | 100 |
| HOSPITAL DISTRICT 6-HARPER COUNTY.....         | 102 |
| HUMANA HOSPITAL DODGE CITY.....                | 104 |
| HUMANA HOSPITAL OVERLAND PARK.....             | 106 |
| HUTCHINSON HOSPITAL CORPORATION.....           | 108 |
| JEFFERSON COUNTY MEMORIAL HOSPITAL.....        | 110 |
| JEWELL COUNTY HOSPITAL .....                   | 112 |
| KEARNY COUNTY HOSPITAL.....                    | 114 |
| KINGMAN COMMUNITY HOSPITAL.....                | 116 |
| KIOWA COUNTY MEMORIAL HOSPITAL.....            | 118 |
| KIOWA DISTRICT HOSPITAL .....                  | 120 |
| LABETTE COUNTY MEDICAL CENTER .....            | 122 |
| LANE COUNTY HOSPITAL .....                     | 124 |
| LAWRENCE MEMORIAL HOSPITAL.....                | 126 |
| LINCOLN COUNTY HOSPITAL .....                  | 128 |
| LINDSBORG COMMUNITY HOSPITAL.....              | 130 |
| LOGAN COUNTY HOSPITAL.....                     | 132 |
| MAUDE NORTON MEMORIAL CITY HOSPITAL.....       | 134 |
| MEADE DISTRICT HOSPITAL.....                   | 136 |
| MEDICINE LODGE MEMORIAL HOSPITAL.....          | 138 |
| MEMORIAL HOSPITAL.....                         | 140 |
| MEMORIAL HOSPITAL.....                         | 142 |
| MEMORIAL HOSPITAL.....                         | 144 |
| MERCY HOSPITAL.....                            | 146 |
| MERCY HOSPITAL INC.....                        | 148 |
| MERCY HOSPITAL INDEPENDENCE.....               | 150 |
| MIAMI COUNTY HOSPITAL .....                    | 152 |
| MINNEOLA DISTRICT HOSPITAL.....                | 154 |
| MITCHELL COUNTY HOSPITAL .....                 | 156 |
| MORRIS COUNTY HOSPITAL.....                    | 158 |
| MORTON COUNTY HOSPITAL.....                    | 160 |
| MT CARMEL MEDICAL CENTER .....                 | 162 |
| NEMAHA VALLEY COMMUNITY HOSPITAL .....         | 164 |
| NEOSHO MEMORIAL HOSPITAL.....                  | 166 |
| NEWMAN MEMORIAL COUNTY HOSPITAL .....          | 168 |
| NEWTON MEDICAL CENTER .....                    | 170 |
| NORTHWEST KANSAS REGIONAL MEDICAL CENTER ..... | 172 |
| NORTON COUNTY HOSPITAL.....                    | 174 |



|                                            |     |
|--------------------------------------------|-----|
| OLATHE COMMUNITY HOSPITAL.....             | 176 |
| OSBORNE COUNTY MEMORIAL HOSPITAL .....     | 178 |
| OSWEGO MEMORIAL HOSPITAL .....             | 180 |
| OTTAWA COUNTY HOSPITAL.....                | 182 |
| PHILLIPS COUNTY HOSPITAL.....              | 184 |
| PLAINVILLE RURAL HOSPITAL .....            | 186 |
| PRATT REGIONAL MEDICAL CENTER .....        | 188 |
| PROVIDENCE ST MARGARET HEALTH CENTER.....  | 190 |
| RANSOM MEMORIAL HOSPITAL .....             | 192 |
| RAWLINS COUNTY HOSPITAL.....               | 194 |
| REPUBLIC COUNTY HOSPITAL.....              | 196 |
| RIVERSIDE HOSPITAL.....                    | 198 |
| RUSH COUNTY MEMORIAL HOSPITAL.....         | 200 |
| RUSSELL REGIONAL HOSPITAL .....            | 202 |
| SABETHA COMMUNITY HOSPITAL.....            | 204 |
| SALEM HOSPITAL INC .....                   | 206 |
| SATANTA DISTRICT HOSPITAL.....             | 208 |
| SCOTT COUNTY HOSPITAL.....                 | 210 |
| SEDAN CITY HOSPITAL.....                   | 212 |
| SHAWNEE MISSION MEDICAL CENTER.....        | 214 |
| SHERIDAN COUNTY HOSPITAL .....             | 216 |
| SMITH COUNTY MEMORIAL HOSPITAL.....        | 218 |
| SOUTHWEST MEDICAL CENTER .....             | 220 |
| SPEARVILLE DISTRICT HOSPITAL.....          | 222 |
| ST ANTHONY HOSPITAL .....                  | 224 |
| ST CATHERINE HOSPITAL .....                | 226 |
| ST FRANCIS HOSPITAL & MEDICAL CENTER ..... | 228 |
| ST FRANCIS REGIONAL MEDICAL CENTER .....   | 230 |
| ST JOHN HOSPITAL.....                      | 232 |
| ST JOHN PRIMARY CARE HOSPITAL.....         | 234 |
| ST JOHNS HOSPITAL .....                    | 236 |
| ST JOSEPH HOSPITAL.....                    | 238 |
| ST JOSEPH MEDICAL CENTER .....             | 240 |
| ST LUKE HOSPITAL.....                      | 242 |
| ST LUKES HOSPITAL.....                     | 244 |
| ST MARYS HEALTH CENTER OF EMPORIA.....     | 246 |
| ST MARYS HOSPITAL.....                     | 248 |
| STANTON COUNTY HOSPITAL .....              | 250 |
| STEVENS COUNTY HOSPITAL .....              | 252 |
| STORMONT VAIL REGIONAL MEDICAL CENTER..... | 254 |
| SUSAN B ALLEN MEMORIAL HOSPITAL.....       | 256 |
| TREGO COUNTY-LEMKE MEMORIAL HOSPITAL ..... | 258 |
| UNIVERSITY OF KANSAS MEDICAL CENTER .....  | 260 |
| WAMEGO CITY HOSPITAL .....                 | 262 |

|                                               |     |
|-----------------------------------------------|-----|
| WASHINGTON COUNTY HOSPITAL.....               | 264 |
| WELLINGTON HOSPITAL.....                      | 266 |
| WESLEY MEDICAL CENTER .....                   | 268 |
| WICHITA COUNTY HOSPITAL .....                 | 270 |
| WILLIAM NEWTON MEMORIAL HOSPITAL.....         | 272 |
| WILSON COUNTY HOSPITAL.....                   | 274 |
| State and National Hospital Information ..... | 276 |
| Hospital Comments                             |     |

## INTRODUCTION

The Medicare Hospital Information report contains information on acute care hospitals that treated Medicare patients discharged in Federal fiscal year (FY) 1990 (October 1, 1989—September 30, 1990).

This year's publication set consists of 54 State volumes and a Technical Supplement (Volume 55). There is one volume per State, except that California and Texas have two volumes each, Hawaii is combined with American Samoa and Guam, and Puerto Rico and the Virgin Islands are combined together in one volume.

Each hospital's two summary data pages are arranged alphabetically by hospital name in each State volume. These data pages consist of:

- The hospital's FY 1990 Medicare hospital mortality rates;
- A graphic presentation of the predicted and observed mortality rates for **most** hospitals for "All Causes" for FYs 1988—1990 at 30, 90, and 180 days;
- The FY 1990 values for selected explanatory factors used to predict the mortality rates;
- Origins and lengths of stays of Medicare admissions; and
- Hospital characteristics, such as the number of beds and other characteristics, which we obtained from data contained in the American Hospital Association's (AHA) 1990 Annual Survey of Hospitals files or, when such information was not available from the AHA file, the Health Care Financing Administration's (HCFA) Online Survey, Certification and Reporting System (OSCAR) file.

*Please note that the information regarding origins and lengths of stays and hospital characteristics are presented strictly for information purposes only. They were not used to calculate the hospital's predicted mortality rates.*

Toward the end of each volume, we include both State and national mortality rates developed by our analysis, as well as the comments we received from individual hospitals.

## DESCRIPTION OF MORTALITY INFORMATION

The mortality rates at a given hospital may reflect, among other factors, the age, sex, diagnoses, and severity of illness of patients admitted to that hospital, as well as the quality of care they received. Factors affecting health and the probability of death vary among the patient populations served by individual hospitals. Consequently, the mortality rates in different patient populations vary considerably.

These latest analyses of the mortality rates associated with Medicare hospitalizations are similar to those carried out in the four prior years. Only one hospitalization for every patient was used. As in last year's analysis, when a patient had multiple hospitalizations during the fiscal year, one stay was selected at random to be analyzed. We believe that the use of the randomly selected admission provides a better representation of a typical hospital admission and permits us to calculate mortality rates more nearly like those the hospital itself would calculate for its patients.

Although we publish data only on deaths which occur within 180 days of admission to the hospital, for purposes of analysis our methodology actually considers deaths which occur any time within 365 days of admission (with the exception that no date of death later than April 1, 1991 is used). This is part of the formula which assesses the long-term risk of mortality. With this approach, information about the early and later results of the hospitalization is provided. This is important because diseases evolve with different time courses, and treatments may have different short- and long-term effects. The choice of at least 180 days allows substantial followup consistent with timely reporting of HCFA data.

We again analyzed the data on a fiscal year, rather than on a calendar year, basis because it allows us to report on recent hospitalizations. Also, new Medicare rules are often instituted on a fiscal year basis.

For each hospital, mortality rates are presented for overall Medicare patient mortality and for eight medical conditions and nine procedures. The information consists of the number of Medicare patients; the observed or actual mortality rate (OBS); the predicted mortality rate (PRED), given the mix of patients; and a standard deviation (SD), a measure of the uncertainty of the predicted rate.

The following information will be helpful when reviewing specific information for any given hospital.



## *Number Of Cases*

This is the number of individual Medicare beneficiaries whose discharge in a fiscal year from the short-term, acute care hospital listed was selected for analysis. The total number of cases randomly selected for each hospital is presented under the category "All Causes." The eight medical condition and nine surgical procedure categories are subgroupings drawn from the "All Causes" selection. Although a particular patient may appear in only one of the eight medical condition categories, that same patient may also appear in one or more of the nine surgical procedure categories. Similarly, a patient may appear in one or more of the nine surgical procedure categories, even though he or she was not included in any of the eight medical condition categories.

The categories chosen for display represent HCFA's interpretation of the categories judged to be important by various outside advisors including the Institute of Medicine. The listed condition and procedure categories do not cover the reason for admission of all the hospitalized Medicare patients in this study. (The ICD-9-CM codes included in each condition and procedure category appear in Table 1 following this Introduction section.)

These conditions and procedures represent the causes for the hospital admission and/or surgical episodes during that stay; they do not necessarily represent the cause of death. HCFA does not have access to cause of death information.

## *Observed Mortality Rate (OBS)*

The observed mortality rate for each category is the percentage of each acute care hospital's selected Medicare patients who died within 30, 90, or 180 days of the selected admission. This rate does **not** represent the percentage whose death was caused by a particular condition or procedure.

The percentage is rounded to the nearest one-tenth of one percent. Both in-hospital deaths and deaths occurring after discharge but within 30, 90, or 180 days of admission are included. For example, if a hospital had 1,000 patients included in the "All Causes" category and 124 of these patients died within 30 days of the selected admission, the 30-day observed mortality rate would be 12.4 percent; if an additional 17 patients died more than 30 but less than 91 days after admission, the 90-day observed mortality rate would be 14.1 percent; and if an additional 13 patients died more than 90 but less than 181 days after admission, the 180-day observed mortality rate would be 15.4 percent.

It is important to note that the observed mortality rate is cumulative; e.g., the 90-day observed mortality rate includes all deaths which occur within 30 days of admission, as well as those occurring more than 30 and less than 91 days after admission.

### *Predicted Mortality Rate (PRED)*

The predicted mortality rate for each hospital's patients is derived in part by determining, based on national experience, the contribution to the probability of dying associated with various patient characteristics such as:

- Principal diagnosis (grouped into 23 analytical risk categories),
- Age,
- Sex,
- Previous hospital admissions within the prior six months,
- Admission source (e.g., physician reference, skilled nursing facility reference),
- Admission type (e.g., elective or emergency), and
- The presence of up to seven comorbid conditions—cancer, chronic cardiovascular disease, chronic renal disease, chronic liver disease, chronic pulmonary disease, cerebrovascular degeneration, and chronic diabetes. A list of the ICD-9-CM codes defining the comorbid conditions is in Table 2 following this Introduction section.

### *Standard Deviation (SD)*

The standard deviation is a tool to gauge the extent to which the difference between the observed and predicted mortality rate is meaningful. In general, the greater the difference between the two rates, the greater the probability that the difference represents an actual variation from what would be expected in view of the national experience. The less chance that the difference between the PRED and the OBS can be attributed to statistical variability, the more grounds for possible concern about the institution's performance.

Information on how to use the SD to construct prediction intervals for use in assessing the real difference between the OBS and the PRED is included in the Technical Information section of this Introduction. The precision and interpretability of the estimates are weaker when there are no deaths or 50 or fewer cases in a particular category being analyzed. Thus, for these instances, dashes (“---”) are placed in the SD column.



## **OBSERVED MORTALITY RATE AND PREDICTED RANGE FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**

Also in this year's report, we have presented graphs that display the information for most hospitals described above for FYs 1988 and 1989, as well as FY 1990. (In particular, these graphs could not be computed for hospitals that had 50 or fewer cases or no deaths in FYs 1988, 1989, or 1990). In constructing the graphs, we used 2 times the standard deviation to approximate a 95 percent prediction interval. The observed mortality is shown as a dot (•). The predicted mortality is shown at the middle of a range of mortality rates. The bottom of the range is the predicted mortality minus twice the standard deviation, and the top of the range represents the predicted mortality plus twice the standard deviation. The graphs for FY 1988 and FY 1989 are based on new random samples and new computations for this year's report. Thus, the calculations for some hospitals for FY 1988 and FY 1989 may be different from previous releases, because we are including more current data in this year's report.

## **FY 1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

This year's report includes the FY 1990 average at each hospital of many of the explanatory factors used to predict that hospital's mortality rates. This information provides a profile of the patients used in the analysis and should help to identify possible systematic coding errors in the claims data used to calculate the mortality rates. These percentages are derived from the patients included in the sample and should be applied to the total number of cases listed in "All Causes." It is important to note that neither the admission sources/types nor the comorbidities categories are mutually exclusive. For example, a patient could be both "referred by his personal physician" and "admitted for elective procedure." Similarly, a patient could have secondary diagnoses of both cancer and diabetes.

## **INFORMATION SOURCES AND NOTES**

We believe that when the mortality rate information is properly understood and applied, it can be very useful; it can also be misleading if it is interpreted incorrectly. The information simply describes one of several possible outcomes at a hospital—postadmission mortality for Medicare beneficiaries.

Mortality information is not necessarily representative of a hospital's total performance in all aspects of patient care. Individual hospitals may have very good reasons for their rates being higher than the rates predicted by the HCFA model. For example, one hospital might have different death rates than another because its patient mix is not fully accounted for by the model.

Accordingly, we offered each hospital the opportunity to review their specific information and to provide comments to HCFA and the public, and we included those comments that were received timely at the end of this volume. Users should read the discussions about the uses and limitations of the mortality information found on page xiii, as well as any comments a hospital may have provided.

### *Hospitals In The Analysis*

The hospitals included in this analysis are participating in Medicare as short-term, acute care facilities—all have a zero in the third position of their Medicare provider number. All other hospitals—those with something other than a zero in the third position of their provider number, such as rehabilitation facilities or psychiatric institutions—were excluded. This year, as in the past two years, we have also excluded hospices.

In some cases, we have included data for hospitals that closed, changed ownership, or changed management either during or subsequent to FY 1990. Our data included for those institutions reflects the situation as it existed at the time the hospitalizations analyzed occurred.

### *Data Sources*

This report is based primarily on Medicare hospital billing information for Federal fiscal years 1988, 1989, and 1990. While the principal source of the data for the analysis was the HCFA-maintained Medicare Provider Analysis and Review (MEDPAR) file, which contains information about each Medicare hospitalization, some of the information about beneficiaries, such as date of death, was obtained from the Social Security Administration. Hospitals submit bills to HCFA's fiscal intermediaries (which handle claims for the inpatient care provided to Medicare beneficiaries) which, in turn, submit this information to HCFA. The file is updated on a quarterly basis. Our analysis was based on information available following the June 1991 update of the MEDPAR file. It is estimated that by that time (nine months after the close of the fiscal year), 98 percent of all Medicare discharges in FY 1990 are included in the file.

### *Possible Limitations Of The Data*

In any large-scale data base, such as the one dealing with Medicare hospitalizations, there will be gaps or inaccuracies. For example, last year some hospitals had not accurately reported the source or type of admission, and thus erroneous information was included in the analysis for those hospitals. However, the fact that the files contain information on about 10 million hospital admissions to nearly 6,000 hospitals for each year provides some assurance that, for purposes of the statistical analysis conducted here, the information that might be

missing or inaccurate is such a small portion of the total that it would have little effect on the results for national estimates. Nevertheless, it may substantially affect an individual hospital if it were the source of the inaccurate information.

While we feel that the information used in this analysis is thorough and complete, there are a few points to keep in mind as you review the mortality information.

The information used is billing data; it is only as good as the information submitted by hospitals as part of the payment process. Although there is always a possibility that coding errors are included, we assume that, given the link to payment, hospitals have an incentive to submit bills accurately and promptly. We do know, however, that some hospitals submitted incomplete or erroneous data.

For example, following last year's public release of the hospital mortality data, several hospitals wrote to HCFA indicating that they had submitted incorrect data. Furthermore, they stated that if they had given us the correct information, their predicted mortality rates would have been higher than those presented in HCFA's report. Therefore, in this year's report we have annotated those hospitals' data pages with a footnote stating: "This hospital says that it submitted inaccurate data to Medicare and claims that its predicted mortality rate should be higher than that presented above." At this point, however, HCFA cannot confirm the validity of those hospitals' claims. The analysis results might very well be different if the data on which they were based were submitted accurately by those hospitals.

In our previous analysis of mortality data, we discovered that some States had zero admissions from a skilled nursing facility. While some of these problems were corrected on the MEDPAR files used for this analysis, at the time this study was initiated we found empirical evidence that some of the files still contained suspect information. The suspect data were identified by noting those months (date of discharge) and fiscal intermediaries for which the type and source of admission fields appeared to be interchanged. Based on our findings, we reversed these fields to at least partially correct the remaining discrepancies. The following list shows the specific instances for which the fields were reversed for this analysis.

#### TYPE AND SOURCE OF ADMISSION FLIPPED

| <u>FI No.</u> | <u>FI Name</u>         | <u>Dates</u>        |
|---------------|------------------------|---------------------|
| 00030         | Arizona Blue Cross     | 10/01/86 — 12/31/88 |
| 00080         | Maryland Blue Cross/DC | 06/01/87 — 09/30/87 |
| 00190         | Maryland Blue Cross    | 06/22/87 — 12/31/88 |
| 00400         | Texas Blue Cross       | 12/07/87 — 12/31/88 |



## HOW TO USE THIS INFORMATION

There are several key points to remember about the use of this information. **First, it is important to understand that the difference between the hospitals' mortality rates and the predicted rates in the tables in this report may not be a direct measure of the quality of care rendered in the hospitals.**

Second, the usefulness of this information depends upon the accuracy with which mortality rates can be predicted. We do not currently have any direct measurement tool with which we can fully adjust for severity of patient illness differences among hospitals. For instance, two hospitals may have very different death rates for patients admitted for stroke, even after we have adjusted for age, sex, and several other factors. This might happen because one hospital's stroke patients may consist of a significant number who are admitted in a coma (and are thus more likely to die), whereas another hospital's patient population may represent a broader spectrum of patients with cerebrovascular problems, or because these two hospitals, in fact, do provide different levels of quality of care. In addition, other factors affecting the probability of death in a particular case (e.g., family status/support, overall health status of the patient, etc.) are not included in the predictive model because information on them is not readily available.

Nevertheless, we believe that the information presented in this publication is an important contribution to the health care community and should be helpful to a wide range of individuals and organizations including consumers, hospital administrators, physicians, PROs, and researchers.

### *Use By Consumers — Some Key Questions*

Consumers should read carefully the explanations of the uses and limitations of the information. Listed below are some questions that we recommend a consumer think about before choosing a hospital. Please keep in mind that this is not a comprehensive list, but it should serve to illustrate the types of questions that are important to consider.

- Why are the hospital's observed mortality rates for "All Causes" consistently and significantly above the predicted rates for FY 1990?
- Why are the hospital's observed mortality rates for the condition for which I need treatment or the procedure I will undergo consistently and significantly above the predicted rates for FY 1990?
- How does this hospital's pattern of mortality compare with that of other hospitals in the State and Nation?

- Is the number of cases too small to present a satisfactory picture of the hospital?
- Does the hospital treat a large number of cases in the category for which I need treatment?
- Does the hospital treat a large number of patients who have several co-existing illnesses or who otherwise are likely to be "sicker" than average?

### *Other Users Of This Publication*

Among other users of this publication, we expect that the hospital administrator (in consultation with medical staff) will find the information most useful as a screening tool to evaluate a hospital's strengths and weaknesses. We know that some hospitals and their medical staffs, using established and newly emerging quality assessment techniques, are seeking information that will result in improved health care delivery.

### *Outside Assistance In Developing This Publication*

The development and presentation of the Medicare Hospital Information report continues to be an important part of HCFA's responsibilities in the health care community. To make the information as accurate and useful as possible, over the past several years we have discussed the theoretical framework and statistical approach with a number of nationally recognized technical experts in appropriate fields. Based on their recommendations, we believe that the models used in these analyses continue to be reasonable and appropriate.

In the past, we have conducted validation studies of our methodology. In general, these studies have found correlation between poor quality care and hospitals whose observed mortality rates significantly exceed the rates that would have been predicted. However, we have also found that detailed clinical data which more thoroughly characterize the severity of patient's illness, while they do not materially affect results describing the general pattern of mortality, do, in specific instances, alter our assessment of the comparison of the observed to the predicted mortality rates.

The format for presentation, the process for sharing the information with individual hospitals, and the statistical methodology have been discussed at various meetings with leaders of organizations representing Medicare beneficiaries, physicians, and hospitals. Also, we have spent many months reviewing the comments received from the hospitals regarding their patient-specific data for earlier years and our previous mortality information reports. Many suggestions from these sources have been incorporated into this report.

We have carefully investigated comments from individual hospitals on apparent discrepancies or errors generated in previous years. These discrepancies rarely had an effect on a hospital's overall mortality rate. Most of these instances fell into the following two broad categories.

- **Inaccurate Date of Death** — We found that inpatient billing coding errors (e.g., a hospital bill indicating that the patient's status at time of discharge was “expired” when the patient had, in fact, left the hospital alive) created many of these errors. We now have mechanisms in place that allow a continuous update of HCFA's master file, thereby enabling us to make corrections.
- **Discrepant Case Counts** — Our analysis counts only one acute care discharge in a fiscal year; normally, hospitals count each discharge. Thus, a patient admitted three times in a year would count three times for the hospital, but only once for the purpose of analyzing Medicare hospital mortality data presented in this report.



*We believe it is important for consumers of health care to have access to as much information about hospitals as possible when making health care choices. Along with hospital characteristics information, we have added this year information about the origin and length of stay of Medicare admissions. This information is presented for comparative purposes only and was not used in calculating a hospital's predicted mortality rates. These data were not part of the analyses, and any errors or discrepancies in them do not affect the predicted mortality rates.*

## ORIGIN OF MEDICARE ADMISSIONS

Data on the geographic origin of each hospital's patients are presented in this year's report. We obtained from the Health Insurance Master file the State and county of residence for each Medicare beneficiary discharged from a Medicare-certified, acute care hospital during FY 1990. We then compared that information with the location of the hospital to determine the percentage of all discharges where the patient lived within the same city/county as the hospital location, within the State where the hospital is located, or outside the State. The percentages are derived by dividing the number of discharges of beneficiaries in a geographic category by the total number of Medicare discharges from the hospital. Please note that these are percentages of total Medicare discharges, not of the mortality sample alone.

## MEDICARE AVERAGE LENGTH OF STAY

We obtained from the MEDPAR file the total days of care—both Medicare covered and noncovered—and divided that total by the number of discharges from each hospital. Total, rather than covered, days were used because, under the Prospective Payment System (PPS), if a Medicare patient has at least one day of hospital coverage available to him in the current spell of illness, the hospital will be paid the full diagnosis related group (DRG) amount plus any approved outlier amount, regardless of the number of days actually used.

Example: Hospital A had 2,513 Medicare discharges with a total of 24,379 days.

Calculation: 
$$\frac{24,379}{2,513} = 9.7 \text{ days}$$

The Medicare average length of stay is 9.7 days.

## HOSPITAL CHARACTERISTICS

As noted previously, we have again included information on selected hospital characteristics such as the number of beds, occupancy rate, ownership, staffing, and specialty services. This information was obtained from the American Hospital Association's (AHA) 1990 Annual Survey of Hospitals, with the exception of the case mix index (CMI), which was derived from HCFA billing data. This file consists of information voluntarily reported by hospitals to the AHA. In instances where AHA data were unavailable, for example for hospitals that did not respond to the AHA survey, we derived the information from HCFA's Online Survey, Certification and Reporting system (OSCAR). The hospital characteristics and the specific special services listed were selected with the concurrence of the AHA as being those most meaningful to the Medicare population. Information on these specific data elements follows.

### *AHA Definitions (except for CMI)*

**Survey and Year** — AHA 1990. Source is the American Hospital Association's 1990 Annual Survey of Hospital files.

### **Profile**

***Total beds (#)*** — Number of beds (including subacute beds), cribs, and pediatric and neonatal bassinets regularly maintained (set up, staffed, and ready for use) for inpatients as of the close of the reporting period; does not include bassinets for normal newborn infants.

***Occupancy rate (percent)*** — Ratio of average daily census to the average number of beds (statistical beds) maintained during the 12-month reporting period. (NOTE: The number of these "statistical beds" may differ from the bed count at the close of the reporting period.)

***Ownership/control*** — State government, local government, district/authority, church, private nonprofit, private for profit, or Federal Government.

***Medicare discharges*** — The total number of inpatient discharges for Medicare patients for those hospitals selected for the mortality calculations, including all discharges for persons with more than one hospitalization during the year. (The mortality data include only one randomly selected discharge for each hospitalized enrollee. Therefore, this figure may reflect more discharges than the actual number of cases randomly selected for the mortality study.)

**Case mix index (CMI)** — A measure of the overall complexity of the Medicare cases treated by a given hospital compared to the complexity of the national average case mix. The CMI represents the relative costliness of each hospital's mix of cases compared to the national average mix of cases. A CMI of greater than one means that a hospital treats more complex cases than average. A CMI of less than one means that a hospital treats less complex cases than average. The CMI for each hospital is calculated on an annual basis. In this report, the CMI presented for each hospital is calculated based on its discharges in FY 1990.

A hospital's CMI is calculated by multiplying the number of cases in each DRG by the relative weight of that DRG, summing the products, and dividing the sum by the total number of cases for the year. For calculating the FY 1990 CMI, use the DRG relative weights published in the *Federal Register*, Volume 54, Number 169, pages 36468 ff., dated September 1, 1989.

## **Staffing (all AHA counts are as of 9/30/90)**

**Total number of physicians** — Total active and associate medical staff.

**Percent of physicians who are board-certified specialists** — Physicians who have passed an examination given by a medical specialty board and have been certified by that board as a specialist.

**Medical residents/interns** — Full-time equivalent (FTE) medical residents or interns.

**Registered nurses** — Full-time equivalent (FTE) registered nurses.

**Licensed practical nurses** — Full-time equivalent (FTE) licensed practical nurses.

## **Specialty Services**

**Burn Unit** — Provides more intensive care to severely burned patients than the usual acute nursing care provided in medical and surgical units. Beds must be set up and staffed in a unit specifically designated for this service.

**Cardiac Intensive Care** — Provides patient care of a more specialized nature than the usual medical and surgical care, on the basis of physicians' orders and approved nursing care plans. The unit is staffed with specially trained nursing personnel, and contains monitoring and specialized support or treatment equipment for patients who, because of heart seizure,



open-heart surgery, or other life-threatening conditions, require intensified, comprehensive observation and care. May include myocardial infarction, pulmonary care, and heart transplant units. Beds must be set up and staffed in a unit(s) specifically designated for this service.

***Comprehensive Geriatric*** — Provides diagnostic and evaluation services that determine elderly patients' long-term care needs. It includes the assessment of medical conditions, functional activities, and mental and emotional conditions, and incorporates these into a treatment plan which includes family and financial concerns as well as medical needs.

***Hospice Care*** — A program providing primarily medical relief of pain and support services to terminally ill patients and assistance to their families in adjusting to the patients' illness and death.

***Medical/Surgical Intensive Care*** — Provides nursing care to adult and/or pediatric patients of a more intensive nature than the usual medical, surgical, pediatric, and/or psychiatric care on the basis of physicians' orders and approved nursing care plans. Included are medical-surgical, pediatric, and psychiatric (isolation) units. These units are staffed with specially trained nursing personnel, and contain monitoring and specialized support equipment for patients who, because of shock, trauma, or life-threatening conditions, require intensified, comprehensive observation and care. These units may also include cardiac care when such services are not approved in a distinct cardiac care unit. This category is called "intensive care unit" in OSCAR.

***Organ/Tissue Transplant*** — The hospital has the necessary staff and equipment to perform the surgical removal of a viable human organ or tissue from a donor, either living or deceased, and the surgical grafting of the organ/tissue to a suitably evaluated and prepared patient.

***Other Intensive Care*** — Provides nursing care to adult and/or pediatric patients with a specialized disease or condition of a more intensive nature than the usual medical, surgical, pediatric, and/or psychiatric care on the basis of physicians' orders and approved nursing care plans. Examples reported include oncology or spinal cord injuries. These units are staffed with specially trained nursing personnel and contain monitoring and specialized support equipment appropriate for the patients' specialized conditions.

***Trauma Center*** — Provides emergency and specialized intensive care to critically injured patients.

## **Other Specialty/Hospital-Based Services**

***Alcohol/Drug*** — Hospital services for the medical care and/or rehabilitative treatment of outpatients whose primary diagnosis is alcoholism or other chemical dependency.

***Rehabilitation*** — A unit having designated beds and providing a comprehensive array of multidisciplinary medical rehabilitation services.

***Psychiatric*** — Care provided to emotionally disturbed, chronically mentally ill, mentally disordered, or other mentally incompetent patients on the basis of physicians' orders and approved nursing care plans. Beds must be set up and staffed in units specifically designated for this service.

***Medicare Swing Beds*** — The hospital is certified by Medicare to provide "swing bed" services; that is, some acute care beds can be used for skilled nursing facility type care in the hospital for Medicare purposes.

## ***OSCAR Definitions (except for CMI)***

**Survey and Year** — HCFA, most recent year. Data were derived from the Online Survey, Certification and Reporting System (OSCAR).

## **Profile**

***Total beds (#)*** — Total number of operational beds eligible for Medicare payment.

***Ownership/control*** — Church; private, nonprofit; other nonprofit; proprietary; Federal Government; State government; local government; and hospital district or authority.

***Case mix index (CMI)*** — See definition shown in AHA "Profile" section.

## **Staffing**

***Medical residents/interns*** — Full-time equivalent (FTE) medical residents or interns.

***Registered nurses*** — Full-time equivalent (FTE) registered nurses.

***Licensed practical nurses*** — Full-time equivalent (FTE) licensed practical nurses.

## Specialty Services

**NOTE:** There are no specific definitions of specialty services in OSCAR. Characteristics are self-reported by each hospital at initial Medicare certification and recertification, and are generally understood to parallel the explicit AHA definitions (above). The AHA categories “comprehensive geriatric” and “other intensive care” are not available in OSCAR. However, they may be included in the OSCAR category of other specialty services (not shown in table).

**Coronary Care** — See definition shown in AHA “Specialty Services” section.

**Intensive Care Unit** — See definition shown in AHA “Specialty Services” section. These units may also include other intensive care units in OSCAR reporting.

**Organ Transplant** — See definition shown in AHA “Organ/Tissue Transplant” section. May include tissue transplants because there is not a separate field in OSCAR for these services.



# TECHNICAL INFORMATION

## DATA SOURCES

The data analyzed in this report are obtained from the Medicare Provider Analysis and Review (MEDPAR) file for the fiscal years 1987-1990, which contains information on the hospital stays of Medicare beneficiaries. The principal sources of data for this file are the bills (known as HCFA-1450 or UB-82) submitted by the hospitals to HCFA through fiscal intermediaries. The MEDPAR file also contains data about the beneficiaries, such as age, sex, and date of death, which are obtained from the Social Security Administration, the Railroad Retirement Board, or the Office of Personnel Management.

Hospital stays with discharges in fiscal years 1988, 1989, and 1990 were used in these analyses. Hospital stays in 1987 were used only to characterize the prior admissions of the patients in the 1987 cohort. Only acute care hospital stays in short-term (general and specialty) hospitals were selected. These hospitals have a "0" in the third position of their Medicare provider number. Hospital stays in institutions (designated by a "9" in the fourth position of the provider number) and hospital stays in psychiatric units, rehabilitation units, swing-beds and alcohol/drug units (with "special unit codes" of S, T, U and V, respectively, in the third position) were excluded.

## THE MORTALITY MODEL

For each beneficiary in each year one hospitalization was selected at random. Choosing a specific hospitalization is necessary to avoid multiple counting of the same death for that year. Selecting a random hospitalization instead of the first or last in the year produces mortality rates that are more representative of the rates that a hospital might calculate for its patients. Also, the mortality rates based on this random selection process reflect an intermediate position between the rates produced by the alternatives.

The selected hospital stays were analyzed separately by analytical category. The analytical categories were created by grouping ICD-9-CM diagnosis codes that had similar mortality patterns. The procedures for creating the analytical categories and the groups of ICD-9-CM diagnosis codes that defined them are detailed in the Technical Supplement.

The mortality experience of the patients was evaluated as a function of time within 365 days of the admission. The factors included in the mortality model used to evaluate each patient's probabilities of death are given in Table 3. They consist of demographic characteristics (age and sex), major comorbidities (chronic diseases likely to have been present at admission and believed to

complicate management and increase the likelihood of an adverse outcome), prior admissions (grouped into five risk or severity levels) within the 6 months preceding the admission evaluated, admission type (emergent, elective, etc.), and admission source (referral from the physician's office, the nursing facility, etc.). The specific reason for the admission (the principal diagnosis) and the performance of selected surgical procedures were additional factors used in the estimation of the predicted probability of death (see below).

The observed mortality rate for a hospital was calculated by means of the lifetable method ("The LIFETEST Procedure," Chapter 22, SAS User's Guide: Statistics, Version 5 Edition, pages 529-557).

## ANALYTIC TECHNIQUES

A time-to-event or survival model with explanatory or concomitant variables was used to ascertain the influence of the patient characteristics listed above on the probability of death. A feature of such a model is allowance for "right censored" observations. Generally, these are events or outcomes which would have occurred but for some interference that prevents further observation. In the present analysis, "right censoring" occurs when a patient is withdrawn alive from the study April 1, 1991 or at the end of the followup period of 365 days.

The survival function,  $S(t)$ , is one of several equivalent ways of expressing the model. Another form uses the cumulative distribution function or the mortality function

$$F(t) = 1 - S(t).$$

Another useful formulation of these models is the hazard function,  $h(t)$ , also known as the force of mortality or risk function. The hazard is the rate of decrease in the number of survivors relative to the number of survivors at a specific time. Mathematically, the hazard function is

$$h(t) = - \frac{1}{S(t)} \frac{dS(t)}{dt} = - \frac{d \ln(S(t))}{dt}.$$

The probability density function,  $f(t)$ , commonly used in statistical texts can be expressed as follows:

$$f(t) = \frac{dF(t)}{dt} = h(t)S(t).$$

The area under the survival curve is the expected value for  $t$ . In some cases, the area under the survival curve is restricted to an interval  $0-t_1$  where  $t_1$  might be one year, for example.

The specific time-to-event or survival model used in the present analysis is Bailey's modification of the Makeham model. The survival function for the Bailey-Makeham model is

$$S(t) = \exp\left\{-\delta t - \left(\frac{\alpha}{\gamma}\right)(1 - \exp(-\gamma t))\right\}$$

where

$$\alpha = \exp(\alpha_0 + \alpha_1 x_1 + \dots + \alpha_i x_i + \dots + \alpha_k x_k)$$

$$\gamma = \exp(\gamma_0 + \gamma_1 x_1 + \dots + \gamma_i x_i + \dots + \gamma_k x_k)$$

$$\delta = \exp(\delta_0 + \delta_1 x_1 + \dots + \delta_i x_i + \dots + \delta_k x_k)$$

are the expressions for each of the structural parameters  $\alpha$ ,  $\gamma$ , and  $\delta$  in terms of the  $k$  concomitant variables  $x_i$  and their associated component parameters  $\alpha_i$ ,  $\gamma_i$ , and  $\delta_i$  for  $i=1, 2, \dots, k$  and three intercepts or component parameters  $\alpha_0$ ,  $\gamma_0$ , and  $\delta_0$ . The structural parameter  $\delta$  is the long-term risk which is approached as  $t \rightarrow \infty$ . The structural parameter  $\alpha$  is the initial excess risk which decays with rate constant  $\gamma$ .

For the survival function given above, the risk or hazard function has an especially tractable form of an exponential decay which approaches a long-term risk,  $\delta$ . The hazard function corresponding to the survival function above is

$$h(t) = \alpha \exp(-\gamma t) + \delta.$$

The estimation of the component parameters was carried out in a series of steps in which those covariates which had estimable and statistically significant ( $p < 0.05$ ) influences of the probability of death were identified for inclusion in the model. As the model for each of the 23 risk categories was estimated separately, different lists of covariates were used for the final core models.

This first step was followed by the estimation of the additional contribution of specific principal diagnoses in each risk category. In these analyses, the effects of the patient characteristics included in the core models were corrected for. Only those principal diagnoses were retained which were estimable and had more than 900 cases (more than 300 for codes identified by year). Similarly, after adjustment for the effects of both the variables in the core model and the principal diagnoses, correction terms were calculated to estimate the additional information about the probability of death associated with the categorization of the patients into the clinical groups used for the presentation of the data in the mortality tables (see below). These correction terms were negligible for the medical categories but substantial for the surgical categories.



Once the component parameters or regression coefficients  $\alpha_i$ ,  $\gamma_i$ , and  $\delta_i$  have been estimated, the predicted probability of patient death at any specified time after admission,  $1-S(t)$ , may be calculated for all individuals. To obtain the predicted mortality rate up to a given time for a hospital, it is then only necessary to average over the predicted probabilities of death of its patients to that time.

The analytical categories are useful for grouping the patients into relatively risk-homogeneous strata for the regressions. However, to gain insights into patterns of practice at hospitals, the data are presented for patients grouped into clinically meaningful medical and surgical categories. The 17 clinical categories used in the mortality tables and defined in Table 1 were identified by the Institute of Medicine as being of particular medical and epidemiologic interest.

## ESTIMATION OF THE STANDARD DEVIATION FOR PREDICTED MORTALITY

The standard deviation of the predicted mortality rate is used to assess how statistically different the observed mortality rate is from the rate predicted by the national experience with like patients. The standard deviation depends, in fact, on the variance of the residual or the difference between the observed,  $P$ , and predicted,  $\hat{\Theta}$ , mortality rates.

The residual has four components  $V_1$ ,  $V_2$ ,  $V_3$ , and  $V_4$  where  $V_1$  is the variance of the estimate of the predicted probability of death. This computationally intensive term was negligible for nearly all cases, compared to other components of variance. Consequently, this term was not included in the present analysis.

$V_2$  is the binomial variance for  $n$  patients

$$V_2 = \frac{\hat{\Theta} (1 - \hat{\Theta})}{n}.$$

$V_3$  is the variation among hospitals not explained by the mortality regression models containing the patient characteristics described above.

$$V_3 = \widehat{\text{Var}}(\Theta) = \left(1 - \frac{1}{n}\right) M_2(\Theta)$$



where

$$\widehat{M_2(\Theta)} = \left\| \left( \begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics and} \\ \text{adjustment for hospital effects} \end{array} \right) - \left( \begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics,} \\ \text{but omitting the hospital specific effects} \end{array} \right) \right\|^2 \left( \frac{1}{z_p^2} \right)$$

The quantity  $z_p$  corresponds to the statistical significance (p-value) of the hospital-specific effect.

$V_4$  is the variation not explained by the mortality regression models which each include, in addition, an indicator variable for the hospital:

$$V_4 = \left\| \left( \text{Observed mortality} \right) - \left( \begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics, and} \\ \text{adjustment for the hospital specific effects} \end{array} \right) \right\|^2$$

(The regression coefficients of the indicator variable for the hospital are a measure of the influence on the probability of patient death of factors not otherwise specified in the model. These factors include severity of illness not adequately reported on by the patient characteristics deduced from the claims data and the hospital's pattern of practice; i.e., performance.)

The standard deviation given in the mortality tables is just

$$SD = \sqrt{V_2 + V_3 + V_4}.$$

## STANDARDIZED MORTALITY RATIO (SMR)

Another method of evaluating a hospital's performance—the Standardized Mortality Ratio (SMR)—is obtained by dividing the observed mortality rate by the predicted mortality rate. An SMR of one means the observed and predicted mortality are equal. A ratio greater than one means the observed mortality exceeds the predicted. A ratio less than one means the observed mortality is less than expected. The more extreme the ratio (significantly greater than one indicating unusually high mortality and significantly less than one indicating unusually low mortality), the greater the attention which should be paid to the results of this mortality report.

For each of the conditions and procedures, selected percentiles for the observed distribution of the SMR are displayed in Table 4. The selected percentiles provide benchmarks for comparison. For example, for a hospital

with 300 cases in the "All Causes" category, with observed mortality of 12.2 percent and predicted probability of 10.0 percent at 30 days, the standardized mortality ratio is

$$\text{SMR} = 12.2/10.0 = 1.22.$$

Note that an SMR of one means the observed and predicted mortality are equal, while a ratio greater than one means the observed mortality exceeds the predicted, and a ratio less than one means the observed mortality is less than expected. There will be greater interest in the more extreme ratios, either greater than one — excessively high mortality — or less than one — extremely low mortality.

From Table 4 for FY 1990, we find that the ratio is just below the 75th percentile of 1.23. Hence, slightly under 75 percent of the hospitals have an SMR less than that found at this hospital.

However, for a hospital with 900 cases in the "All Causes" category, with observed mortality of 19.3 percent and predicted probability of 10.0 percent at 30 days, the standardized mortality ratio is

$$\text{SMR} = 19.3/10.0 = 1.93.$$

Since the SMR of 1.93 is greater than the 97.5 percentile of 1.35 (Table 4 for 750 or more cases), there is cause for concern. To further assess this, we examine the displayed data in terms of the measure of uncertainty, the standard deviation.

## MEASURES OF UNCERTAINTY

In principle, to use the standard normal approximations to determine prediction intervals, an adjustment must be applied for the skewness and kurtosis inherent in a mortality rate when the rate is considerably less than 50 percent and the number of cases is small. Table 5 presents the multiplicative factors, based on the binomial distribution, for the standard deviation needed to construct prediction intervals for the mortality rates at confidence levels of 75, 95 and 99 percent. Because of the approximations involved in the estimation of the skewness and kurtosis corrections, their precision decreases as the number of cases and the mortality rate decrease; i.e., as the value of the correction increases. In addition, because of simplifications and approximations in the estimation of the standard deviation, the precision of the multiplicative factors given in Table 5 exceeds the precision of the estimate of the standard deviation. Hence, the following rule-of-thumb represents an adequate approximation to the factors in Table 5 and an adequate guide to the statistical meaningfulness of the difference between the observed and the predicted mortality rates.

To illustrate the use of Table 5, consider a hospital with 75 cases and a predicted mortality of 13.0 percent with a standard deviation of 5.0 percent. Overall, for hospitals with patients with characteristics similar to those of this hospital, we would expect the actual or observed mortality rate to lie, 95 percent of the time, either between 13.0 percent and 22.9 percent if the actual is larger than the predicted, or between 3.3 percent and 13.0 percent if the actual is less than the predicted. That is because  $22.9 \text{ percent} = 13.0 \text{ percent} + 1.98 \times 5.0 \text{ percent}$ , the factor 1.98 having been read from the section of Table 5 with the heading "95 Percent Prediction Interval" and "Factor for Upper Bound," the row "75" for the number of cases, and, by interpolation, between the "10 percent" and the "20 percent" predicted mortality rate columns. Similarly,  $3.3 \text{ percent} = 13.0 \text{ percent} - 1.94 \times 5.0 \text{ percent}$ , the factor -1.94 having been read from the section of Table 5 with the heading "95 Percent Prediction Interval" and "Factor for Lower Bound" and the corresponding row and columns.

Therefore, in comparing the actual and predicted rates, more attention should be given to the hospital whose observed mortality rate lies beyond the bounds calculated for the 99 percent prediction interval than to the hospital whose observed mortality rate lies only beyond the bounds calculated for the 95 percent prediction interval. Likewise, more attention should be given to that hospital than to the hospital whose observed mortality rate lies only beyond the bounds calculated for the 75 percent prediction interval.

For the graphs, the observed mortality and an approximate 95 percent prediction interval are displayed. The prediction interval has bounds at the predicted mortality plus 2 times the standard deviation and at the predicted minus 2 times the standard deviation.

In the mortality rate tables, the observed and predicted mortality rates and the standard deviation as a measure for statistical importance of the difference are displayed for the overall and each of the conditions and procedures.



## HOW TO OBTAIN MEDICARE HOSPITAL INFORMATION

The publication has been widely distributed to State health organizations and hospital and medical associations. The publication is available to the public for purchase in 55 volumes, with each volume being sold separately through the Government Printing Office (GPO). More detailed information about the purchase of this publication may be obtained by contacting:

Superintendent of Documents  
Government Printing Office  
Washington, D.C. 20402  
Telephone: (202) 783-3238

As in prior years, the information appearing in the Medicare Hospital Information report is available in machine-readable/electronic format (tape and diskette). The Medicare Hospital Information public use file provides the published information as contained in the 55-volume hardcopy publication, except that the AHA's hospital characteristics are not on this file. Hospital characteristics from HCFA files (OSCAR) are provided instead. The files contain additional information which is useful for supplemental analyses: averages by hospital, MSA, and State for each of the variables used in the model, mortality rates for 15, 30, 60, 90 and 180 days, and cross-reference files which relate State, MSA, and ICD-9-CM codes used to a name. These data should allow analysts to assess an individual hospital's performance in comparison to all hospitals in the State or applicable MSA.

Also available to hospitals in machine-readable format is their patient-specific data that were used in the report. These data include the patient variables used in the analysis (e.g., the number and severity level of prior hospitalizations considered by the methodology, admission source and type, etc.) and the predicted probability of death at each time interval for each individual included in the study. With these data it is possible for hospitals to better understand their statistics. Due to confidentiality considerations, requests for patient-specific data must be forwarded on hospital letterhead, must include the institution's Medicare provider number, and must be signed by the hospital administrator.

For information about obtaining Medicare Hospital Information electronic media data, please contact HCFA's Bureau of Data Management and Strategy at:

Health Care Financing Administration  
Bureau of Data Management and Strategy  
Office of Statistics and Data Management  
3-A-10 Security Office Park Building  
6325 Security Boulevard  
Baltimore, Maryland 21207  
Telephone: (410) 597-5151



# Table 1

## DIAGNOSTIC AND PROCEDURE CATEGORIES

The following lists the ICD-9-CM diagnostic and procedure codes used to classify and group patients for presentation

| CONDITION/PROCEDURE                                                                                                                                                                                                                                                                  | ICD-9-CM CODES<br>(D)=Diagnosis code<br>(P)=Procedure code                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>Heart Disorders/Procedures</b>                                                                                                                                                                                                                                                    |                                                                            |
| Acute Myocardial Infarction<br>(AMI)                                                                                                                                                                                                                                                 | All of 410 (D) (on 10/1/89 exclude 410 with 5th digit of a 2)              |
| <i>Note: For code 410 a 5th digit was added on October 1, 1989.</i>                                                                                                                                                                                                                  |                                                                            |
| Congestive Heart Failure<br>(CHF)                                                                                                                                                                                                                                                    | 398.91, 402.01, 402.11, 402.91, 428.0, 428.1, 428.9 (all D)                |
| Angioplasty<br>(ANGPLSTY)                                                                                                                                                                                                                                                            | All of 36.0 (P) excluding 36.00, 36.03, 36.04, 36.09 (all P)               |
| <i>Note: Code 36.0 had a 4th digit added on October 1, 1986. Code 36.0 got digits of 0, 1, 2, 3, and 9, and code 36.04 got some previously coded cases of 39.97. On October 1, 1987, code 36.01 was divided into 36.01 and 36.05, and some cases from 36.02 were put into 36.05.</i> |                                                                            |
| Coronary Artery Bypass Graft<br>(CABG)                                                                                                                                                                                                                                               | All of 36.1(P) and not Angioplasty (see above)                             |
| Pacemaker Insertion, Initial<br>(PACE)                                                                                                                                                                                                                                               | 37.73, 37.74, 37.75, 37.77 (after 10/1/87 use 37.70 through 37.73) (all P) |
| <i>Note: Code 37.70 was restructured on October 1, 1987. Previously the code contained both leads and devices. On October 1 these were separated and devices were coded as 37.80 through 37.83, and codes for the leads were changed into various 37.70 codes.</i>                   |                                                                            |

**CONDITION/PROCEDURE****ICD-9-CM CODES***(D)=Diagnosis code**(P)=Procedure code***Pulmonary Disorders****Pneumonia/Influenza  
(PNU)**All of 480, all of 481, 482.2, 482.3,  
482.9, 483, 485, 486, 487.0 (all D)**Chronic Obstructive Pulmonary  
(COPD)**All of 491, all of 492, all of 494, Disease  
all of 496; and 466.0, 518.82, 518.5,  
and 786.09 when there is a secondary  
diagnosis of any 496 (all D)

*Note: Code 518.8 got a 5th digit on October 1, 1987. Some  
cases from 799.1 were put into codes 518.81 and  
518.82.*

**Cerebrovascular Disorders/Procedures****Transient Cerebral Ischemia  
(TCI)**433.1, 433.3, 435 (D) and exclude those  
patients with an endarterectomy at the  
time of admission—38.12(P)**Stroke  
(STK)**

431, 434 through 434.9, 436 (all D)

**Carotid Endarterectomy  
(ENDART)**38.12 (P) with 433.1 (D); 433.3 (D) or  
435(D) as a principal diagnosis**Musculoskeletal Disorders/Procedures****Fracture of Neck of Femur  
(FXHIP)**

All of 820 (D)

**Hip Replacement/Revision  
(HIPREP)**81.5, 81.6 (exclude 81.69) (all P). On  
10/1/89 code 81.51 (P) through 81.53  
(P) with same diagnoses.**Open Reduction of Fractured Femur  
(OPRDUX)**79.35(P) on condition of 820 (D) as  
principal diagnosis

**CONDITION/PROCEDURE****ICD-9-CM CODES***(D)=Diagnosis code**(P)=Procedure code***Genitourinary Disorders/Procedures**

Prostatectomy  
(PROS) 60.2, 60.3 through 60.69 (all P)

Hysterectomy  
(HYS) 68.3 through 68.7 (P)

**Gastrointestinal Disorders/Procedures**

Cholecystectomy  
(CHOLOTMY) 51.22 (P)

**Sepsis**

Sepsis 003.1, 020.2, 022.3, 036.2, 036.3,  
036.89, 036.9, 038.0, 038.1, 038.2,  
038.3, 038.40, 038.41, 038.42, 038.43,  
038.44, 038.49, 038.8, 038.9, 054.5

**Table 2**  
**COMORBIDITY CONDITIONS**  
(all are D codes)

| COMORBIDITY                    | ICD-9-CM CODES                                                                                   |
|--------------------------------|--------------------------------------------------------------------------------------------------|
| Cancer                         | 141-160.9, 162-172.9, 174-208.91                                                                 |
| Chronic cardiovascular disease | 412-414.9, 426-429.1                                                                             |
| Chronic liver disease          | 571-572.8                                                                                        |
| Chronic renal disease          | 582-583.9, 585-587, 403.01, 403.11,<br>403.91, 404.02, 404.03, 404.12, 404.13,<br>404.92, 404.93 |
| Chronic diabetes               | 250.01, 250.1-250.91                                                                             |
| Chronic pulmonary disease      | 491-493.91, 496                                                                                  |
| Cerebrovascular degeneration   | 290-290.9, 294-299.9                                                                             |



# Table 3

## EXPLANATORY VARIABLES FOR THE MORTALITY MODEL

Generally the same variables are used for all diagnostic categories.

### Demographics

SXFM                      An indicator variable: = 1 if Female, 0 otherwise

AGEFM = AGESP if SXFM = 1, 0 otherwise

AGEML = AGESP if SXFM = 0, 0 otherwise

where

$$AGESP = \text{sign}(W-65) \left( \left| \frac{W-65}{65} \right| \right)^{1.44}$$

and

$$W = \begin{cases} 23 & \text{if AGE} \leq 23 \\ \text{AGE} & \text{if } 23 < \text{AGE} < 100 \\ 100 & \text{if } 100 \leq \text{AGE} \end{cases}$$

### Comorbidities

### ICD-9-CM Codes

(Indicator variables = 1 if comorbidity present on current or prior admission with discharge within 6 months prior to current admission, 0 otherwise)

|     |                                |                                                                                            |
|-----|--------------------------------|--------------------------------------------------------------------------------------------|
| CCA | Cancer                         | 141-160.9, 162-172.9, 174-208.91                                                           |
| CCV | Chronic cardiovascular disease | 412-414.9, 426-429.1                                                                       |
| CLV | Chronic liver disease          | 571-572.8                                                                                  |
| CRN | Chronic renal disease          | 582-583.9, 585-587, 403.01, 403.11, 403.91, 404.02, 404.03, 404.12, 404.13, 404.92, 404.93 |
| CDI | Chronic diabetes               | 250.01, 250.1-250.91                                                                       |
| COP | Chronic pulmonary disease      | 491-493.91, 496                                                                            |
| CCE | Cerebrovascular degeneration   | 290-290.9, 294-299.9                                                                       |

### Co Occurrence of Comorbidities

|         |                                       |
|---------|---------------------------------------|
| COP_CCV | 1 if COP = 1 and CCV = 1, 0 otherwise |
| CCA_CCV | 1 if CCA = 1 and CCV = 1, 0 otherwise |
| COP_CCA | 1 if COP = 1 and CCA = 1, 0 otherwise |
| CCE_CCV | 1 if CCE = 1 and CCV = 1, 0 otherwise |
| CRN_CCV | 1 if CRN = 1 and CCV = 1, 0 otherwise |

### Admission Sources and Types

(Indicator variables = 1 if source or type present, 0 otherwise)

|       |                                                   |
|-------|---------------------------------------------------|
| PREF  | Patient referred by personal or HMO physician     |
| TRSNF | Patient transferred from skilled nursing facility |
| ELCT  | Patient admitted for elective procedure           |
| EMRG  | Patient admitted for emergency                    |

### Co-Occurrence of Admission Source and Type

PREF\_ELEC = 1 if PREF = 1 and ELCT = 1, 0 otherwise

### Previous Hospitalizations

|         |                                                                                                             |
|---------|-------------------------------------------------------------------------------------------------------------|
| P_RISK1 | Number at 1st risk level with 3 or more set to 3                                                            |
| P_RISK2 | Number at 2nd risk level with 3 or more set to 3                                                            |
| P_RISK3 | Number at 3rd risk level with 3 or more set to 3                                                            |
| P_RISK4 | Number at 4th risk level with 4 or more set to 4                                                            |
| P_RISK5 | Number at 5th risk level with 3 or more set to 3                                                            |
| F(T)    | Probability of death from previous admission if discharge within 182 days of current admission, 0 otherwise |

### Time Trend

|        |                                                                                   |
|--------|-----------------------------------------------------------------------------------|
| FLAG89 | 1 if discharge in FY1989, 0 otherwise                                             |
| FLAG90 | 1 if discharge in FY1990, 0 otherwise                                             |
| INYEAR | Difference between current admission date and April 1 of fiscal year of discharge |

TABLE 4  
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES  
1990 STUDY, FY1990

| CONDITIONS/PROCEDURES    | NUMBER<br>OF<br>HOSPITALS | 30 DAYS |      |      |      |       | 90 DAYS |      |      |      |       | 180 DAYS |      |      |      |       |
|--------------------------|---------------------------|---------|------|------|------|-------|---------|------|------|------|-------|----------|------|------|------|-------|
|                          |                           | -----   |      |      |      |       | -----   |      |      |      |       | -----    |      |      |      |       |
|                          |                           | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%     | 25%  | 50%  | 75%  | 97.5% |
| CONDITIONS               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| OVERALL( < 750 CASES )   | 2645                      | 0.45    | 0.88 | 1.04 | 1.23 | 1.72  | 0.56    | 0.90 | 1.03 | 1.17 | 1.54  | 0.61     | 0.90 | 1.02 | 1.15 | 1.46  |
| OVERALL( >= 750 CASES)   | 2684                      | 0.73    | 0.91 | 0.99 | 1.09 | 1.35  | 0.79    | 0.94 | 1.01 | 1.09 | 1.28  | 0.82     | 0.94 | 1.01 | 1.08 | 1.24  |
| CONDITIONS               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| AMI                      | 1405                      | 0.54    | 0.80 | 0.95 | 1.11 | 1.42  | 0.62    | 0.86 | 0.99 | 1.14 | 1.44  | 0.63     | 0.86 | 0.99 | 1.13 | 1.39  |
| CHF                      | 2335                      | 0.43    | 0.79 | 0.98 | 1.17 | 1.64  | 0.60    | 0.85 | 0.99 | 1.13 | 1.49  | 0.66     | 0.89 | 1.00 | 1.13 | 1.41  |
| PNEUMONIA/INFLUENZA      | 2428                      | 0.41    | 0.78 | 0.97 | 1.18 | 1.68  | 0.53    | 0.84 | 1.00 | 1.17 | 1.55  | 0.57     | 0.86 | 1.01 | 1.16 | 1.50  |
| COPD                     | 435                       | 0.00    | 0.63 | 0.97 | 1.34 | 2.06  | 0.30    | 0.78 | 1.02 | 1.26 | 1.74  | 0.40     | 0.82 | 1.01 | 1.24 | 1.69  |
| TRANS. CEREBRAL ISCHEMIA | 404                       | 0.00    | 0.00 | 0.83 | 1.34 | 3.20  | 0.00    | 0.48 | 0.85 | 1.31 | 2.27  | 0.21     | 0.60 | 0.90 | 1.21 | 2.05  |
| STROKE                   | 1789                      | 0.53    | 0.79 | 0.95 | 1.13 | 1.56  | 0.61    | 0.84 | 0.98 | 1.13 | 1.47  | 0.65     | 0.87 | 0.99 | 1.12 | 1.42  |
| HIP FRACTURE             | 1199                      | 0.21    | 0.67 | 0.93 | 1.27 | 2.10  | 0.40    | 0.76 | 0.94 | 1.19 | 1.80  | 0.47     | 0.78 | 0.97 | 1.16 | 1.64  |
| SEPSIS                   | 254                       | 0.51    | 0.79 | 0.96 | 1.12 | 1.50  | 0.65    | 0.86 | 0.99 | 1.13 | 1.47  | 0.69     | 0.89 | 1.01 | 1.15 | 1.44  |
| PROCEDURES               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| ANGIOPLASTY              | 425                       | 0.00    | 0.49 | 0.89 | 1.33 | 2.66  | 0.00    | 0.60 | 0.93 | 1.36 | 2.34  | 0.00     | 0.63 | 0.97 | 1.34 | 2.14  |
| CABG                     | 556                       | 0.20    | 0.68 | 1.03 | 1.39 | 2.45  | 0.28    | 0.73 | 1.00 | 1.32 | 2.09  | 0.28     | 0.73 | 1.01 | 1.30 | 2.10  |
| PACEMAKER                | 112                       | 0.00    | 0.41 | 0.72 | 1.37 | 3.25  | 0.20    | 0.61 | 0.90 | 1.21 | 2.17  | 0.21     | 0.65 | 0.84 | 1.16 | 1.87  |
| CAROTID ENDARTERECTOMY   | 73                        | 0.00    | 0.00 | 0.85 | 1.33 | 2.90  | 0.00    | 0.14 | 0.74 | 1.28 | 2.43  | 0.00     | 0.42 | 0.86 | 1.38 | 2.86  |
| HIP REPLACEMENT          | 763                       | 0.00    | 0.53 | 0.94 | 1.44 | 2.77  | 0.19    | 0.67 | 0.96 | 1.31 | 2.12  | 0.26     | 0.71 | 0.94 | 1.26 | 1.91  |
| REDUCT. OF HIP FRACTURE  | 276                       | 0.00    | 0.56 | 0.86 | 1.22 | 2.05  | 0.31    | 0.68 | 0.92 | 1.19 | 1.76  | 0.38     | 0.77 | 0.96 | 1.12 | 1.58  |
| PROSTATECTOMY            | 1576                      | 0.00    | 0.00 | 0.73 | 1.57 | 3.56  | 0.00    | 0.49 | 0.91 | 1.40 | 2.63  | 0.00     | 0.57 | 0.92 | 1.29 | 2.21  |
| CHOLECYSTECTOMY          | 714                       | 0.00    | 0.49 | 0.95 | 1.54 | 2.68  | 0.00    | 0.62 | 0.93 | 1.37 | 2.22  | 0.22     | 0.67 | 0.98 | 1.27 | 1.93  |
| HYSTERECTOMY             | 113                       | 0.00    | 0.00 | 0.00 | 2.00 | 6.69  | 0.00    | 0.00 | 0.76 | 1.70 | 3.59  | 0.00     | 0.24 | 0.75 | 1.27 | 2.91  |

TABLE 4  
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES  
1990 STUDY, FY1989

| CONDITIONS/PROCEDURES    | NUMBER<br>OF<br>HOSPITALS | 30 DAYS |      |      |      |       | 90 DAYS |      |      |      |       | 180 DAYS |      |      |      |       |
|--------------------------|---------------------------|---------|------|------|------|-------|---------|------|------|------|-------|----------|------|------|------|-------|
|                          |                           | -----   |      |      |      |       | -----   |      |      |      |       | -----    |      |      |      |       |
|                          |                           | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%     | 25%  | 50%  | 75%  | 97.5% |
| CONDITIONS               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| OVERALL( < 750 CASES )   | 2746                      | 0.50    | 0.87 | 1.04 | 1.23 | 1.73  | 0.58    | 0.89 | 1.03 | 1.17 | 1.54  | 0.61     | 0.89 | 1.01 | 1.14 | 1.44  |
| OVERALL( >= 750 CASES)   | 2669                      | 0.71    | 0.90 | 1.00 | 1.09 | 1.35  | 0.79    | 0.94 | 1.01 | 1.08 | 1.28  | 0.82     | 0.95 | 1.01 | 1.07 | 1.24  |
| CONDITIONS               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| AMI                      | 1412                      | 0.53    | 0.81 | 0.96 | 1.12 | 1.47  | 0.59    | 0.86 | 1.01 | 1.15 | 1.47  | 0.63     | 0.87 | 1.00 | 1.14 | 1.43  |
| CHF                      | 2293                      | 0.47    | 0.80 | 0.97 | 1.18 | 1.69  | 0.58    | 0.86 | 1.00 | 1.14 | 1.48  | 0.66     | 0.89 | 1.02 | 1.14 | 1.40  |
| PNEUMONIA/INFLUENZA      | 2179                      | 0.45    | 0.77 | 0.97 | 1.19 | 1.67  | 0.54    | 0.85 | 1.01 | 1.18 | 1.55  | 0.60     | 0.86 | 1.02 | 1.18 | 1.51  |
| COPD                     | 324                       | 0.21    | 0.68 | 0.99 | 1.32 | 2.13  | 0.44    | 0.78 | 1.04 | 1.27 | 1.91  | 0.49     | 0.84 | 1.04 | 1.24 | 1.66  |
| TRANS. CEREBRAL ISCHEMIA | 420                       | 0.00    | 0.00 | 0.79 | 1.41 | 3.26  | 0.00    | 0.46 | 0.88 | 1.33 | 2.36  | 0.18     | 0.60 | 0.92 | 1.25 | 1.97  |
| STROKE                   | 1728                      | 0.53    | 0.80 | 0.95 | 1.12 | 1.56  | 0.62    | 0.85 | 0.97 | 1.11 | 1.46  | 0.67     | 0.88 | 0.99 | 1.13 | 1.40  |
| HIP FRACTURE             | 1126                      | 0.24    | 0.67 | 0.95 | 1.30 | 2.04  | 0.39    | 0.75 | 0.98 | 1.21 | 1.71  | 0.46     | 0.78 | 0.97 | 1.18 | 1.59  |
| SEPSIS                   | 174                       | 0.52    | 0.79 | 0.94 | 1.10 | 1.52  | 0.63    | 0.88 | 1.02 | 1.15 | 1.46  | 0.68     | 0.93 | 1.05 | 1.16 | 1.43  |
| PROCEDURES               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| ANGIOPLASTY              | 370                       | 0.00    | 0.46 | 0.84 | 1.35 | 2.55  | 0.00    | 0.55 | 0.88 | 1.33 | 2.52  | 0.00     | 0.61 | 0.94 | 1.32 | 2.44  |
| CABG                     | 501                       | 0.21    | 0.65 | 1.00 | 1.47 | 2.57  | 0.23    | 0.69 | 1.00 | 1.33 | 2.29  | 0.32     | 0.74 | 1.01 | 1.33 | 2.21  |
| PACEMAKER                | 91                        | 0.00    | 0.52 | 0.74 | 1.12 | 2.31  | 0.00    | 0.56 | 0.83 | 1.15 | 2.14  | 0.20     | 0.68 | 0.81 | 1.16 | 1.87  |
| CAROTID ENDARTERECTOMY   | 55                        | 0.00    | 0.00 | 0.82 | 1.51 | 5.01  | 0.00    | 0.47 | 0.86 | 1.31 | 4.00  | 0.00     | 0.43 | 0.85 | 1.28 | 3.12  |
| HIP REPLACEMENT          | 686                       | 0.00    | 0.52 | 0.92 | 1.44 | 2.46  | 0.00    | 0.65 | 0.94 | 1.27 | 1.95  | 0.21     | 0.67 | 0.94 | 1.19 | 1.75  |
| REDUCT. OF HIP FRACTURE  | 246                       | 0.19    | 0.57 | 0.91 | 1.23 | 1.96  | 0.31    | 0.71 | 0.96 | 1.19 | 1.74  | 0.41     | 0.78 | 0.96 | 1.13 | 1.53  |
| PROSTATECTOMY            | 1570                      | 0.00    | 0.00 | 0.67 | 1.50 | 3.46  | 0.00    | 0.47 | 0.86 | 1.36 | 2.67  | 0.00     | 0.58 | 0.93 | 1.28 | 2.15  |
| CHOLECYSTECTOMY          | 680                       | 0.00    | 0.53 | 0.94 | 1.53 | 2.90  | 0.00    | 0.62 | 0.97 | 1.36 | 2.15  | 0.22     | 0.66 | 0.95 | 1.26 | 1.98  |
| HYSTERECTOMY             | 101                       | 0.00    | 0.00 | 0.00 | 1.80 | 5.44  | 0.00    | 0.00 | 0.78 | 1.60 | 4.21  | 0.00     | 0.00 | 0.91 | 1.38 | 2.99  |



TABLE 4  
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES  
1990 STUDY, FY1988

| CONDITIONS/PROCEDURES    | NUMBER<br>OF<br>HOSPITALS | 30 DAYS |       |       |       |       | 90 DAYS |       |       |       |       | 180 DAYS |       |       |       |       |
|--------------------------|---------------------------|---------|-------|-------|-------|-------|---------|-------|-------|-------|-------|----------|-------|-------|-------|-------|
|                          |                           | 2.5%    | 25%   | 50%   | 75%   | 97.5% | 2.5%    | 25%   | 50%   | 75%   | 97.5% | 2.5%     | 25%   | 50%   | 75%   | 97.5% |
|                          |                           | -----   | ----- | ----- | ----- | ----- | -----   | ----- | ----- | ----- | ----- | -----    | ----- | ----- | ----- | ----- |
| OVERALL( < 750 CASES )   | 2838                      | 0.46    | 0.89  | 1.05  | 1.23  | 1.75  | 0.54    | 0.90  | 1.03  | 1.16  | 1.57  | 0.59     | 0.90  | 1.02  | 1.14  | 1.45  |
| OVERALL( >= 750 CASES)   | 2693                      | 0.73    | 0.90  | 1.00  | 1.10  | 1.35  | 0.79    | 0.94  | 1.01  | 1.09  | 1.27  | 0.82     | 0.95  | 1.01  | 1.08  | 1.24  |
| CONDITIONS               |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| -----                    |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| AMI                      | 1414                      | 0.56    | 0.82  | 0.96  | 1.12  | 1.41  | 0.63    | 0.87  | 1.01  | 1.14  | 1.42  | 0.65     | 0.89  | 1.00  | 1.13  | 1.39  |
| CHF                      | 2246                      | 0.45    | 0.79  | 0.97  | 1.18  | 1.61  | 0.60    | 0.86  | 1.00  | 1.14  | 1.43  | 0.68     | 0.90  | 1.02  | 1.13  | 1.37  |
| PNEUMONIA/INFLUENZA      | 2069                      | 0.44    | 0.79  | 0.97  | 1.17  | 1.68  | 0.57    | 0.85  | 1.01  | 1.17  | 1.59  | 0.61     | 0.87  | 1.01  | 1.16  | 1.53  |
| COPD                     | 310                       | 0.21    | 0.67  | 0.92  | 1.30  | 2.17  | 0.39    | 0.79  | 0.98  | 1.20  | 1.81  | 0.51     | 0.82  | 0.99  | 1.19  | 1.59  |
| TRANS. CEREBRAL ISCHEMIA | 495                       | 0.00    | 0.00  | 0.84  | 1.48  | 2.94  | 0.00    | 0.48  | 0.92  | 1.39  | 2.28  | 0.21     | 0.60  | 0.92  | 1.27  | 1.92  |
| STROKE                   | 1726                      | 0.51    | 0.79  | 0.95  | 1.12  | 1.56  | 0.60    | 0.84  | 0.98  | 1.13  | 1.44  | 0.64     | 0.88  | 1.00  | 1.13  | 1.42  |
| HIP FRACTURE             | 1119                      | 0.24    | 0.65  | 0.96  | 1.27  | 2.07  | 0.40    | 0.78  | 0.98  | 1.21  | 1.77  | 0.47     | 0.80  | 0.98  | 1.17  | 1.64  |
| SEPSIS                   | 133                       | 0.58    | 0.77  | 0.92  | 1.08  | 1.64  | 0.56    | 0.86  | 1.00  | 1.13  | 1.54  | 0.67     | 0.88  | 1.02  | 1.14  | 1.53  |
| PROCEDURES               |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| -----                    |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| ANGIOPLASTY              | 297                       | 0.00    | 0.50  | 0.87  | 1.35  | 2.60  | 0.00    | 0.59  | 0.91  | 1.34  | 2.50  | 0.00     | 0.65  | 0.95  | 1.31  | 2.25  |
| CABG                     | 478                       | 0.21    | 0.68  | 0.98  | 1.39  | 2.40  | 0.32    | 0.73  | 1.00  | 1.36  | 2.12  | 0.38     | 0.75  | 1.01  | 1.31  | 2.04  |
| PACEMAKER                | 83                        | 0.00    | 0.34  | 0.65  | 1.04  | 1.75  | 0.01    | 0.54  | 0.85  | 1.03  | 1.70  | 0.23     | 0.69  | 0.87  | 1.10  | 1.57  |
| CAROTID ENDARTERECTOMY   | 69                        | 0.00    | 0.00  | 0.60  | 1.23  | 3.30  | 0.00    | 0.33  | 0.62  | 1.09  | 2.50  | 0.00     | 0.44  | 0.68  | 1.16  | 1.87  |
| HIP REPLACEMENT          | 670                       | 0.00    | 0.49  | 0.95  | 1.40  | 2.65  | 0.00    | 0.66  | 1.01  | 1.31  | 2.15  | 0.24     | 0.70  | 0.96  | 1.24  | 1.87  |
| REDUCT. OF HIP FRACTURE  | 259                       | 0.00    | 0.61  | 0.91  | 1.26  | 2.16  | 0.38    | 0.74  | 0.96  | 1.21  | 1.94  | 0.44     | 0.77  | 0.96  | 1.16  | 1.79  |
| PROSTATECTOMY            | 1619                      | 0.00    | 0.00  | 0.78  | 1.53  | 3.69  | 0.00    | 0.54  | 0.92  | 1.39  | 2.57  | 0.00     | 0.61  | 0.93  | 1.30  | 2.21  |
| CHOLECYSTECTOMY          | 642                       | 0.00    | 0.50  | 0.96  | 1.44  | 3.04  | 0.00    | 0.61  | 0.96  | 1.36  | 2.26  | 0.25     | 0.66  | 0.96  | 1.27  | 2.01  |
| HYSTERECTOMY             | 90                        | 0.00    | 0.00  | 0.00  | 1.57  | 5.00  | 0.00    | 0.00  | 0.68  | 1.43  | 2.83  | 0.00     | 0.28  | 0.67  | 1.15  | 2.88  |

TABLE 5: MULTIPLICATIVE FACTORS FOR THE CALCULATION OF THE BOUNDS FOR PREDICTION INTERVALS

(n is the number of cases at your hospital and p is the predicted mortality rate)

| p | n    | 99% Prediction Interval |      |      |      |      | 95% Prediction Interval |      |      |      |      | 75% Prediction Interval |      |      |      |      |
|---|------|-------------------------|------|------|------|------|-------------------------|------|------|------|------|-------------------------|------|------|------|------|
|   |      | Factor for Upper Bound  |      |      |      |      | Factor for Upper Bound  |      |      |      |      | Factor for Upper Bound  |      |      |      |      |
|   |      | 1%                      | 5%   | 10%  | 20%  | 40%  | 1%                      | 5%   | 10%  | 20%  | 40%  | 1%                      | 5%   | 10%  | 20%  | 40%  |
|   | 25   | 2.95                    | 2.73 | 2.68 | 2.63 | 2.59 | 2.15                    | 2.04 | 2.01 | 1.99 | 1.97 | 1.17                    | 1.16 | 1.16 | 1.15 | 1.15 |
|   | 50   | 2.76                    | 2.65 | 2.63 | 2.60 | 2.58 | 2.05                    | 2.00 | 1.99 | 1.97 | 1.96 | 1.16                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 75   | 2.70                    | 2.63 | 2.61 | 2.59 | 2.58 | 2.02                    | 1.99 | 1.98 | 1.97 | 1.96 | 1.16                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 100  | 2.67                    | 2.61 | 2.60 | 2.59 | 2.58 | 2.01                    | 1.98 | 1.97 | 1.97 | 1.96 | 1.16                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 150  | 2.64                    | 2.60 | 2.59 | 2.59 | 2.58 | 1.99                    | 1.97 | 1.97 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 200  | 2.62                    | 2.60 | 2.59 | 2.58 | 2.58 | 1.98                    | 1.97 | 1.97 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 300  | 2.61                    | 2.59 | 2.58 | 2.58 | 2.58 | 1.98                    | 1.97 | 1.96 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 400  | 2.60                    | 2.59 | 2.58 | 2.58 | 2.58 | 1.97                    | 1.96 | 1.96 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 500  | 2.59                    | 2.58 | 2.58 | 2.58 | 2.58 | 1.97                    | 1.96 | 1.96 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 750  | 2.59                    | 2.58 | 2.58 | 2.58 | 2.58 | 1.97                    | 1.96 | 1.96 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 1000 | 2.59                    | 2.58 | 2.58 | 2.58 | 2.58 | 1.96                    | 1.96 | 1.96 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 2000 | 2.58                    | 2.58 | 2.58 | 2.58 | 2.58 | 1.96                    | 1.96 | 1.96 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |
|   | 5000 | 2.58                    | 2.58 | 2.58 | 2.58 | 2.58 | 1.96                    | 1.96 | 1.96 | 1.96 | 1.96 | 1.15                    | 1.15 | 1.15 | 1.15 | 1.15 |

| p | n    | Factor for Lower Bound |       |       |       |       | Factor for Lower Bound |       |       |       |       | Factor for Lower Bound |       |       |       |       |
|---|------|------------------------|-------|-------|-------|-------|------------------------|-------|-------|-------|-------|------------------------|-------|-------|-------|-------|
|   |      | Factor for Lower Bound |       |       |       |       | Factor for Lower Bound |       |       |       |       | Factor for Lower Bound |       |       |       |       |
|   |      | 1%                     | 5%    | 10%   | 20%   | 40%   | 1%                     | 5%    | 10%   | 20%   | 40%   | 1%                     | 5%    | 10%   | 20%   | 40%   |
|   | 25   | -2.21                  | -2.42 | -2.48 | -2.52 | -2.56 | -1.77                  | -1.88 | -1.91 | -1.93 | -1.95 | -1.13                  | -1.14 | -1.14 | -1.15 | -1.15 |
|   | 50   | -2.39                  | -2.50 | -2.53 | -2.55 | -2.57 | -1.87                  | -1.92 | -1.93 | -1.95 | -1.96 | -1.14                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 75   | -2.45                  | -2.52 | -2.54 | -2.56 | -2.57 | -1.90                  | -1.93 | -1.94 | -1.95 | -1.96 | -1.14                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 100  | -2.48                  | -2.54 | -2.55 | -2.56 | -2.57 | -1.91                  | -1.94 | -1.95 | -1.95 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 150  | -2.51                  | -2.55 | -2.56 | -2.57 | -2.57 | -1.93                  | -1.95 | -1.95 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 200  | -2.53                  | -2.56 | -2.56 | -2.57 | -2.57 | -1.94                  | -1.95 | -1.95 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 300  | -2.54                  | -2.56 | -2.57 | -2.57 | -2.57 | -1.94                  | -1.95 | -1.96 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 400  | -2.55                  | -2.57 | -2.57 | -2.57 | -2.57 | -1.95                  | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 500  | -2.56                  | -2.57 | -2.57 | -2.57 | -2.58 | -1.95                  | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 750  | -2.56                  | -2.57 | -2.57 | -2.57 | -2.58 | -1.95                  | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 1000 | -2.57                  | -2.57 | -2.57 | -2.57 | -2.58 | -1.96                  | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 2000 | -2.57                  | -2.57 | -2.57 | -2.58 | -2.58 | -1.96                  | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 5000 | -2.57                  | -2.58 | -2.58 | -2.58 | -2.58 | -1.96                  | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                  | -1.15 | -1.15 | -1.15 | -1.15 |

**Medicare  
Hospital  
Information**

# ALLEN COUNTY HOSPITAL


101 S 1ST ST  
IOLA, KS 66749  
Medicare Provider Number: 170116

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 608             | 12.0                | 10.2 | 1.9  | 17.8    | 15.1 | 1.9  | 21.4     | 18.7 | 2.1  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 22              | 40.9                | 33.5 | ---- | 50.0    | 37.3 | ---- | 59.1     | 40.9 | ---- |
| Congestive Heart Failure.....              | 37              | 40.5                | 15.9 | ---- | 51.4    | 25.4 | ---- | 54.1     | 32.3 | ---- |
| Pneumonia/Influenza.....                   | 37              | 16.2                | 13.9 | ---- | 18.9    | 19.4 | ---- | 21.6     | 23.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 14              | 0.0                 | 9.6  | ---- | 0.0     | 16.6 | ---- | 0.0      | 21.7 | ---- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.7  | ---- | 0.0     | 4.2  | ---- | 0.0      | 7.2  | ---- |
| Stroke.....                                | 29              | 17.2                | 21.3 | ---- | 27.6    | 27.0 | ---- | 31.0     | 31.1 | ---- |
| Hip Fracture.....                          | 14              | 7.1                 | 9.2  | ---- | 28.6    | 16.0 | ---- | 28.6     | 20.9 | ---- |
| Sepsis.....                                | 12              | 0.0                 | 26.3 | ---- | 0.0     | 33.7 | ---- | 16.7     | 38.1 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 16              | 0.0                 | 2.9  | ---- | 6.3     | 5.2  | ---- | 6.3      | 6.9  | ---- |
| Open Reduction of Hip Fracture.....        | 3               | 0.0                 | 6.7  | ---- | 0.0     | 11.3 | ---- | 0.0      | 14.6 | ---- |
| Prostatectomy.....                         | 37              | 5.4                 | 1.0  | ---- | 8.1     | 2.5  | ---- | 8.1      | 4.3  | ---- |
| Cholecystectomy.....                       | 10              | 0.0                 | 1.8  | ---- | 0.0     | 4.0  | ---- | 0.0      | 6.0  | ---- |
| Hysterectomy.....                          | 5               | 0.0                 | 0.1  | ---- | 0.0     | 0.3  | ---- | 0.0      | 0.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# ALLEN COUNTY HOSPITAL

Medicare Provider Number: 170116

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.1 years  
Proportion female..... 55.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 48.7 %  
Transferred from skilled nursing facility..... 1.3 %  
Admitted for elective procedure..... 18.8 %  
Admitted for emergency..... 1.6 %

### COMORBIDITIES:

Cancer..... 4.9 %  
Chronic cardiovascular disease..... 36.2 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 2.3 %  
Chronic pulmonary disease..... 12.8 %  
Cerebrovascular degeneration..... 5.3 %  
Diabetes mellitus..... 5.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 62.7%  
State ..... 36.0%  
Outside State ..... 1.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 50  
Occupancy Rate ..... 46.0 %  
Ownership/Control..... Local Government  
Medicare Discharges .....(Not Available)  
Case Mix Index (CMI) ..... 1.1432

### STAFFING:

Total Number of Physicians..... 13  
Percent of Physicians Board  
Certified Specialists..... 53.8 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 39  
Licensed Practical Nurses ..... 12

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ANDERSON COUNTY HOSPITAL


421 S MAPLE  
GARNETT, KS 66032  
Medicare Provider Number: 170035

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 187             | 9.1                 | 10.8 | 2.5   | 11.8    | 15.6 | 3.4   | 15.5     | 19.2 | 3.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 14              | 21.4                | 29.6 | ----- | 21.4    | 32.9 | ----- | 21.4     | 36.0 | ----- |
| Congestive Heart Failure.....              | 14              | 0.0                 | 11.9 | ----- | 7.1     | 18.2 | ----- | 14.3     | 23.6 | ----- |
| Pneumonia/Influenza.....                   | 22              | 22.7                | 14.6 | ----- | 27.3    | 20.7 | ----- | 27.3     | 24.9 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 11.4 | ----- | 0.0     | 20.4 | ----- | 0.0      | 26.9 | ----- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 0.9  | ----- | 0.0     | 2.4  | ----- | 0.0      | 4.5  | ----- |
| Stroke.....                                | 12              | 0.0                 | 17.7 | ----- | 0.0     | 23.4 | ----- | 0.0      | 27.4 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 5               | 0.0                 | 0.7  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.7  | ----- |
| Cholecystectomy.....                       | 1               | 0.0                 | 9.9  | ----- | 0.0     | 21.2 | ----- | 0.0      | 29.4 | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ANDERSON COUNTY HOSPITAL

Medicare Provider Number: 170035

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.4 years  
Proportion female..... 49.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.9 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 20.3 %  
Admitted for emergency..... 8.0 %

### COMORBIDITIES:

Cancer..... 7.0 %  
Chronic cardiovascular disease..... 38.0 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.7 %  
Chronic pulmonary disease..... 18.7 %  
Cerebrovascular degeneration..... 3.2 %  
Diabetes mellitus..... 5.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 75.4%  
State ..... 22.8%  
Outside State ..... 1.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 58  
Occupancy Rate ..... 67.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 42.0 %  
Case Mix Index (CMI) ..... 0.9183

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ARKANSAS CITY MEMORIAL HOSPITAL


216 W BIRCH ST  
ARKANSAS CITY, KS 67005  
Medicare Provider Number: 170150

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 526                | 9.5                 | 10.3 | 1.4  | 16.3    | 15.8 | 3.3  | 17.9     | 19.7 | 2.5  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 11                 | 27.3                | 23.2 | ---- | 27.3    | 26.2 | ---- | 27.3     | 29.2 | ---- |
| Congestive Heart Failure.....              | 22                 | 13.6                | 15.6 | ---- | 27.3    | 24.2 | ---- | 27.3     | 30.8 | ---- |
| Pneumonia/Influenza.....                   | 40                 | 17.5                | 16.6 | ---- | 30.0    | 22.6 | ---- | 30.0     | 26.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 12                 | 8.3                 | 11.7 | ---- | 25.0    | 21.5 | ---- | 25.0     | 27.5 | ---- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 0.9  | ---- | 0.0     | 2.3  | ---- | 0.0      | 4.3  | ---- |
| Stroke.....                                | 25                 | 40.0                | 18.3 | ---- | 40.0    | 24.5 | ---- | 40.0     | 28.1 | ---- |
| Hip Fracture.....                          | 22                 | 4.5                 | 7.0  | ---- | 9.1     | 12.6 | ---- | 18.2     | 16.7 | ---- |
| Sepsis.....                                | 10                 | 0.0                 | 25.9 | ---- | 10.0    | 34.7 | ---- | 10.0     | 40.5 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 6                  | 0.0                 | 4.7  | ---- | 16.7    | 8.1  | ---- | 16.7     | 10.8 | ---- |
| Open Reduction of Hip Fracture.....        | 4                  | 25.0                | 3.9  | ---- | 25.0    | 7.3  | ---- | 25.0     | 10.2 | ---- |
| Prostatectomy.....                         | 30                 | 0.0                 | 0.9  | ---- | 3.3     | 2.1  | ---- | 3.3      | 3.8  | ---- |
| Cholecystectomy.....                       | 13                 | 0.0                 | 3.3  | ---- | 0.0     | 6.0  | ---- | 0.0      | 8.3  | ---- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.1  | ---- | 0.0     | 0.3  | ---- | 0.0      | 0.6  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# ARKANSAS CITY MEMORIAL HOSPITAL

Medicare Provider Number: 170150

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.7 years  
Proportion female..... 59.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 36.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 9.5 %  
Admitted for emergency..... 16.2 %

### COMORBIDITIES:

Cancer..... 8.7 %  
Chronic cardiovascular disease..... 32.1 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 1.1 %  
Chronic pulmonary disease..... 19.4 %  
Cerebrovascular degeneration..... 5.5 %  
Diabetes mellitus..... 8.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.6%  
State ..... 7.1%  
Outside State ..... 5.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 55  
Occupancy Rate ..... 47.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 52.9 %  
Case Mix Index (CMI) ..... 1.1346

### STAFFING:

Total Number of Physicians..... 14  
Percent of Physicians Board  
Certified Specialists ..... 57.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 34  
Licensed Practical Nurses ..... 6

\*\* Except for CMI

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\* Not used in calculating mortality rates

# ASBURY-SALINA REGIONAL MEDICAL CENTER


400 S SANTA FE  
SALINA, KS 67401  
Medicare Provider Number: 170012

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1674            | 8.3                 | 7.2  | 1.1   | 11.5    | 11.2 | 1.1   | 14.3     | 14.3 | 1.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 44              | 40.9                | 27.9 | ----- | 45.5    | 31.3 | ----- | 52.3     | 34.3 | ----- |
| Congestive Heart Failure.....              | 54              | 20.4                | 15.7 | 6.8   | 29.6    | 24.5 | 7.8   | 35.2     | 30.7 | 8.0   |
| Pneumonia/Influenza.....                   | 63              | 17.5                | 15.0 | 5.0   | 19.0    | 20.8 | 5.4   | 22.2     | 24.8 | 6.0   |
| Chronic Obstructive Pulmonary Disease..... | 23              | 26.1                | 8.3  | ----- | 30.4    | 14.8 | ----- | 34.8     | 19.9 | ----- |
| Transient Cerebral Ischemia.....           | 13              | 0.0                 | 1.3  | ----- | 0.0     | 2.9  | ----- | 0.0      | 4.7  | ----- |
| Stroke.....                                | 45              | 31.1                | 23.1 | ----- | 35.6    | 29.4 | ----- | 37.8     | 33.2 | ----- |
| Hip Fracture.....                          | 87              | 5.7                 | 6.9  | 3.0   | 10.3    | 12.0 | 5.9   | 11.5     | 15.7 | 6.3   |
| Sepsis.....                                | 11              | 27.3                | 30.8 | ----- | 36.4    | 39.1 | ----- | 36.4     | 43.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 22              | 0.0                 | 4.0  | ----- | 4.5     | 8.3  | ----- | 13.6     | 12.1 | ----- |
| Carotid Endarterectomy.....                | 16              | 0.0                 | 1.2  | ----- | 0.0     | 2.4  | ----- | 6.3      | 3.5  | ----- |
| Hip Replacement/Reconstruction.....        | 76              | 1.3                 | 3.6  | 2.7   | 5.3     | 6.7  | 3.5   | 6.6      | 8.9  | 3.7   |
| Open Reduction of Hip Fracture.....        | 28              | 0.0                 | 5.2  | ----- | 0.0     | 9.4  | ----- | 0.0      | 13.0 | ----- |
| Prostatectomy.....                         | 85              | 0.0                 | 0.8  | 1.5   | 1.2     | 1.9  | 2.2   | 2.4      | 3.4  | 3.4   |
| Cholecystectomy.....                       | 49              | 0.0                 | 2.6  | ----- | 0.0     | 5.3  | ----- | 2.0      | 7.6  | ----- |
| Hysterectomy.....                          | 20              | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ASBURY-SALINA REGIONAL MEDICAL CENTER

Medicare Provider Number: 170012

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.5 years  
Proportion female..... 54.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 50.2 %  
Transferred from skilled nursing facility..... 2.3 %  
Admitted for elective procedure..... 44.3 %  
Admitted for emergency..... 0.6 %

### COMORBIDITIES:

Cancer..... 5.9 %  
Chronic cardiovascular disease..... 34.6 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 6.0 %  
Chronic pulmonary disease..... 13.6 %  
Cerebrovascular degeneration..... 4.5 %  
Diabetes mellitus..... 6.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 50.6%  
State ..... 48.1%  
Outside State ..... 1.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 187  
Occupancy Rate ..... 65.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 37.1 %  
Case Mix Index (CMI) ..... 1.4115

### STAFFING:

Total Number of Physicians..... 90  
Percent of Physicians Board  
Certified Specialists ..... 94.4 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 184  
Licensed Practical Nurses ..... 24

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# ASHLAND DISTRICT HOSPITAL

709 OAK ST  
ASHLAND, KS 67831  
Medicare Provider Number: 170050

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 53                 | 9.4                 | 10.1 | 4.9   | 15.1    | 15.2 | 5.0   | 18.9     | 19.2 | 5.8   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 2                  | 0.0                 | 8.1  | ----- | 0.0     | 12.8 | ----- | 0.0      | 17.4 | ----- |
| Pneumonia/Influenza.....                   | 9                  | 11.1                | 13.4 | ----- | 22.2    | 18.9 | ----- | 22.2     | 22.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 13.9 | ----- | 0.0     | 22.4 | ----- | 0.0      | 28.3 | ----- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 1.5  | ----- | 0.0     | 3.6  | ----- | 0.0      | 6.4  | ----- |
| Stroke.....                                | 1                  | 100.0               | 51.8 | ----- | 100.0   | 59.7 | ----- | 100.0    | 61.9 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1                  | 0.0                 | 12.1 | ----- | 0.0     | 16.3 | ----- | 0.0      | 20.1 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.2  | ----- | 0.0     | 0.6  | ----- | 0.0      | 1.0  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# ASHLAND DISTRICT HOSPITAL

Medicare Provider Number: 170050

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.6 years  
Proportion female..... 73.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 69.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 11.3 %

### COMORBIDITIES:

Cancer..... 3.8 %  
Chronic cardiovascular disease..... 60.4 %  
Chronic liver disease..... 1.9 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 37.7 %  
Cerebrovascular degeneration..... 5.7 %  
Diabetes mellitus..... 3.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 86.1%  
State ..... 12.9%  
Outside State ..... 1.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 16  
Occupancy Rate ..... 6.3 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 66.3 %  
Case Mix Index (CMI) ..... 0.9605

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 0

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ATCHISON HOSPITAL


1300 N 2ND ST  
ATCHISON, KS 66002  
Medicare Provider Number: 170022

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 641             | 10.0                | 9.7  | 1.2   | 13.9    | 14.8 | 1.5   | 17.5     | 18.5 | 1.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 22              | 36.4                | 26.4 | ----- | 45.5    | 30.0 | ----- | 54.5     | 32.8 | ----- |
| Congestive Heart Failure.....              | 51              | 11.8                | 17.2 | 8.2   | 17.6    | 27.2 | 11.1  | 29.4     | 33.7 | 12.0  |
| Pneumonia/Influenza.....                   | 47              | 12.8                | 15.3 | ----- | 14.9    | 20.5 | ----- | 17.0     | 24.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 8               | 0.0                 | 10.2 | ----- | 0.0     | 16.9 | ----- | 0.0      | 22.5 | ----- |
| Transient Cerebral Ischemia.....           | 16              | 0.0                 | 1.2  | ----- | 0.0     | 3.0  | ----- | 0.0      | 5.1  | ----- |
| Stroke.....                                | 20              | 20.0                | 18.1 | ----- | 35.0    | 26.1 | ----- | 40.0     | 31.0 | ----- |
| Hip Fracture.....                          | 24              | 8.3                 | 6.8  | ----- | 12.5    | 12.6 | ----- | 16.7     | 17.0 | ----- |
| Sepsis.....                                | 8               | 62.5                | 31.9 | ----- | 62.5    | 40.2 | ----- | 62.5     | 45.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 2               | 0.0                 | 0.5  | ----- | 0.0     | 1.2  | ----- | 0.0      | 2.2  | ----- |
| Carotid Endarterectomy.....                | 1               | 0.0                 | 1.3  | ----- | 0.0     | 2.6  | ----- | 0.0      | 3.9  | ----- |
| Hip Replacement/Reconstruction.....        | 16              | 0.0                 | 1.9  | ----- | 0.0     | 3.7  | ----- | 0.0      | 5.2  | ----- |
| Open Reduction of Hip Fracture.....        | 14              | 14.3                | 5.8  | ----- | 14.3    | 10.6 | ----- | 14.3     | 14.4 | ----- |
| Prostatectomy.....                         | 14              | 0.0                 | 1.2  | ----- | 0.0     | 3.0  | ----- | 0.0      | 5.2  | ----- |
| Cholecystectomy.....                       | 14              | 7.1                 | 1.3  | ----- | 7.1     | 2.5  | ----- | 14.3     | 3.6  | ----- |
| Hysterectomy.....                          | 5               | 0.0                 | 0.2  | ----- | 0.0     | 0.5  | ----- | 20.0     | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ATCHISON HOSPITAL

Medicare Provider Number: 170022

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
 Proportion female..... 63.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 47.0 %  
 Transferred from skilled nursing facility..... 3.0 %  
 Admitted for elective procedure..... 20.0 %  
 Admitted for emergency..... 12.2 %

### COMORBIDITIES:

Cancer..... 6.4 %  
 Chronic cardiovascular disease..... 34.8 %  
 Chronic liver disease..... 0.3 %  
 Chronic renal disease..... 2.0 %  
 Chronic pulmonary disease..... 11.7 %  
 Cerebrovascular degeneration..... 2.2 %  
 Diabetes mellitus..... 6.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 75.3%  
 State ..... 14.6%  
 Outside State ..... 10.1%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.1 Days  
 State ..... 7.3 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 131  
 Occupancy Rate ..... 48.0 %  
 Ownership/Control..... Private, Non-Profit  
 Medicare Discharges ..... 40.9 %  
 Case Mix Index (CMI) ..... 1.2234

### STAFFING:

Total Number of Physicians..... 18  
 Percent of Physicians Board  
 Certified Specialists ..... 77.8 %  
 Medical Residents/Interns ..... 0  
 Registered Nurses..... 36  
 Licensed Practical Nurses ..... 19

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care ..... Yes  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
 Rehabilitation..... Yes  
 Psychiatric ..... No  
 Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# AUGUSTA MEDICAL COMPLEX INC


2101 DEARBORN  
AUGUSTA, KS 67010  
Medicare Provider Number: 170171

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 187             | 15.0                | 12.0 | 2.7  | 18.7    | 17.9 | 2.9  | 21.4     | 21.8 | 3.2  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 1               | 0.0                 | 37.4 | ---- | 0.0     | 40.5 | ---- | 0.0      | 44.5 | ---- |
| Congestive Heart Failure.....              | 9               | 0.0                 | 14.8 | ---- | 11.1    | 22.8 | ---- | 11.1     | 28.9 | ---- |
| Pneumonia/Influenza.....                   | 12              | 8.3                 | 20.6 | ---- | 8.3     | 28.4 | ---- | 25.0     | 32.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 6               | 16.7                | 5.6  | ---- | 16.7    | 9.7  | ---- | 16.7     | 12.7 | ---- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.2  | ---- | 0.0     | 2.7  | ---- | 0.0      | 4.5  | ---- |
| Stroke.....                                | 16              | 43.8                | 27.7 | ---- | 43.8    | 39.1 | ---- | 43.8     | 45.1 | ---- |
| Hip Fracture.....                          | 12              | 8.3                 | 8.6  | ---- | 8.3     | 13.9 | ---- | 25.0     | 17.8 | ---- |
| Sepsis.....                                | 3               | 33.3                | 36.9 | ---- | 33.3    | 42.9 | ---- | 33.3     | 47.1 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 6               | 0.0                 | 6.9  | ---- | 0.0     | 11.1 | ---- | 16.7     | 14.5 | ---- |
| Open Reduction of Hip Fracture.....        | 5               | 20.0                | 5.7  | ---- | 20.0    | 10.0 | ---- | 20.0     | 13.6 | ---- |
| Prostatectomy.....                         | 1               | 0.0                 | 0.8  | ---- | 0.0     | 1.3  | ---- | 0.0      | 1.8  | ---- |
| Cholecystectomy.....                       | 2               | 0.0                 | 2.8  | ---- | 0.0     | 4.1  | ---- | 0.0      | 4.8  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# AUGUSTA MEDICAL COMPLEX INC

Medicare Provider Number: 170171

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.5 years  
Proportion female..... 69.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 31.0 %  
Transferred from skilled nursing facility..... 0.5 %  
Admitted for elective procedure..... 2.7 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 5.3 %  
Chronic cardiovascular disease..... 42.8 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 4.8 %  
Chronic pulmonary disease..... 15.0 %  
Cerebrovascular degeneration..... 4.8 %  
Diabetes mellitus..... 4.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 77.2%  
State ..... 21.3%  
Outside State ..... 1.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.0 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1991

### PROFILE:

Total Beds ..... 40  
Ownership/Control..... Private, Non-Profit  
Case Mix Index (CMI) ..... 1.2057

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 5

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... No  
Hospice Care ..... No  
Intensive Care Unit ..... No  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# BAXTER MEMORIAL HOSPITAL


10TH & WASHINGTON AVE  
BAXTER SPRINGS, KS 66713  
Medicare Provider Number: 170021

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 198             | 12.1                | 9.0  | 3.1  | 15.7    | 13.6 | 3.1  | 18.7     | 16.9 | 2.9  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3               | 0.0                 | 16.0 | ---- | 33.3    | 18.6 | ---- | 33.3     | 21.5 | ---- |
| Congestive Heart Failure.....              | 5               | 0.0                 | 15.4 | ---- | 0.0     | 26.6 | ---- | 20.0     | 34.7 | ---- |
| Pneumonia/Influenza.....                   | 19              | 26.3                | 19.0 | ---- | 26.3    | 25.4 | ---- | 31.6     | 29.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 7.4  | ---- | 0.0     | 14.0 | ---- | 25.0     | 19.8 | ---- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 0.7  | ---- | 0.0     | 1.7  | ---- | 0.0      | 3.0  | ---- |
| Stroke.....                                | 8               | 0.0                 | 18.1 | ---- | 25.0    | 27.9 | ---- | 37.5     | 32.3 | ---- |
| Hip Fracture.....                          | 2               | 0.0                 | 6.9  | ---- | 0.0     | 12.9 | ---- | 0.0      | 16.6 | ---- |
| Sepsis.....                                | 1               | 0.0                 | 37.6 | ---- | 0.0     | 44.0 | ---- | 0.0      | 50.6 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 1               | 0.0                 | 5.0  | ---- | 0.0     | 9.9  | ---- | 0.0      | 13.6 | ---- |
| Prostatectomy.....                         | 10              | 20.0                | 0.9  | ---- | 20.0    | 1.9  | ---- | 20.0     | 3.0  | ---- |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 2               | 0.0                 | 0.1  | ---- | 0.0     | 0.3  | ---- | 0.0      | 0.6  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# BAXTER MEMORIAL HOSPITAL

Medicare Provider Number: 170021

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.6 years  
Proportion female..... 62.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 90.9 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 39.9 %

### COMORBIDITIES:

Cancer..... 4.0 %  
Chronic cardiovascular disease..... 41.4 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 15.7 %  
Cerebrovascular degeneration..... 3.0 %  
Diabetes mellitus..... 6.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 76.9%  
State ..... 1.6%  
Outside State ..... 21.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 32.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 37.2 %  
Case Mix Index (CMI) ..... 0.9317

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists ..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses ..... 9

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# BETHANY MEDICAL CENTER


51 N 12TH ST  
KANSAS CITY, KS 66102  
Medicare Provider Number: 170148

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 2238            | 9.5                 | 9.6  | 0.6  | 14.8    | 15.0 | 0.8  | 19.1     | 19.0 | 0.8  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 60              | 26.7                | 27.0 | 5.8  | 33.3    | 29.6 | 6.8  | 36.7     | 32.3 | 7.1  |
| Congestive Heart Failure.....              | 143             | 15.4                | 14.0 | 3.1  | 20.3    | 22.2 | 4.1  | 24.5     | 28.3 | 5.0  |
| Pneumonia/Influenza.....                   | 88              | 17.0                | 19.8 | 5.8  | 27.3    | 26.8 | 4.9  | 33.0     | 31.2 | 5.3  |
| Chronic Obstructive Pulmonary Disease..... | 81              | 11.1                | 7.4  | 5.3  | 17.3    | 13.6 | 7.1  | 23.5     | 18.2 | 6.9  |
| Transient Cerebral Ischemia.....           | 39              | 7.7                 | 2.5  | ---- | 7.7     | 5.5  | ---- | 10.3     | 8.7  | ---- |
| Stroke.....                                | 72              | 16.7                | 20.9 | 6.0  | 25.0    | 27.8 | 5.9  | 27.8     | 31.7 | 6.6  |
| Hip Fracture.....                          | 41              | 4.9                 | 7.5  | ---- | 7.3     | 13.1 | ---- | 14.6     | 16.7 | ---- |
| Sepsis.....                                | 34              | 29.4                | 23.6 | ---- | 35.3    | 32.9 | ---- | 47.1     | 38.1 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 31              | 6.5                 | 4.8  | ---- | 6.5     | 6.3  | ---- | 6.5      | 7.5  | ---- |
| Coronary Artery Bypass Graft.....          | 24              | 20.8                | 6.8  | ---- | 20.8    | 9.4  | ---- | 20.8     | 10.5 | ---- |
| Initial Pacemaker Insertion.....           | 12              | 0.0                 | 2.8  | ---- | 8.3     | 6.1  | ---- | 8.3      | 9.6  | ---- |
| Carotid Endarterectomy.....                | 16              | 6.3                 | 1.7  | ---- | 6.3     | 3.1  | ---- | 6.3      | 4.5  | ---- |
| Hip Replacement/Reconstruction.....        | 29              | 0.0                 | 2.3  | ---- | 3.4     | 4.2  | ---- | 10.3     | 5.7  | ---- |
| Open Reduction of Hip Fracture.....        | 16              | 6.3                 | 8.0  | ---- | 6.3     | 14.8 | ---- | 6.3      | 19.5 | ---- |
| Prostatectomy.....                         | 53              | 0.0                 | 1.3  | 2.5  | 5.7     | 3.0  | 3.5  | 7.5      | 5.2  | 5.0  |
| Cholecystectomy.....                       | 31              | 0.0                 | 4.0  | ---- | 9.7     | 6.9  | ---- | 16.1     | 8.6  | ---- |
| Hysterectomy.....                          | 11              | 0.0                 | 1.0  | ---- | 0.0     | 2.4  | ---- | 0.0      | 3.9  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# BETHANY MEDICAL CENTER

Medicare Provider Number: 170148

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.0 years  
Proportion female..... 58.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 42.6 %  
Transferred from skilled nursing facility..... 0.6 %  
Admitted for elective procedure..... 14.0 %  
Admitted for emergency..... 56.2 %

### COMORBIDITIES:

Cancer..... 9.4 %  
Chronic cardiovascular disease..... 45.3 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 3.7 %  
Chronic pulmonary disease..... 18.8 %  
Cerebrovascular degeneration..... 4.9 %  
Diabetes mellitus..... 9.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.3%  
State ..... 6.9%  
Outside State ..... 5.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 9.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 350  
Occupancy Rate ..... 64.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 46.1 %  
Case Mix Index (CMI) ..... 1.2960

### STAFFING:

Total Number of Physicians..... 146  
Percent of Physicians Board  
Certified Specialists..... 78.1 %  
Medical Residents/Interns ..... 13  
Registered Nurses..... 294  
Licensed Practical Nurses ..... 44

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# BOB WILSON MEM GRANT COUNTY HOSPITAL


415 N MAIN ST  
 ULYSSES, KS 67880  
 Medicare Provider Number: 170110

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 129             | 7.0                 | 10.0 | 4.1  | 10.9    | 14.0 | 4.4  | 17.8     | 17.3 | 4.4  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 11              | 27.3                | 30.6 | ---- | 27.3    | 33.1 | ---- | 36.4     | 36.2 | ---- |
| Congestive Heart Failure.....              | 9               | 0.0                 | 10.6 | ---- | 22.2    | 16.5 | ---- | 44.4     | 22.3 | ---- |
| Pneumonia/Influenza.....                   | 19              | 5.3                 | 8.3  | ---- | 5.3     | 11.6 | ---- | 5.3      | 14.2 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 8               | 0.0                 | 9.0  | ---- | 0.0     | 16.6 | ---- | 12.5     | 21.8 | ---- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 0.7  | ---- | 0.0     | 1.8  | ---- | 0.0      | 3.1  | ---- |
| Stroke.....                                | 4               | 75.0                | 18.7 | ---- | 75.0    | 24.6 | ---- | 75.0     | 28.7 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 1               | 100.0               | 51.4 | ---- | 100.0   | 56.1 | ---- | 100.0    | 60.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# BOB WILSON MEM GRANT COUNTY HOSPITAL

Medicare Provider Number: 170110

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.4 years  
Proportion female..... 55.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 48.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 11.6 %

### COMORBIDITIES:

Cancer..... 3.1 %  
Chronic cardiovascular disease..... 48.8 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.1 %  
Chronic pulmonary disease..... 25.6 %  
Cerebrovascular degeneration..... 1.6 %  
Diabetes mellitus..... 8.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 60.2%  
State ..... 37.1%  
Outside State ..... 2.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 45  
Occupancy Rate ..... 22.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 38.9 %  
Case Mix Index (CMI) ..... 0.9783

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CEDAR VALE REGIONAL HOSPITAL

501 CEDAR ST BOX 398  
CEDAR VALE, KS 67024  
Medicare Provider Number: 170172

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 49                 | 20.4                | 12.4 | ---- | 24.5    | 18.7 | ---- | 32.7     | 23.2 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial infarction.....           | 1                  | 100.0               | 64.1 | ---- | 100.0   | 72.6 | ---- | 100.0    | 76.1 | ---- |
| Congestive Heart Failure.....              | 3                  | 0.0                 | 8.9  | ---- | 0.0     | 15.1 | ---- | 0.0      | 20.5 | ---- |
| Pneumonia/inflienza.....                   | 12                 | 16.7                | 13.1 | ---- | 25.0    | 18.2 | ---- | 41.7     | 21.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral ischemia.....           | 1                  | 0.0                 | 0.7  | ---- | 0.0     | 1.7  | ---- | 0.0      | 2.8  | ---- |
| Stroke.....                                | 2                  | 0.0                 | 23.8 | ---- | 0.0     | 39.0 | ---- | 0.0      | 48.9 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# CEDAR VALE REGIONAL HOSPITAL

Medicare Provider Number: 170172

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.6 years  
Proportion female..... 53.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 71.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 6.1 %  
Chronic cardiovascular disease..... 53.1 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 4.1 %  
Chronic pulmonary disease..... 14.3 %  
Cerebrovascular degeneration..... 12.2 %  
Diabetes mellitus..... 12.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 68.3%  
State ..... 24.1%  
Outside State ..... 7.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 35  
Occupancy Rate ..... 71.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... (Not Available)  
Case Mix Index (CMI) ..... 1.0505

### STAFFING:

Total Number of Physicians..... (Not Available)  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# CENTRAL KANSAS MEDICAL CENTER


3515 BROADWAY  
GREAT BEND, KS 67530  
Medicare Provider Number: 170033

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 1280            | 9.4                 | 8.4  | 0.9  | 12.9    | 12.7 | 0.9  | 16.2     | 15.9 | 1.0  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 35              | 25.7                | 27.3 | ---- | 40.0    | 30.7 | ---- | 40.0     | 33.6 | ---- |
| Congestive Heart Failure.....              | 63              | 22.2                | 13.7 | 6.3  | 33.3    | 21.6 | 7.9  | 39.7     | 27.4 | 9.2  |
| Pneumonia/Influenza.....                   | 124             | 11.3                | 14.7 | 6.1  | 13.7    | 20.2 | 7.8  | 17.7     | 23.9 | 7.3  |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 5.3  | ---- | 0.0     | 10.3 | ---- | 0.0      | 14.6 | ---- |
| Transient Cerebral Ischemia.....           | 16              | 12.5                | 1.6  | ---- | 12.5    | 3.7  | ---- | 12.5     | 6.2  | ---- |
| Stroke.....                                | 45              | 13.3                | 17.4 | ---- | 15.6    | 22.4 | ---- | 15.6     | 25.7 | ---- |
| Hip Fracture.....                          | 40              | 5.0                 | 6.9  | ---- | 7.5     | 12.0 | ---- | 10.0     | 15.4 | ---- |
| Sepsis.....                                | 20              | 30.0                | 19.2 | ---- | 35.0    | 28.9 | ---- | 35.0     | 34.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 7               | 14.3                | 4.3  | ---- | 14.3    | 8.7  | ---- | 28.6     | 12.5 | ---- |
| Carotid Endarterectomy.....                | 3               | 0.0                 | 1.0  | ---- | 33.3    | 2.1  | ---- | 33.3     | 3.3  | ---- |
| Hip Replacement/Reconstruction.....        | 44              | 0.0                 | 2.7  | ---- | 0.0     | 5.0  | ---- | 0.0      | 6.7  | ---- |
| Open Reduction of Hip Fracture.....        | 17              | 11.8                | 5.2  | ---- | 17.6    | 9.3  | ---- | 17.6     | 12.3 | ---- |
| Prostatectomy.....                         | 46              | 4.3                 | 0.8  | ---- | 4.3     | 1.8  | ---- | 8.7      | 3.0  | ---- |
| Cholecystectomy.....                       | 23              | 13.0                | 2.5  | ---- | 13.0    | 4.6  | ---- | 13.0     | 6.1  | ---- |
| Hysterectomy.....                          | 9               | 0.0                 | 0.2  | ---- | 0.0     | 0.5  | ---- | 0.0      | 0.9  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# CENTRAL KANSAS MEDICAL CENTER

Medicare Provider Number: 170033

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.7 years  
Proportion female..... 56.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 42.8 %  
Transferred from skilled nursing facility..... 0.3 %  
Admitted for elective procedure..... 23.4 %  
Admitted for emergency..... 6.3 %

### COMORBIDITIES:

Cancer..... 6.2 %  
Chronic cardiovascular disease..... 39.9 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 0.9 %  
Chronic pulmonary disease..... 18.7 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 9.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 60.9%  
State ..... 37.4%  
Outside State ..... 1.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 146  
Occupancy Rate ..... 67.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 52.3 %  
Case Mix Index (CMI) ..... 1.2217

### STAFFING:

Total Number of Physicians..... 40  
Percent of Physicians Board  
Certified Specialists..... 80.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 94  
Licensed Practical Nurses ..... 16

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CHEYENNE COUNTY HOSPITAL


210 WEST FIRST  
SAINT FRANCIS, KS 67756  
Medicare Provider Number: 170064

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 93              | 10.8                | 13.0 | 3.6  | 12.9    | 18.0 | 4.4  | 14.0     | 21.8 | 5.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 6               | 66.7                | 39.3 | ---- | 66.7    | 42.7 | ---- | 66.7     | 46.0 | ---- |
| Congestive Heart Failure.....              | 6               | 16.7                | 12.5 | ---- | 16.7    | 19.5 | ---- | 16.7     | 25.2 | ---- |
| Pneumonia/Influenza.....                   | 5               | 20.0                | 14.2 | ---- | 20.0    | 19.8 | ---- | 20.0     | 23.0 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 3.1  | ---- | 0.0     | 6.2  | ---- | 0.0      | 9.5  | ---- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 4               | 0.0                 | 21.5 | ---- | 0.0     | 29.9 | ---- | 0.0      | 35.0 | ---- |
| Hip Fracture.....                          | 4               | 0.0                 | 12.4 | ---- | 0.0     | 22.1 | ---- | 25.0     | 27.8 | ---- |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 2               | 0.0                 | 7.3  | ---- | 0.0     | 13.1 | ---- | 0.0      | 16.2 | ---- |
| Open Reduction of Hip Fracture.....        | 3               | 0.0                 | 12.7 | ---- | 0.0     | 23.7 | ---- | 33.3     | 30.7 | ---- |
| Prostatectomy.....                         | 6               | 0.0                 | 0.9  | ---- | 0.0     | 2.3  | ---- | 0.0      | 4.1  | ---- |
| Cholecystectomy.....                       | 1               | 0.0                 | 1.7  | ---- | 0.0     | 2.7  | ---- | 0.0      | 3.9  | ---- |
| Hysterectomy.....                          | 2               | 0.0                 | 2.4  | ---- | 0.0     | 5.5  | ---- | 0.0      | 9.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# CHEYENNE COUNTY HOSPITAL

Medicare Provider Number: 170064

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.8 years  
Proportion female..... 52.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 48.4 %  
Transferred from skilled nursing facility..... 1.1 %  
Admitted for elective procedure..... 5.4 %  
Admitted for emergency..... 9.7 %

### COMORBIDITIES:

Cancer..... 3.2 %  
Chronic cardiovascular disease..... 43.0 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 4.3 %  
Chronic pulmonary disease..... 9.7 %  
Cerebrovascular degeneration..... 5.4 %  
Diabetes mellitus..... 12.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 92.9%  
State ..... 5.7%  
Outside State ..... 1.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 23  
Occupancy Rate ..... 21.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 57.4 %  
Case Mix Index (CMI) ..... 1.1227

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CITIZENS MEDICAL CENTER


100 E COLLEGE DRIVE  
COLBY, KS 67701  
Medicare Provider Number: 170008

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 185             | 11.4                | 11.0 | 3.6  | 20.0    | 16.4 | 4.1  | 23.8     | 20.1 | 4.6  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3               | 33.3                | 42.3 | ---- | 33.3    | 45.6 | ---- | 33.3     | 49.3 | ---- |
| Congestive Heart Failure.....              | 14              | 21.4                | 13.5 | ---- | 35.7    | 21.4 | ---- | 50.0     | 27.6 | ---- |
| Pneumonia/Influenza.....                   | 25              | 16.0                | 15.8 | ---- | 28.0    | 21.4 | ---- | 32.0     | 24.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 5               | 0.0                 | 8.4  | ---- | 0.0     | 13.8 | ---- | 20.0     | 18.2 | ---- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 1.0  | ---- | 0.0     | 2.3  | ---- | 0.0      | 4.0  | ---- |
| Stroke.....                                | 7               | 42.9                | 20.3 | ---- | 57.1    | 29.3 | ---- | 71.4     | 34.2 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 5.9  | ---- | 100.0   | 12.5 | ---- | 100.0    | 17.4 | ---- |
| Sepsis.....                                | 1               | 0.0                 | 19.4 | ---- | 100.0   | 22.5 | ---- | 100.0    | 26.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 6               | 0.0                 | 0.4  | ---- | 0.0     | 0.8  | ---- | 0.0      | 1.5  | ---- |
| Cholecystectomy.....                       | 2               | 0.0                 | 0.4  | ---- | 0.0     | 0.6  | ---- | 0.0      | 0.9  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# CITIZENS MEDICAL CENTER

Medicare Provider Number: 170008

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.4 years  
Proportion female..... 53.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 8.1 %  
Admitted for emergency..... 42.2 %

### COMORBIDITIES:

Cancer..... 7.0 %  
Chronic cardiovascular disease..... 32.4 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 4.3 %  
Chronic pulmonary disease..... 21.1 %  
Cerebrovascular degeneration..... 4.3 %  
Diabetes mellitus..... 5.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.5%  
State ..... 17.2%  
Outside State ..... 3.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.2 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 30  
Occupancy Rate ..... 36.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 49.2 %  
Case Mix Index (CMI) ..... 1.0539

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 21  
Licensed Practical Nurses ..... 9

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CLARA BARTON HOSPITAL


250 W NINTH ST  
HOISINGTON, KS 67544  
Medicare Provider Number: 170112

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 129             | 10.1                | 9.7  | 2.7  | 17.1    | 15.1 | 3.6  | 24.8     | 19.1 | 5.5  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3               | 0.0                 | 33.6 | ---- | 0.0     | 36.0 | ---- | 0.0      | 38.5 | ---- |
| Congestive Heart Failure.....              | 4               | 0.0                 | 7.9  | ---- | 0.0     | 13.1 | ---- | 25.0     | 17.9 | ---- |
| Pneumonia/Influenza.....                   | 13              | 0.0                 | 9.7  | ---- | 7.7     | 13.7 | ---- | 15.4     | 16.6 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 3.2  | ---- | 0.0     | 6.4  | ---- | 0.0      | 10.4 | ---- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 0.7  | ---- | 0.0     | 1.8  | ---- | 0.0      | 3.2  | ---- |
| Stroke.....                                | 7               | 14.3                | 15.5 | ---- | 14.3    | 20.6 | ---- | 14.3     | 24.2 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 1.3  | ---- | 0.0     | 2.6  | ---- | 0.0      | 4.1  | ---- |
| Sepsis.....                                | 4               | 25.0                | 30.9 | ---- | 25.0    | 41.3 | ---- | 50.0     | 47.9 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.5  | ---- | 0.0     | 0.9  | ---- | 0.0      | 1.3  | ---- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.3  | ---- | 0.0     | 0.7  | ---- | 0.0      | 1.2  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# CLARA BARTON HOSPITAL

Medicare Provider Number: 170112

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.3 years  
Proportion female..... 61.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 30.2 %  
Transferred from skilled nursing facility..... 1.6 %  
Admitted for elective procedure..... 85.3 %  
Admitted for emergency..... 8.5 %

### COMORBIDITIES:

Cancer..... 8.5 %  
Chronic cardiovascular disease..... 34.1 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 2.3 %  
Chronic pulmonary disease..... 16.3 %  
Cerebrovascular degeneration..... 3.9 %  
Diabetes mellitus..... 14.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 89.1%  
State ..... 10.5%  
Outside State ..... 0.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 41  
Occupancy Rate ..... 31.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 56.0 %  
Case Mix Index (CMI) ..... 1.1063

### STAFFING:

Total Number of Physicians..... 14  
Percent of Physicians Board  
Certified Specialists ..... 85.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CLAY COUNTY HOSPITAL


617 LIBERTY ST  
CLAY CENTER, KS 67432  
Medicare Provider Number: 170054

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 287             | 12.5                | 11.2 | 3.4  | 18.5    | 17.1 | 3.6  | 22.6     | 21.3 | 3.6  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 11              | 27.3                | 31.3 | ---- | 36.4    | 37.1 | ---- | 45.5     | 40.8 | ---- |
| Congestive Heart Failure.....              | 20              | 10.0                | 14.7 | ---- | 20.0    | 22.9 | ---- | 25.0     | 29.1 | ---- |
| Pneumonia/Influenza.....                   | 37              | 18.9                | 19.2 | ---- | 24.3    | 26.4 | ---- | 24.3     | 31.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 5               | 20.0                | 8.8  | ---- | 20.0    | 15.2 | ---- | 20.0     | 20.7 | ---- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 1.2  | ---- | 0.0     | 3.2  | ---- | 0.0      | 6.0  | ---- |
| Stroke.....                                | 10              | 20.0                | 21.4 | ---- | 20.0    | 29.5 | ---- | 20.0     | 34.3 | ---- |
| Hip Fracture.....                          | 3               | 0.0                 | 3.0  | ---- | 0.0     | 5.4  | ---- | 0.0      | 7.3  | ---- |
| Sepsis.....                                | 3               | 33.3                | 26.9 | ---- | 33.3    | 34.8 | ---- | 33.3     | 39.5 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 12              | 8.3                 | 2.2  | ---- | 8.3     | 4.2  | ---- | 8.3      | 5.6  | ---- |
| Hysterectomy.....                          | 6               | 0.0                 | 1.2  | ---- | 0.0     | 2.9  | ---- | 0.0      | 4.5  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# CLAY COUNTY HOSPITAL

Medicare Provider Number: 170054

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.4 years  
Proportion female..... 59.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 42.4 %  
Transferred from skilled nursing facility..... 0.7 %  
Admitted for elective procedure..... 96.5 %  
Admitted for emergency..... 1.4 %

### COMORBIDITIES:

Cancer..... 8.3 %  
Chronic cardiovascular disease..... 43.1 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 11.1 %  
Cerebrovascular degeneration..... 5.2 %  
Diabetes mellitus..... 2.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 77.0%  
State ..... 21.1%  
Outside State ..... 1.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 36  
Occupancy Rate ..... 36.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 53.7 %  
Case Mix Index (CMI) ..... 1.1539

### STAFFING:

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 19  
Licensed Practical Nurses ..... 10

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# COFFEY COUNTY HOSPITAL


801 NORTH 4TH, BOX 189  
BURLINGTON, KS 66839  
Medicare Provider Number: 170094

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 95              | 16.8                | 10.7 | 4.5  | 22.1    | 16.1 | 4.8  | 25.3     | 20.3 | 4.9  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 4               | 25.0                | 28.2 | ---- | 25.0    | 31.2 | ---- | 25.0     | 34.1 | ---- |
| Congestive Heart Failure.....              | 11              | 27.3                | 16.9 | ---- | 45.5    | 26.7 | ---- | 45.5     | 34.2 | ---- |
| Pneumonia/Influenza.....                   | 13              | 23.1                | 12.8 | ---- | 30.8    | 17.8 | ---- | 30.8     | 21.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 1.6  | ---- | 0.0     | 3.8  | ---- | 0.0      | 6.3  | ---- |
| Stroke.....                                | 1               | 0.0                 | 9.4  | ---- | 0.0     | 13.3 | ---- | 0.0      | 16.8 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 3               | 0.0                 | 0.5  | ---- | 0.0     | 1.2  | ---- | 0.0      | 2.2  | ---- |
| Cholecystectomy.....                       | 1               | 0.0                 | 1.5  | ---- | 0.0     | 2.8  | ---- | 0.0      | 3.6  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# COFFEY COUNTY HOSPITAL

Medicare Provider Number: 170094

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.2 years  
Proportion female..... 54.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 36.8 %  
Transferred from skilled nursing facility..... 1.1 %  
Admitted for elective procedure..... 49.5 %  
Admitted for emergency..... 6.3 %

### COMORBIDITIES:

Cancer..... 4.2 %  
Chronic cardiovascular disease..... 37.9 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.2 %  
Chronic pulmonary disease..... 21.1 %  
Cerebrovascular degeneration..... 10.5 %  
Diabetes mellitus..... 8.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.9%  
State ..... 13.2%  
Outside State ..... 6.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.0 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1991

### PROFILE:

Total Beds ..... 26  
Ownership/Control..... Local Government  
Case Mix Index (CMI) ..... 1.0202

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... Yes  
Hospice Care ..... No  
Intensive Care Unit ..... No  
Organ Transplant ..... Yes  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# COFFEYVILLE REGIONAL MEDICAL CENTER


1400 W 14TH ST  
COFFEYVILLE, KS 67337  
Medicare Provider Number: 170145

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 907             | 10.3                | 9.8  | 1.1   | 14.6    | 14.8 | 1.2   | 18.9     | 18.4 | 1.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 27              | 37.0                | 24.1 | ----- | 37.0    | 26.8 | ----- | 37.0     | 29.5 | ----- |
| Congestive Heart Failure.....              | 54              | 16.7                | 14.9 | 5.3   | 20.4    | 23.7 | 6.4   | 27.8     | 30.2 | 6.9   |
| Pneumonia/Influenza.....                   | 81              | 21.0                | 16.4 | 6.0   | 27.2    | 22.8 | 5.3   | 29.6     | 27.0 | 5.1   |
| Chronic Obstructive Pulmonary Disease..... | 13              | 23.1                | 8.7  | ----- | 23.1    | 15.1 | ----- | 23.1     | 19.9 | ----- |
| Transient Cerebral Ischemia.....           | 16              | 0.0                 | 1.5  | ----- | 0.0     | 3.6  | ----- | 6.3      | 6.1  | ----- |
| Stroke.....                                | 33              | 18.2                | 21.7 | ----- | 30.3    | 27.9 | ----- | 33.3     | 31.7 | ----- |
| Hip Fracture.....                          | 29              | 6.9                 | 4.8  | ----- | 6.9     | 9.2  | ----- | 6.9      | 12.5 | ----- |
| Sepsis.....                                | 16              | 0.0                 | 19.3 | ----- | 12.5    | 25.7 | ----- | 12.5     | 29.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 2               | 0.0                 | 3.2  | ----- | 0.0     | 6.6  | ----- | 0.0      | 9.5  | ----- |
| Carotid Endarterectomy.....                | 8               | 0.0                 | 2.2  | ----- | 0.0     | 4.5  | ----- | 0.0      | 7.0  | ----- |
| Hip Replacement/Reconstruction.....        | 11              | 9.1                 | 5.1  | ----- | 9.1     | 9.8  | ----- | 9.1      | 13.2 | ----- |
| Open Reduction of Hip Fracture.....        | 6               | 16.7                | 3.6  | ----- | 16.7    | 6.9  | ----- | 16.7     | 9.5  | ----- |
| Prostatectomy.....                         | 47              | 2.1                 | 0.7  | ----- | 2.1     | 1.6  | ----- | 6.4      | 2.6  | ----- |
| Cholecystectomy.....                       | 18              | 0.0                 | 3.7  | ----- | 0.0     | 7.5  | ----- | 0.0      | 10.8 | ----- |
| Hysterectomy.....                          | 3               | 0.0                 | 1.0  | ----- | 0.0     | 2.1  | ----- | 0.0      | 3.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# COFFEYVILLE REGIONAL MEDICAL CENTER

Medicare Provider Number: 170145

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.6 years  
Proportion female..... 59.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 43.0 %  
Transferred from skilled nursing facility..... 0.7 %  
Admitted for elective procedure..... 15.4 %  
Admitted for emergency..... 2.9 %

### COMORBIDITIES:

Cancer..... 7.9 %  
Chronic cardiovascular disease..... 35.4 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 4.0 %  
Chronic pulmonary disease..... 16.3 %  
Cerebrovascular degeneration..... 3.7 %  
Diabetes mellitus..... 9.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 84.5%  
State ..... 7.7%  
Outside State ..... 7.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 117  
Occupancy Rate ..... 62.0 %  
Ownership/Control..... Local Government  
Medicare Discharges .....(Not Available)  
Case Mix Index (CMI) ..... 1.1783

### STAFFING:

Total Number of Physicians..... 19  
Percent of Physicians Board  
Certified Specialists ..... 84.2 %  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 74  
Licensed Practical Nurses ..... 8

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation ..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# COMANCHE COUNTY HOSPITAL


2ND & FRISCO STS  
COLDWATER, KS 67029  
Medicare Provider Number: 170036

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 63              | 11.1                | 9.2  | 4.0   | 15.9    | 14.4 | 4.8   | 20.6     | 18.5 | 6.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2               | 50.0                | 18.2 | ----- | 50.0    | 21.5 | ----- | 50.0     | 25.6 | ----- |
| Congestive Heart Failure.....              | 2               | 50.0                | 12.4 | ----- | 50.0    | 21.2 | ----- | 50.0     | 27.5 | ----- |
| Pneumonia/Influenza.....                   | 5               | 0.0                 | 15.5 | ----- | 0.0     | 22.1 | ----- | 0.0      | 26.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 8.5  | ----- | 0.0     | 16.3 | ----- | 0.0      | 23.6 | ----- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 3.6  | ----- | 0.0     | 8.7  | ----- | 0.0      | 15.1 | ----- |
| Stroke.....                                | 4               | 25.0                | 16.5 | ----- | 25.0    | 22.5 | ----- | 50.0     | 27.0 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 5.0  | ----- | 0.0     | 10.4 | ----- | 0.0      | 14.8 | ----- |
| Sepsis.....                                | 3               | 0.0                 | 32.2 | ----- | 0.0     | 49.2 | ----- | 0.0      | 57.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# COMANCHE COUNTY HOSPITAL

Medicare Provider Number: 170036

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 81.6 years  
Proportion female..... 47.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 92.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 17.5 %  
Admitted for emergency..... 1.6 %

### COMORBIDITIES:

Cancer..... 1.6 %  
Chronic cardiovascular disease..... 36.5 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.2 %  
Chronic pulmonary disease..... 12.7 %  
Cerebrovascular degeneration..... 20.6 %  
Diabetes mellitus..... 4.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 89.0%  
State ..... 4.0%  
Outside State ..... 7.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 3.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 14  
Occupancy Rate ..... 21.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 61.4 %  
Case Mix Index (CMI) ..... 0.8410

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 33.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# COMMUNITY HOSPITAL ONAGA INC


120 W EIGHTH ST  
ONAGA, KS 66521  
Medicare Provider Number: 170045

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 179                | 5.0                 | 10.2 | 3.1  | 10.6    | 15.1 | 4.0  | 14.0     | 18.8 | 3.7  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2                  | 0.0                 | 21.5 | ---- | 0.0     | 25.6 | ---- | 0.0      | 29.9 | ---- |
| Congestive Heart Failure.....              | 5                  | 0.0                 | 12.7 | ---- | 0.0     | 19.8 | ---- | 20.0     | 26.5 | ---- |
| Pneumonia/Influenza.....                   | 20                 | 15.0                | 16.3 | ---- | 15.0    | 23.1 | ---- | 15.0     | 27.3 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 9.5  | ---- | 0.0     | 17.8 | ---- | 50.0     | 23.9 | ---- |
| Transient Cerebral Ischemia.....           | 3                  | 0.0                 | 1.2  | ---- | 0.0     | 3.0  | ---- | 0.0      | 5.0  | ---- |
| Stroke.....                                | 8                  | 0.0                 | 20.2 | ---- | 0.0     | 25.4 | ---- | 12.5     | 29.6 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 6                  | 33.3                | 20.9 | ---- | 33.3    | 29.2 | ---- | 33.3     | 34.0 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 7                  | 0.0                 | 0.7  | ---- | 14.3    | 1.9  | ---- | 14.3     | 3.6  | ---- |
| Cholecystectomy.....                       | 3                  | 0.0                 | 1.5  | ---- | 0.0     | 2.5  | ---- | 0.0      | 3.3  | ---- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.5  | ---- | 0.0     | 1.2  | ---- | 0.0      | 2.1  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# COMMUNITY HOSPITAL ONAGA INC

Medicare Provider Number: 170045

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.4 years  
Proportion female..... 55.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 68.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 8.9 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 2.8 %  
Chronic cardiovascular disease..... 46.4 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 0.6 %  
Chronic pulmonary disease..... 11.2 %  
Cerebrovascular degeneration..... 3.9 %  
Diabetes mellitus..... 5.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 58.2%  
State..... 41.2%  
Outside State..... 0.6%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.1 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 21  
Occupancy Rate..... 42.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 61.6 %  
Case Mix Index (CMI)..... 1.0577

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses..... 5

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... Yes  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# COMMUNITY MEMORIAL HOSPITAL


708 N 18TH ST  
MARYSVILLE, KS 66508  
Medicare Provider Number: 170113

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 385             | 11.7                | 9.6  | 2.0   | 15.8    | 14.6 | 2.1   | 19.5     | 18.1 | 2.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 13              | 15.4                | 24.0 | ----- | 15.4    | 27.3 | ----- | 15.4     | 30.5 | ----- |
| Congestive Heart Failure.....              | 14              | 21.4                | 20.4 | ----- | 28.6    | 32.1 | ----- | 28.6     | 38.9 | ----- |
| Pneumonia/Influenza.....                   | 39              | 20.5                | 13.8 | ----- | 28.2    | 18.9 | ----- | 33.3     | 22.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 9.6  | ----- | 0.0     | 17.2 | ----- | 0.0      | 21.9 | ----- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.6  | ----- | 0.0     | 4.1  | ----- | 0.0      | 7.1  | ----- |
| Stroke.....                                | 12              | 33.3                | 17.0 | ----- | 33.3    | 23.7 | ----- | 41.7     | 27.4 | ----- |
| Hip Fracture.....                          | 18              | 5.6                 | 5.7  | ----- | 11.1    | 9.9  | ----- | 11.1     | 12.9 | ----- |
| Sepsis.....                                | 7               | 14.3                | 30.5 | ----- | 28.6    | 38.3 | ----- | 28.6     | 43.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 11              | 0.0                 | 3.6  | ----- | 0.0     | 6.8  | ----- | 0.0      | 9.4  | ----- |
| Open Reduction of Hip Fracture.....        | 6               | 0.0                 | 3.8  | ----- | 0.0     | 7.5  | ----- | 0.0      | 10.0 | ----- |
| Prostatectomy.....                         | 13              | 0.0                 | 0.7  | ----- | 0.0     | 1.5  | ----- | 0.0      | 2.7  | ----- |
| Cholecystectomy.....                       | 5               | 20.0                | 4.1  | ----- | 20.0    | 8.4  | ----- | 20.0     | 11.2 | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.0  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# COMMUNITY MEMORIAL HOSPITAL

Medicare Provider Number: 170113

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.6 years  
Proportion female..... 54.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 60.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 14.0 %  
Admitted for emergency..... 0.3 %

### COMORBIDITIES:

Cancer..... 5.2 %  
Chronic cardiovascular disease..... 30.6 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 3.9 %  
Chronic pulmonary disease..... 11.7 %  
Cerebrovascular degeneration..... 2.6 %  
Diabetes mellitus..... 3.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 82.5%  
State ..... 14.4%  
Outside State ..... 3.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.2 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 55  
Occupancy Rate ..... 30.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 34.2 %  
Case Mix Index (CMI) ..... 1.1175

### STAFFING:

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists..... 71.4 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 19  
Licensed Practical Nurses ..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CUSHING MEMORIAL HOSPITAL


623 MARSHALL ST  
LEAVENWORTH, KS 66048  
Medicare Provider Number: 170133

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 417             | 9.6                 | 9.1  | 1.5  | 13.9    | 14.0 | 2.1  | 16.5     | 17.6 | 2.5  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 12              | 33.3                | 35.6 | ---- | 50.0    | 38.5 | ---- | 50.0     | 41.2 | ---- |
| Congestive Heart Failure.....              | 24              | 12.5                | 15.4 | ---- | 12.5    | 24.6 | ---- | 20.8     | 30.7 | ---- |
| Pneumonia/Influenza.....                   | 41              | 4.9                 | 16.1 | ---- | 19.5    | 22.4 | ---- | 22.0     | 26.0 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 33.3                | 10.9 | ---- | 33.3    | 20.3 | ---- | 33.3     | 27.1 | ---- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 1.3  | ---- | 0.0     | 2.6  | ---- | 25.0     | 3.9  | ---- |
| Stroke.....                                | 4               | 25.0                | 24.6 | ---- | 25.0    | 31.0 | ---- | 25.0     | 34.0 | ---- |
| Hip Fracture.....                          | 16              | 12.5                | 3.5  | ---- | 12.5    | 6.5  | ---- | 12.5     | 9.1  | ---- |
| Sepsis.....                                | 12              | 25.0                | 20.4 | ---- | 33.3    | 28.2 | ---- | 33.3     | 32.2 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 2               | 0.0                 | 1.4  | ---- | 0.0     | 2.8  | ---- | 0.0      | 4.4  | ---- |
| Carotid Endarterectomy.....                | 3               | 0.0                 | 1.3  | ---- | 0.0     | 2.3  | ---- | 0.0      | 3.3  | ---- |
| Hip Replacement/Reconstruction.....        | 13              | 15.4                | 3.2  | ---- | 15.4    | 6.3  | ---- | 15.4     | 8.9  | ---- |
| Open Reduction of Hip Fracture.....        | 4               | 0.0                 | 2.9  | ---- | 0.0     | 5.4  | ---- | 0.0      | 7.5  | ---- |
| Prostatectomy.....                         | 15              | 0.0                 | 1.1  | ---- | 0.0     | 2.7  | ---- | 0.0      | 4.7  | ---- |
| Cholecystectomy.....                       | 8               | 12.5                | 1.6  | ---- | 12.5    | 3.1  | ---- | 12.5     | 4.5  | ---- |
| Hysterectomy.....                          | 2               | 0.0                 | 1.5  | ---- | 0.0     | 4.0  | ---- | 0.0      | 6.9  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# CUSHING MEMORIAL HOSPITAL

Medicare Provider Number: 170133

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.3 years  
Proportion female..... 64.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 54.4 %  
Transferred from skilled nursing facility..... 0.2 %  
Admitted for elective procedure..... 26.1 %  
Admitted for emergency..... 26.1 %

### COMORBIDITIES:

Cancer..... 6.0 %  
Chronic cardiovascular disease..... 33.8 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 19.9 %  
Cerebrovascular degeneration..... 4.6 %  
Diabetes mellitus..... 6.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 85.7%  
State..... 7.8%  
Outside State..... 6.5%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.9 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 68  
Ownership/Control..... Private, Non-Profit  
Case Mix Index (CMI)..... 1.2408

### STAFFING:

Medical Residents/Interns..... 9  
Registered Nurses..... 46  
Licensed Practical Nurses..... 9

### SPECIALTY SERVICES:

Burn Unit..... No  
Coronary Care Unit..... Yes  
Hospice Care..... Yes  
Intensive Care Unit..... Yes  
Organ Transplant..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric..... Yes  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# DECATUR COUNTY HOSPITAL


810 W COLUMBIA  
OBERLIN, KS 67749  
Medicare Provider Number: 170060

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 205                | 8.8                 | 9.5  | 2.1  | 12.2    | 14.1 | 2.9  | 15.1     | 17.6 | 3.5  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2                  | 50.0                | 33.7 | ---- | 50.0    | 38.6 | ---- | 50.0     | 43.9 | ---- |
| Congestive Heart Failure.....              | 11                 | 18.2                | 15.1 | ---- | 18.2    | 23.5 | ---- | 18.2     | 29.7 | ---- |
| Pneumonia/Influenza.....                   | 17                 | 0.0                 | 18.4 | ---- | 11.8    | 24.5 | ---- | 17.6     | 28.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 1.3  | ---- | 0.0     | 2.9  | ---- | 0.0      | 4.7  | ---- |
| Stroke.....                                | 8                  | 12.5                | 21.6 | ---- | 25.0    | 30.7 | ---- | 25.0     | 35.1 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 8.2  | ---- | 0.0     | 13.8 | ---- | 0.0      | 16.2 | ---- |
| Sepsis.....                                | 2                  | 100.0               | 39.2 | ---- | 100.0   | 45.2 | ---- | 100.0    | 50.8 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 3                  | 0.0                 | 3.6  | ---- | 0.0     | 7.2  | ---- | 0.0      | 10.4 | ---- |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 1                  | 0.0                 | 9.8  | ---- | 0.0     | 16.4 | ---- | 0.0      | 19.3 | ---- |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 5                  | 0.0                 | 0.9  | ---- | 0.0     | 2.4  | ---- | 0.0      | 4.4  | ---- |
| Cholecystectomy.....                       | 1                  | 0.0                 | 1.3  | ---- | 0.0     | 2.0  | ---- | 0.0      | 2.6  | ---- |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# DECATUR COUNTY HOSPITAL

Medicare Provider Number: 170060

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.0 years  
Proportion female..... 60.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 57.3 %  
Transferred from skilled nursing facility..... 1.9 %  
Admitted for elective procedure..... 8.7 %  
Admitted for emergency..... 66.0 %

### COMORBIDITIES:

Cancer..... 3.4 %  
Chronic cardiovascular disease..... 44.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.9 %  
Chronic pulmonary disease..... 14.1 %  
Cerebrovascular degeneration..... 2.9 %  
Diabetes mellitus..... 4.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 72.9%  
State ..... 20.8%  
Outside State ..... 6.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 74  
Occupancy Rate ..... 68.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 52.9 %  
Case Mix Index (CMI) ..... 1.0065

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 75.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 13  
Licensed Practical Nurses ..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# DECHAIRO HOSPITAL


208 NORTH FIRST  
WESTMORELAND, KS 66549  
Medicare Provider Number: 170044

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 131                | 14.5                | 12.1 | 4.8  | 21.4    | 18.5 | 5.4  | 22.1     | 22.7 | 5.3  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2                  | 100.0               | 29.8 | ---- | 100.0   | 34.5 | ---- | 100.0    | 37.3 | ---- |
| Congestive Heart Failure.....              | 10                 | 0.0                 | 13.1 | ---- | 0.0     | 20.9 | ---- | 0.0      | 27.0 | ---- |
| Pneumonia/Influenza.....                   | 20                 | 15.0                | 14.2 | ---- | 20.0    | 19.3 | ---- | 20.0     | 23.0 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 13.7 | ---- | 0.0     | 22.6 | ---- | 0.0      | 27.1 | ---- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 5                  | 20.0                | 22.1 | ---- | 20.0    | 28.7 | ---- | 20.0     | 32.3 | ---- |
| Hip Fracture.....                          | 1                  | 100.0               | 27.0 | ---- | 100.0   | 47.0 | ---- | 100.0    | 58.4 | ---- |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 11                 | 0.0                 | 0.6  | ---- | 0.0     | 1.4  | ---- | 0.0      | 2.5  | ---- |
| Cholecystectomy.....                       | 2                  | 0.0                 | 2.4  | ---- | 0.0     | 4.9  | ---- | 0.0      | 6.5  | ---- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.0  | ---- | 0.0     | 0.1  | ---- | 0.0      | 0.2  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# DECHAIRO HOSPITAL

Medicare Provider Number: 170044

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.9 years  
Proportion female..... 49.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 53.4 %  
Transferred from skilled nursing facility..... 0.8 %  
Admitted for elective procedure..... 10.7 %  
Admitted for emergency..... 22.1 %

### COMORBIDITIES:

Cancer..... 9.2 %  
Chronic cardiovascular disease..... 45.0 %  
Chronic liver disease..... 1.5 %  
Chronic renal disease..... 3.1 %  
Chronic pulmonary disease..... 17.6 %  
Cerebrovascular degeneration..... 3.1 %  
Diabetes mellitus..... 5.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 48.9%  
State ..... 48.4%  
Outside State ..... 2.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 14  
Occupancy Rate ..... 28.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 89.6 %  
Case Mix Index (CMI) ..... 1.2126

### STAFFING:

Total Number of Physicians..... 18  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 5

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# DISTRICT HOSPITAL 4-STAFFORD


502 S BUCKEYE  
STAFFORD, KS 67578  
Medicare Provider Number: 170038

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 201                | 11.9                | 10.3 | 4.0  | 18.9    | 14.7 | 4.3  | 20.4     | 18.0 | 3.4  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 13                 | 30.8                | 31.5 | ---- | 46.2    | 34.4 | ---- | 46.2     | 37.6 | ---- |
| Congestive Heart Failure.....              | 10                 | 20.0                | 12.9 | ---- | 30.0    | 20.9 | ---- | 30.0     | 27.5 | ---- |
| Pneumonia/Influenza.....                   | 18                 | 11.1                | 15.9 | ---- | 11.1    | 21.8 | ---- | 16.7     | 25.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 0.0                 | 4.4  | ---- | 0.0     | 8.0  | ---- | 0.0      | 11.1 | ---- |
| Transient Cerebral Ischemia.....           | 12                 | 0.0                 | 2.3  | ---- | 0.0     | 5.5  | ---- | 8.3      | 9.3  | ---- |
| Stroke.....                                | 4                  | 25.0                | 19.7 | ---- | 75.0    | 27.8 | ---- | 75.0     | 32.6 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 3.9  | ---- | 0.0     | 7.4  | ---- | 0.0      | 9.8  | ---- |
| Sepsis.....                                | 3                  | 0.0                 | 22.2 | ---- | 33.3    | 32.7 | ---- | 33.3     | 37.4 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 7                  | 14.3                | 0.7  | ---- | 14.3    | 1.5  | ---- | 14.3     | 2.6  | ---- |
| Cholecystectomy.....                       | 2                  | 50.0                | 1.0  | ---- | 50.0    | 1.8  | ---- | 50.0     | 2.2  | ---- |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





## DISTRICT HOSPITAL 4-STAFFORD

Medicare Provider Number: 170038

### FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

#### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
Proportion female..... 51.7 %

#### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 65.7 %  
Transferred from skilled nursing facility..... 1.0 %  
Admitted for elective procedure..... 10.9 %  
Admitted for emergency..... 5.0 %

#### COMORBIDITIES:

Cancer..... 2.5 %  
Chronic cardiovascular disease..... 42.3 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 2.0 %  
Chronic pulmonary disease..... 12.4 %  
Cerebrovascular degeneration..... 5.5 %  
Diabetes mellitus..... 7.5 %

### ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

#### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 78.1 %  
State ..... 21.4 %  
Outside State ..... 0.5 %  
Total ..... 100.0 %

#### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

### HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

#### PROFILE:

Total Beds ..... 25  
Occupancy Rate ..... 36.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges .....(Not Available)  
Case Mix Index (CMI) ..... 0.9399

#### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 25.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 1

#### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

#### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# EDWARDS COUNTY HOSPITAL


620 W 8TH ST  
KINSLEY, KS 67547  
Medicare Provider Number: 170072

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 133                | 9.0                 | 9.2  | 2.7  | 13.5    | 14.7 | 3.6  | 18.8     | 18.7 | 3.7  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 11                 | 9.1                 | 18.9 | ---- | 18.2    | 29.6 | ---- | 27.3     | 37.5 | ---- |
| Pneumonia/Influenza.....                   | 14                 | 21.4                | 18.3 | ---- | 28.6    | 25.7 | ---- | 28.6     | 30.2 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 6.1  | ---- | 0.0     | 12.0 | ---- | 0.0      | 16.8 | ---- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 0.8  | ---- | 0.0     | 2.1  | ---- | 0.0      | 3.6  | ---- |
| Stroke.....                                | 3                  | 0.0                 | 20.7 | ---- | 0.0     | 28.5 | ---- | 0.0      | 33.4 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 1                  | 100.0               | 22.5 | ---- | 100.0   | 27.0 | ---- | 100.0    | 33.1 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 4                  | 0.0                 | 1.8  | ---- | 0.0     | 3.1  | ---- | 0.0      | 4.3  | ---- |
| Hysterectomy.....                          | 2                  | 0.0                 | 0.4  | ---- | 0.0     | 0.7  | ---- | 0.0      | 1.1  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# EDWARDS COUNTY HOSPITAL

Medicare Provider Number: 170072

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.7 years  
Proportion female..... 52.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 58.6 %  
Transferred from skilled nursing facility..... 0.8 %  
Admitted for elective procedure..... 10.5 %  
Admitted for emergency..... 0.8 %

### COMORBIDITIES:

Cancer..... 6.8 %  
Chronic cardiovascular disease..... 36.1 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 0.8 %  
Chronic pulmonary disease..... 15.8 %  
Cerebrovascular degeneration..... 1.5 %  
Diabetes mellitus..... 9.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 88.1%  
State..... 10.9%  
Outside State..... 1.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.6 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 49  
Occupancy Rate..... 24.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 39.7 %  
Case Mix Index (CMI)..... 0.9088

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 1

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ELLINWOOD DISTRICT HOSPITAL

605 NORTH MAIN  
ELLINWOOD, KS 67526  
Medicare Provider Number: 170062

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 76                 | 19.7                | 11.4 | 4.7   | 23.7    | 16.7 | 5.0   | 25.0     | 20.7 | 5.2   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3                  | 100.0               | 28.7 | ----- | 100.0   | 32.6 | ----- | 100.0    | 36.0 | ----- |
| Congestive Heart Failure.....              | 8                  | 25.0                | 14.7 | ----- | 25.0    | 22.7 | ----- | 25.0     | 29.2 | ----- |
| Pneumonia/Influenza.....                   | 13                 | 23.1                | 14.7 | ----- | 23.1    | 20.7 | ----- | 23.1     | 24.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 3.7  | ----- | 50.0    | 6.8  | ----- | 50.0     | 9.5  | ----- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 0.7  | ----- | 0.0     | 1.8  | ----- | 0.0      | 3.2  | ----- |
| Stroke.....                                | 1                  | 0.0                 | 14.6 | ----- | 0.0     | 19.4 | ----- | 0.0      | 23.6 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2                  | 50.0                | 39.9 | ----- | 50.0    | 44.9 | ----- | 50.0     | 49.5 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# ELLINWOOD DISTRICT HOSPITAL

Medicare Provider Number: 170062

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.3 years  
Proportion female..... 55.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 85.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 11.8 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 1.3 %  
Chronic cardiovascular disease..... 30.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.9 %  
Chronic pulmonary disease..... 17.1 %  
Cerebrovascular degeneration..... 2.6 %  
Diabetes mellitus..... 9.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.7%  
State ..... 8.2%  
Outside State ..... 4.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 24  
Occupancy Rate ..... 37.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 61.1 %  
Case Mix Index (CMI) ..... 0.9286

### STAFFING:

Total Number of Physicians..... 1  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 4  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ELLSWORTH COUNTY VETERANS MEM HOSPITAL


300 KINGSLEY  
ELLSWORTH, KS 67439  
Medicare Provider Number: 170088

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 242             | 9.5                 | 11.4 | 2.2  | 14.0    | 17.1 | 3.0  | 15.7     | 21.0 | 3.5  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 6               | 33.3                | 26.1 | ---- | 33.3    | 30.6 | ---- | 50.0     | 34.3 | ---- |
| Congestive Heart Failure.....              | 9               | 0.0                 | 13.8 | ---- | 0.0     | 22.8 | ---- | 22.2     | 30.4 | ---- |
| Pneumonia/Influenza.....                   | 29              | 3.4                 | 12.8 | ---- | 10.3    | 17.4 | ---- | 10.3     | 20.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2               | 0.0                 | 5.6  | ---- | 0.0     | 10.9 | ---- | 0.0      | 14.6 | ---- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 1.2  | ---- | 0.0     | 2.8  | ---- | 0.0      | 4.5  | ---- |
| Stroke.....                                | 8               | 25.0                | 23.1 | ---- | 25.0    | 31.5 | ---- | 25.0     | 36.5 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 5               | 20.0                | 20.4 | ---- | 40.0    | 25.7 | ---- | 40.0     | 29.5 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 1               | 0.0                 | 1.9  | ---- | 0.0     | 4.0  | ---- | 0.0      | 6.8  | ---- |
| Cholecystectomy.....                       | 6               | 0.0                 | 6.9  | ---- | 0.0     | 12.5 | ---- | 0.0      | 15.5 | ---- |
| Hysterectomy.....                          | 2               | 0.0                 | 1.4  | ---- | 0.0     | 3.1  | ---- | 0.0      | 4.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ELLSWORTH COUNTY VETERANS MEM HOSPITAL

Medicare Provider Number: 170088

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.9 years  
Proportion female..... 59.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 50.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 1.7 %  
Admitted for emergency..... 9.5 %

### COMORBIDITIES:

Cancer..... 7.0 %  
Chronic cardiovascular disease..... 37.6 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 8.3 %  
Chronic pulmonary disease..... 12.8 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 6.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 88.5%  
State ..... 11.0%  
Outside State ..... 0.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 22  
Occupancy Rate ..... 59.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... (Not Available)  
Case Mix Index (CMI) ..... 1.0062

### STAFFING:

Total Number of Physicians..... (Not Available)  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# FREDONIA REGIONAL HOSPITAL


1527 MADISON, BOX 579  
FREDONIA, KS 66736  
Medicare Provider Number: 170018

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 240             | 14.2                | 12.5 | 3.4   | 22.9    | 17.7 | 3.8   | 24.6     | 21.3 | 4.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 21              | 19.0                | 29.7 | ----- | 28.6    | 32.2 | ----- | 28.6     | 34.9 | ----- |
| Congestive Heart Failure.....              | 12              | 8.3                 | 15.1 | ----- | 16.7    | 22.4 | ----- | 25.0     | 28.0 | ----- |
| Pneumonia/Influenza.....                   | 26              | 15.4                | 12.8 | ----- | 23.1    | 17.6 | ----- | 23.1     | 21.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5               | 20.0                | 13.9 | ----- | 60.0    | 20.6 | ----- | 60.0     | 25.3 | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 0.9  | ----- | 0.0     | 2.0  | ----- | 0.0      | 3.3  | ----- |
| Stroke.....                                | 16              | 18.8                | 20.5 | ----- | 25.0    | 27.9 | ----- | 31.3     | 32.0 | ----- |
| Hip Fracture.....                          | 5               | 20.0                | 5.4  | ----- | 20.0    | 9.7  | ----- | 20.0     | 13.0 | ----- |
| Sepsis.....                                | 1               | 0.0                 | 18.3 | ----- | 0.0     | 22.0 | ----- | 0.0      | 25.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 4               | 25.0                | 4.7  | ----- | 25.0    | 8.4  | ----- | 25.0     | 11.3 | ----- |
| Prostatectomy.....                         | 2               | 0.0                 | 0.2  | ----- | 0.0     | 0.5  | ----- | 0.0      | 0.8  | ----- |
| Cholecystectomy.....                       | 8               | 12.5                | 1.8  | ----- | 12.5    | 3.0  | ----- | 12.5     | 3.8  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.0  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# FREDONIA REGIONAL HOSPITAL

Medicare Provider Number: 170018

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.3 years  
Proportion female..... 49.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 52.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 13.3 %  
Admitted for emergency..... 2.1 %

### COMORBIDITIES:

Cancer..... 8.3 %  
Chronic cardiovascular disease..... 42.1 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 3.3 %  
Chronic pulmonary disease..... 12.1 %  
Cerebrovascular degeneration..... 2.5 %  
Diabetes mellitus..... 10.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 72.6%  
State ..... 25.5%  
Outside State ..... 1.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 42  
Occupancy Rate ..... 28.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 64.8 %  
Case Mix Index (CMI) ..... 1.0715

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GEARY COMMUNITY HOSPITAL


1102 SAINT MARYS RD  
JUNCTION CITY, KS 66441  
Medicare Provider Number: 170074

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 415                | 10.4                | 9.3  | 1.8  | 15.2    | 14.1 | 2.2  | 18.6     | 17.7 | 2.2  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 19                 | 26.3                | 26.5 | ---- | 36.8    | 29.0 | ---- | 36.8     | 32.0 | ---- |
| Congestive Heart Failure.....              | 24                 | 12.5                | 14.3 | ---- | 20.8    | 22.6 | ---- | 29.2     | 28.8 | ---- |
| Pneumonia/Influenza.....                   | 34                 | 11.8                | 14.1 | ---- | 20.6    | 19.7 | ---- | 20.6     | 23.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 33.3                | 9.5  | ---- | 33.3    | 16.9 | ---- | 33.3     | 22.5 | ---- |
| Transient Cerebral Ischemia.....           | 3                  | 33.3                | 3.9  | ---- | 33.3    | 9.8  | ---- | 33.3     | 15.9 | ---- |
| Stroke.....                                | 13                 | 53.8                | 25.6 | ---- | 61.5    | 35.4 | ---- | 61.5     | 41.0 | ---- |
| Hip Fracture.....                          | 13                 | 7.7                 | 8.4  | ---- | 15.4    | 15.6 | ---- | 23.1     | 20.6 | ---- |
| Sepsis.....                                | 11                 | 9.1                 | 27.3 | ---- | 27.3    | 36.8 | ---- | 36.4     | 42.3 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 1                  | 0.0                 | 0.9  | ---- | 0.0     | 1.7  | ---- | 0.0      | 2.6  | ---- |
| Hip Replacement/Reconstruction.....        | 7                  | 0.0                 | 5.6  | ---- | 0.0     | 10.3 | ---- | 0.0      | 13.8 | ---- |
| Open Reduction of Hip Fracture.....        | 9                  | 11.1                | 6.6  | ---- | 22.2    | 13.1 | ---- | 33.3     | 17.7 | ---- |
| Prostatectomy.....                         | 15                 | 6.7                 | 1.1  | ---- | 6.7     | 2.6  | ---- | 6.7      | 4.5  | ---- |
| Cholecystectomy.....                       | 3                  | 0.0                 | 1.5  | ---- | 0.0     | 2.6  | ---- | 0.0      | 3.2  | ---- |
| Hysterectomy.....                          | 6                  | 0.0                 | 1.3  | ---- | 0.0     | 3.1  | ---- | 0.0      | 5.1  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# GEARY COMMUNITY HOSPITAL

Medicare Provider Number: 170074

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.7 years  
Proportion female..... 56.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 43.6 %  
Transferred from skilled nursing facility..... 2.4 %  
Admitted for elective procedure..... 19.3 %  
Admitted for emergency..... 6.7 %

### COMORBIDITIES:

Cancer..... 7.2 %  
Chronic cardiovascular disease..... 30.6 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 1.2 %  
Chronic pulmonary disease..... 15.2 %  
Cerebrovascular degeneration..... 5.5 %  
Diabetes mellitus..... 4.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 78.8%  
State ..... 18.5%  
Outside State ..... 2.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 58  
Occupancy Rate ..... 43.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 41.4 %  
Case Mix Index (CMI) ..... 1.1234

### STAFFING:

Total Number of Physicians..... 11  
Percent of Physicians Board  
Certified Specialists ..... 63.6 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 50  
Licensed Practical Nurses ..... 21

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# GOVE COUNTY HOSPITAL


5TH & GARFIELD  
QUINTER, KS 67752  
Medicare Provider Number: 170080

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 127                | 7.1                 | 9.0  | 2.8  | 9.4     | 13.8 | 3.7  | 10.2     | 17.6 | 4.8  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3                  | 33.3                | 18.8 | ---- | 33.3    | 28.4 | ---- | 33.3     | 34.6 | ---- |
| Congestive Heart Failure.....              | 9                  | 0.0                 | 12.6 | ---- | 0.0     | 20.0 | ---- | 11.1     | 26.1 | ---- |
| Pneumonia/Influenza.....                   | 24                 | 16.7                | 14.1 | ---- | 20.8    | 19.8 | ---- | 20.8     | 23.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 4                  | 0.0                 | 4.9  | ---- | 0.0     | 9.4  | ---- | 0.0      | 12.7 | ---- |
| Transient Cerebral Ischemia.....           | 3                  | 0.0                 | 2.3  | ---- | 0.0     | 4.9  | ---- | 0.0      | 8.2  | ---- |
| Stroke.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Fracture.....                          | 1                  | 0.0                 | 8.8  | ---- | 100.0   | 19.1 | ---- | 100.0    | 26.9 | ---- |
| Sepsis.....                                | 1                  | 100.0               | 73.1 | ---- | 100.0   | 80.1 | ---- | 100.0    | 85.8 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# GOVE COUNTY HOSPITAL

Medicare Provider Number: 170080

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.6 years  
Proportion female..... 53.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 56.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 9.4 %  
Chronic cardiovascular disease..... 37.8 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 23.6 %  
Cerebrovascular degeneration..... 3.1 %  
Diabetes mellitus..... 6.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 76.2%  
State..... 23.8%  
Outside State..... 0.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.4 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1991

### PROFILE:

Total Beds..... 21  
Ownership/Control..... Local Government  
Case Mix Index (CMI)..... 0.9763

### STAFFING:

Medical Residents/Interns..... 0  
Registered Nurses..... 5  
Licensed Practical Nurses..... 2

### SPECIALTY SERVICES:

Burn Unit..... No  
Coronary Care Unit..... No  
Hospice Care..... No  
Intensive Care Unit..... No  
Organ Transplant..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GRAHAM COUNTY HOSPITAL


304 W PROUT ST  
HILL CITY, KS 67642  
Medicare Provider Number: 170031

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 232                | 5.6                 | 8.1  | 2.3  | 7.3     | 12.0 | 3.4  | 9.1      | 15.1 | 4.1  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 4                  | 75.0                | 38.0 | ---- | 75.0    | 41.7 | ---- | 75.0     | 44.5 | ---- |
| Congestive Heart Failure.....              | 23                 | 4.3                 | 12.9 | ---- | 8.7     | 20.7 | ---- | 8.7      | 27.1 | ---- |
| Pneumonia/Influenza.....                   | 31                 | 9.7                 | 15.9 | ---- | 9.7     | 21.0 | ---- | 12.9     | 24.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 8                  | 12.5                | 14.0 | ---- | 25.0    | 25.0 | ---- | 37.5     | 32.6 | ---- |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 1.7  | ---- | 0.0     | 4.0  | ---- | 0.0      | 6.5  | ---- |
| Stroke.....                                | 2                  | 0.0                 | 12.4 | ---- | 0.0     | 16.7 | ---- | 0.0      | 19.3 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 1                  | 0.0                 | 10.4 | ---- | 0.0     | 16.4 | ---- | 0.0      | 21.9 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 5                  | 0.0                 | 1.0  | ---- | 0.0     | 1.8  | ---- | 0.0      | 2.5  | ---- |
| Hysterectomy.....                          | 2                  | 0.0                 | 0.3  | ---- | 0.0     | 0.7  | ---- | 0.0      | 1.1  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# GRAHAM COUNTY HOSPITAL

Medicare Provider Number: 170031

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.9 years  
 Proportion female..... 57.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 97.4 %  
 Transferred from skilled nursing facility..... 0.0 %  
 Admitted for elective procedure..... 4.3 %  
 Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 3.4 %  
 Chronic cardiovascular disease..... 39.2 %  
 Chronic liver disease..... 0.4 %  
 Chronic renal disease..... 2.2 %  
 Chronic pulmonary disease..... 17.7 %  
 Cerebrovascular degeneration..... 2.6 %  
 Diabetes mellitus..... 5.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 72.4%  
 State ..... 25.9%  
 Outside State ..... 1.7%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.4 Days  
 State ..... 7.3 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 42  
 Occupancy Rate ..... 33.0 %  
 Ownership/Control..... Local Government  
 Medicare Discharges ..... 51.1 %  
 Case Mix Index (CMI) ..... 0.9115

### STAFFING:

Total Number of Physicians..... 3  
 Percent of Physicians Board  
 Certified Specialists..... 66.7 %  
 Medical Residents/Interns ..... 0  
 Registered Nurses..... 12  
 Licensed Practical Nurses ..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care ..... No  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
 Rehabilitation..... No  
 Psychiatric ..... No  
 Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GREELEY COUNTY HOSPITAL


506 THIRD  
TRIBUNE, KS 67879  
Medicare Provider Number: 170082

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 56                 | 23.2                | 12.1 | 7.4  | 26.8    | 17.6 | 7.1  | 28.6     | 21.4 | 6.7  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2                  | 0.0                 | 21.8 | ---- | 0.0     | 25.9 | ---- | 0.0      | 29.1 | ---- |
| Congestive Heart Failure.....              | 2                  | 0.0                 | 12.7 | ---- | 50.0    | 20.4 | ---- | 50.0     | 26.6 | ---- |
| Pneumonia/Influenza.....                   | 6                  | 16.7                | 11.4 | ---- | 16.7    | 16.5 | ---- | 16.7     | 20.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 33.3                | 3.3  | ---- | 33.3    | 6.8  | ---- | 33.3     | 9.9  | ---- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 1.7  | ---- | 0.0     | 4.2  | ---- | 0.0      | 7.4  | ---- |
| Stroke.....                                | 2                  | 50.0                | 17.7 | ---- | 50.0    | 22.1 | ---- | 50.0     | 25.9 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 2                  | 0.0                 | 0.3  | ---- | 0.0     | 0.6  | ---- | 0.0      | 0.8  | ---- |
| Hysterectomy.....                          | 2                  | 0.0                 | 0.0  | ---- | 0.0     | 0.1  | ---- | 0.0      | 0.2  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# GREELEY COUNTY HOSPITAL

Medicare Provider Number: 170082

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.6 years  
Proportion female..... 46.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 25.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 85.7 %  
Admitted for emergency..... 8.9 %

### COMORBIDITIES:

Cancer..... 7.1 %  
Chronic cardiovascular disease..... 53.6 %  
Chronic liver disease..... 3.6 %  
Chronic renal disease..... 3.6 %  
Chronic pulmonary disease..... 14.3 %  
Cerebrovascular degeneration..... 1.8 %  
Diabetes mellitus..... 10.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 57.7%  
State ..... 38.8%  
Outside State ..... 3.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 18  
Occupancy Rate ..... 16.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 34.2 %  
Case Mix Index (CMI) ..... 0.9558

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 5  
Licensed Practical Nurses ..... 0

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GREENWOOD COUNTY HOSPITAL


100 W 16 ST  
EUREKA, KS 67045  
Medicare Provider Number: 170032

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 368                | 7.1                 | 9.6  | 1.8   | 10.3    | 14.9 | 2.4   | 12.5     | 18.7 | 2.9   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3                  | 0.0                 | 17.7 | ----- | 0.0     | 22.7 | ----- | 0.0      | 26.1 | ----- |
| Congestive Heart Failure.....              | 18                 | 16.7                | 16.7 | ----- | 22.2    | 26.1 | ----- | 27.8     | 32.3 | ----- |
| Pneumonia/Influenza.....                   | 54                 | 7.4                 | 15.5 | 7.4   | 13.0    | 21.2 | 8.2   | 14.8     | 25.1 | 8.9   |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 4.5  | ----- | 0.0     | 9.0  | ----- | 0.0      | 13.5 | ----- |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 1.1  | ----- | 0.0     | 2.6  | ----- | 0.0      | 4.4  | ----- |
| Stroke.....                                | 13                 | 23.1                | 19.4 | ----- | 30.8    | 25.7 | ----- | 30.8     | 29.8 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2                  | 0.0                 | 17.5 | ----- | 0.0     | 25.5 | ----- | 0.0      | 30.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 8                  | 0.0                 | 1.3  | ----- | 0.0     | 2.3  | ----- | 0.0      | 3.1  | ----- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.2  | ----- | 0.0     | 0.5  | ----- | 0.0      | 1.0  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# GREENWOOD COUNTY HOSPITAL

Medicare Provider Number: 170032

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.8 years  
Proportion female..... 60.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 35.3 %  
Transferred from skilled nursing facility..... 1.1 %  
Admitted for elective procedure..... 5.7 %  
Admitted for emergency..... 2.2 %

### COMORBIDITIES:

Cancer..... 6.5 %  
Chronic cardiovascular disease..... 50.3 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 1.4 %  
Chronic pulmonary disease..... 27.7 %  
Cerebrovascular degeneration..... 3.0 %  
Diabetes mellitus..... 9.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 76.5%  
State..... 22.3%  
Outside State..... 1.2%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.1 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 46  
Occupancy Rate..... 37.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 4.3 %  
Case Mix Index (CMI)..... 1.0450

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 50.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 15  
Licensed Practical Nurses..... 2

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GRISELL MEMORIAL HOSPITAL

330 VERMONT, BOX 268  
RANSOM, KS 67572  
Medicare Provider Number: 170121

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 51                 | 17.6                | 10.3 | 7.8   | 17.6    | 14.3 | 7.2   | 17.6     | 17.5 | 7.8   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2                  | 100.0               | 29.5 | ----- | 100.0   | 32.6 | ----- | 100.0    | 36.6 | ----- |
| Congestive Heart Failure.....              | 1                  | 100.0               | 17.6 | ----- | 100.0   | 28.2 | ----- | 100.0    | 34.8 | ----- |
| Pneumonia/Influenza.....                   | 6                  | 16.7                | 13.2 | ----- | 16.7    | 18.9 | ----- | 16.7     | 21.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 3.5  | ----- | 0.0     | 6.8  | ----- | 0.0      | 9.3  | ----- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# GRISELL MEMORIAL HOSPITAL

Medicare Provider Number: 170121

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.4 years  
Proportion female..... 64.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 49.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 72.5 %  
Admitted for emergency..... 5.9 %

### COMORBIDITIES:

Cancer..... 2.0 %  
Chronic cardiovascular disease..... 39.2 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 9.8 %  
Chronic pulmonary disease..... 5.9 %  
Cerebrovascular degeneration..... 2.0 %  
Diabetes mellitus..... 9.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 89.1%  
State..... 8.7%  
Outside State..... 2.2%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.1 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds..... 52  
Occupancy Rate..... 65.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges..... 43.7 %  
Case Mix Index (CMI)..... 0.8500

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 25.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses..... 0

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HALSTEAD HOSPITAL


328 POPLAR ST  
HALSTEAD, KS 67056  
Medicare Provider Number: 170144

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 1242            | 5.6                 | 5.0  | 0.8  | 8.5     | 8.2  | 0.9  | 10.8     | 10.8 | 0.9  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 16              | 25.0                | 22.6 | ---- | 25.0    | 26.0 | ---- | 25.0     | 28.9 | ---- |
| Congestive Heart Failure.....              | 13              | 23.1                | 13.4 | ---- | 23.1    | 22.3 | ---- | 30.8     | 28.1 | ---- |
| Pneumonia/Influenza.....                   | 28              | 7.1                 | 14.9 | ---- | 14.3    | 20.8 | ---- | 28.6     | 24.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 11              | 18.2                | 5.7  | ---- | 18.2    | 10.4 | ---- | 18.2     | 14.1 | ---- |
| Transient Cerebral Ischemia.....           | 12              | 0.0                 | 2.4  | ---- | 0.0     | 5.4  | ---- | 8.3      | 8.3  | ---- |
| Stroke.....                                | 25              | 20.0                | 16.3 | ---- | 24.0    | 21.6 | ---- | 32.0     | 25.4 | ---- |
| Hip Fracture.....                          | 13              | 7.7                 | 7.2  | ---- | 7.7     | 12.8 | ---- | 7.7      | 16.8 | ---- |
| Sepsis.....                                | 3               | 33.3                | 23.6 | ---- | 33.3    | 30.0 | ---- | 33.3     | 35.6 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 8               | 25.0                | 4.0  | ---- | 50.0    | 5.6  | ---- | 50.0     | 6.4  | ---- |
| Initial Pacemaker Insertion.....           | 12              | 8.3                 | 1.8  | ---- | 8.3     | 3.7  | ---- | 8.3      | 5.7  | ---- |
| Carotid Endarterectomy.....                | 24              | 0.0                 | 1.3  | ---- | 0.0     | 2.5  | ---- | 0.0      | 3.8  | ---- |
| Hip Replacement/Reconstruction.....        | 74              | 0.0                 | 1.6  | 2.1  | 0.0     | 2.9  | 3.3  | 1.4      | 3.9  | 3.2  |
| Open Reduction of Hip Fracture.....        | 2               | 50.0                | 6.7  | ---- | 50.0    | 11.8 | ---- | 50.0     | 15.8 | ---- |
| Prostatectomy.....                         | 78              | 1.3                 | 0.7  | 1.1  | 3.8     | 1.7  | 2.3  | 3.8      | 2.9  | 2.9  |
| Cholecystectomy.....                       | 27              | 0.0                 | 1.4  | ---- | 3.7     | 2.7  | ---- | 3.7      | 3.7  | ---- |
| Hysterectomy.....                          | 17              | 0.0                 | 0.2  | ---- | 0.0     | 0.5  | ---- | 0.0      | 0.9  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# **HALSTEAD HOSPITAL** Medicare Provider Number: 170144

## **FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

### **DEMOGRAPHICS:**

Average age at admission..... 74.0 years  
 Proportion female..... 50.0 %

### **ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 76.2 %  
 Transferred from skilled nursing facility..... 0.2 %  
 Admitted for elective procedure..... 53.5 %  
 Admitted for emergency..... 14.3 %

### **COMORBIDITIES:**

Cancer..... 9.3 %  
 Chronic cardiovascular disease..... 29.9 %  
 Chronic liver disease..... 0.6 %  
 Chronic renal disease..... 1.4 %  
 Chronic pulmonary disease..... 12.3 %  
 Cerebrovascular degeneration..... 4.6 %  
 Diabetes mellitus..... 4.8 %

## **ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

### **ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 19.3%  
 State ..... 75.9%  
 Outside State ..... 4.8%  
 Total ..... 100.0%

### **MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 6.6 Days  
 State ..... 7.3 Days  
 National ..... 8.6 Days

## **HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### **PROFILE:**

Total Beds ..... 152  
 Occupancy Rate ..... 47.0 %  
 Ownership/Control..... Church  
 Medicare Discharges ..... 60.4 %  
 Case Mix Index (CMI) ..... 1.4314

### **STAFFING:**

Total Number of Physicians..... 36  
 Percent of Physicians Board  
 Certified Specialists ..... 61.1 %  
 Medical Residents/Interns ..... 0  
 Registered Nurses..... 79  
 Licensed Practical Nurses ..... 11

### **SPECIALTY SERVICES:**

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care ..... Yes  
 Organ/Tissue Transplant ..... Yes  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### **OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
 Rehabilitation..... No  
 Psychiatric ..... Yes  
 Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HAMILTON COUNTY HOSPITAL

EAST AVENUE G & HUSER ST, BOX 909

SYRACUSE, KS 67878


Medicare Provider Number: 170079

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 52              | 11.5                | 9.0  | 5.2   | 17.3    | 14.4 | 8.6   | 25.0     | 18.4 | 10.5  |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1               | 0.0                 | 33.4 | ----- | 0.0     | 35.5 | ----- | 0.0      | 38.2 | ----- |
| Congestive Heart Failure.....              | 2               | 0.0                 | 16.2 | ----- | 0.0     | 25.6 | ----- | 0.0      | 32.2 | ----- |
| Pneumonia/Influenza.....                   | 4               | 25.0                | 14.8 | ----- | 25.0    | 20.5 | ----- | 50.0     | 25.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5               | 0.0                 | 9.1  | ----- | 0.0     | 15.6 | ----- | 40.0     | 20.0 | ----- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 1               | 100.0               | 24.3 | ----- | 100.0   | 32.5 | ----- | 100.0    | 37.5 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 6.4  | ----- | 0.0     | 12.8 | ----- | 0.0      | 19.1 | ----- |
| Sepsis.....                                | 1               | 100.0               | 27.1 | ----- | 100.0   | 37.3 | ----- | 100.0    | 42.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HAMILTON COUNTY HOSPITAL

Medicare Provider Number: 170079

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.1 years  
Proportion female..... 69.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 38.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 21.2 %  
Admitted for emergency..... 32.7 %

### COMORBIDITIES:

Cancer..... 3.8 %  
Chronic cardiovascular disease..... 44.2 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 11.5 %  
Chronic pulmonary disease..... 32.7 %  
Cerebrovascular degeneration..... 9.6 %  
Diabetes mellitus..... 1.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 69.7%  
State ..... 18.2%  
Outside State ..... 12.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 56  
Occupancy Rate ..... 53.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 34.4 %  
Case Mix Index (CMI) ..... 0.9589

### STAFFING:

Total Number of Physicians..... (Not Available)  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HAYS MEDICAL CENTER

2220 CANTERBURY ROAD

HAYS, KS 67601


Medicare Provider Number: 170013

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 719                | 6.5                 | 8.8  | 1.3  | 9.7     | 13.5 | 1.8  | 12.8     | 16.9 | 1.9  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 18                 | 33.3                | 27.0 | ---- | 38.9    | 31.3 | ---- | 38.9     | 34.4 | ---- |
| Congestive Heart Failure.....              | 38                 | 18.4                | 18.6 | ---- | 23.7    | 29.0 | ---- | 36.8     | 35.8 | ---- |
| Pneumonia/Influenza.....                   | 56                 | 12.5                | 16.8 | 7.2  | 14.3    | 22.9 | 9.6  | 14.3     | 26.8 | 11.2 |
| Chronic Obstructive Pulmonary Disease..... | 12                 | 0.0                 | 6.5  | ---- | 0.0     | 11.4 | ---- | 0.0      | 15.1 | ---- |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 1.7  | ---- | 0.0     | 4.0  | ---- | 0.0      | 6.9  | ---- |
| Stroke.....                                | 26                 | 15.4                | 19.8 | ---- | 15.4    | 25.4 | ---- | 23.1     | 28.6 | ---- |
| Hip Fracture.....                          | 42                 | 9.5                 | 6.6  | ---- | 9.5     | 11.4 | ---- | 16.7     | 14.9 | ---- |
| Sepsis.....                                | 5                  | 0.0                 | 17.3 | ---- | 20.0    | 24.6 | ---- | 20.0     | 28.3 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 8                  | 0.0                 | 5.2  | ---- | 0.0     | 10.5 | ---- | 0.0      | 14.6 | ---- |
| Carotid Endarterectomy.....                | 3                  | 0.0                 | 1.3  | ---- | 0.0     | 2.4  | ---- | 0.0      | 3.5  | ---- |
| Hip Replacement/Reconstruction.....        | 22                 | 9.1                 | 3.9  | ---- | 9.1     | 6.9  | ---- | 9.1      | 9.1  | ---- |
| Open Reduction of Hip Fracture.....        | 8                  | 0.0                 | 6.0  | ---- | 0.0     | 10.4 | ---- | 0.0      | 13.5 | ---- |
| Prostatectomy.....                         | 52                 | 0.0                 | 1.0  | 1.6  | 0.0     | 2.4  | 2.9  | 0.0      | 4.2  | 4.4  |
| Cholecystectomy.....                       | 11                 | 0.0                 | 3.7  | ---- | 0.0     | 7.0  | ---- | 0.0      | 9.4  | ---- |
| Hysterectomy.....                          | 5                  | 0.0                 | 0.1  | ---- | 0.0     | 0.1  | ---- | 0.0      | 0.3  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HAYS MEDICAL CENTER

Medicare Provider Number: 170013

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.1 years  
Proportion female..... 52.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 44.4 %  
Transferred from skilled nursing facility..... 1.1 %  
Admitted for elective procedure..... 25.0 %  
Admitted for emergency..... 0.4 %

### COMORBIDITIES:

Cancer..... 7.1 %  
Chronic cardiovascular disease..... 48.8 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 1.3 %  
Chronic pulmonary disease..... 17.2 %  
Cerebrovascular degeneration..... 3.3 %  
Diabetes mellitus..... 2.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 39.3%  
State..... 58.7%  
Outside State..... 2.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.5 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 125  
Occupancy Rate..... 46.0 %  
Ownership/Control..... Church  
Medicare Discharges..... 50.8 %  
Case Mix Index (CMI)..... 1.2629

### STAFFING:

Total Number of Physicians..... 43  
Percent of Physicians Board  
Certified Specialists..... 79.1 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 93  
Licensed Practical Nurses..... 26

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... Yes  
Psychiatric..... Yes  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HERINGTON MUNICIPAL HOSPITAL


100 E HELEN ST  
HERINGTON, KS 67449  
Medicare Provider Number: 170115

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 227                | 10.1                | 11.6 | 2.7   | 15.0    | 17.3 | 3.7   | 18.5     | 21.3 | 4.6   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6                  | 33.3                | 27.8 | ----- | 33.3    | 31.5 | ----- | 33.3     | 35.1 | ----- |
| Congestive Heart Failure.....              | 13                 | 53.8                | 22.6 | ----- | 61.5    | 33.9 | ----- | 61.5     | 41.1 | ----- |
| Pneumonia/Influenza.....                   | 27                 | 14.8                | 18.4 | ----- | 25.9    | 25.3 | ----- | 29.6     | 29.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 9.9  | ----- | 0.0     | 14.3 | ----- | 0.0      | 18.6 | ----- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 1.8  | ----- | 0.0     | 3.8  | ----- | 0.0      | 5.9  | ----- |
| Stroke.....                                | 6                  | 0.0                 | 18.9 | ----- | 0.0     | 22.9 | ----- | 16.7     | 26.2 | ----- |
| Hip Fracture.....                          | 3                  | 0.0                 | 3.6  | ----- | 0.0     | 7.3  | ----- | 0.0      | 10.1 | ----- |
| Sepsis.....                                | 2                  | 0.0                 | 41.8 | ----- | 50.0    | 50.4 | ----- | 50.0     | 55.9 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 3                  | 0.0                 | 2.3  | ----- | 0.0     | 5.0  | ----- | 0.0      | 7.7  | ----- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HERINGTON MUNICIPAL HOSPITAL

Medicare Provider Number: 170115

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.8 years  
Proportion female..... 53.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 25.4 %  
Transferred from skilled nursing facility..... 0.9 %  
Admitted for elective procedure..... 4.4 %  
Admitted for emergency..... 0.4 %

### COMORBIDITIES:

Cancer..... 6.1 %  
Chronic cardiovascular disease..... 45.2 %  
Chronic liver disease..... 0.9 %  
Chronic renal disease..... 5.3 %  
Chronic pulmonary disease..... 15.8 %  
Cerebrovascular degeneration..... 7.5 %  
Diabetes mellitus..... 3.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 74.5%  
State ..... 22.7%  
Outside State ..... 2.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 32  
Occupancy Rate ..... 31.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 70.5 %  
Case Mix Index (CMI) ..... 1.1185

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 7

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HIAWATHA COMMUNITY HOSPITAL


300 UTAH ST  
HIAWATHA, KS 66434  
Medicare Provider Number: 170004

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 339             | 13.0                | 11.4 | 2.7   | 19.2    | 16.6 | 3.2   | 22.1     | 20.4 | 3.2   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 8               | 37.5                | 32.1 | ----- | 37.5    | 35.1 | ----- | 37.5     | 38.4 | ----- |
| Congestive Heart Failure.....              | 14              | 28.6                | 15.1 | ----- | 35.7    | 22.8 | ----- | 42.9     | 29.8 | ----- |
| Pneumonia/Influenza.....                   | 32              | 18.8                | 18.1 | ----- | 21.9    | 24.6 | ----- | 28.1     | 28.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 6               | 16.7                | 6.7  | ----- | 16.7    | 12.6 | ----- | 16.7     | 17.4 | ----- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 2.3  | ----- | 0.0     | 4.6  | ----- | 0.0      | 6.8  | ----- |
| Stroke.....                                | 16              | 25.0                | 29.2 | ----- | 37.5    | 36.9 | ----- | 43.8     | 40.9 | ----- |
| Hip Fracture.....                          | 2               | 50.0                | 18.4 | ----- | 50.0    | 31.8 | ----- | 50.0     | 38.1 | ----- |
| Sepsis.....                                | 3               | 33.3                | 31.5 | ----- | 66.7    | 42.6 | ----- | 66.7     | 47.9 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 3               | 0.0                 | 2.0  | ----- | 0.0     | 3.4  | ----- | 0.0      | 4.6  | ----- |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 15              | 0.0                 | 1.3  | ----- | 6.7     | 3.1  | ----- | 13.3     | 5.3  | ----- |
| Cholecystectomy.....                       | 5               | 20.0                | 0.7  | ----- | 20.0    | 1.2  | ----- | 20.0     | 1.7  | ----- |
| Hysterectomy.....                          | 3               | 0.0                 | 0.2  | ----- | 0.0     | 0.5  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HIAWATHA COMMUNITY HOSPITAL

Medicare Provider Number: 170004

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.0 years  
Proportion female..... 62.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 31.3 %  
Transferred from skilled nursing facility..... 1.5 %  
Admitted for elective procedure..... 11.8 %  
Admitted for emergency..... 0.6 %

### COMORBIDITIES:

Cancer..... 6.5 %  
Chronic cardiovascular disease..... 51.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.9 %  
Chronic pulmonary disease..... 18.0 %  
Cerebrovascular degeneration..... 3.2 %  
Diabetes mellitus..... 10.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 75.3%  
State..... 21.6%  
Outside State..... 3.1%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.7 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 45  
Occupancy Rate..... 44.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 44.7 %  
Case Mix Index (CMI)..... 1.1328

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses..... 9

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HODGEMAN COUNTY HEALTH CENTER

809 W BRAMLEY  
JETMORE, KS 67854  
Medicare Provider Number: 170090

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 71                 | 4.2                 | 11.3 | 5.2   | 12.7    | 17.3 | 5.0   | 21.1     | 21.5 | 6.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 2                  | 0.0                 | 11.1 | ----- | 0.0     | 17.2 | ----- | 0.0      | 23.0 | ----- |
| Pneumonia/Influenza.....                   | 13                 | 0.0                 | 17.4 | ----- | 23.1    | 23.7 | ----- | 38.5     | 28.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 1                  | 0.0                 | 10.0 | ----- | 0.0     | 13.3 | ----- | 0.0      | 15.5 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 3                  | 0.0                 | 21.6 | ----- | 0.0     | 27.7 | ----- | 0.0      | 31.9 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 1                  | 0.0                 | 0.6  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.9  | ----- |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# HODGEMAN COUNTY HEALTH CENTER

Medicare Provider Number: 170090

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.7 years  
Proportion female..... 74.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 36.6 %  
Transferred from skilled nursing facility..... 1.4 %  
Admitted for elective procedure..... 88.7 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 4.2 %  
Chronic cardiovascular disease..... 60.6 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.8 %  
Chronic pulmonary disease..... 18.3 %  
Cerebrovascular degeneration..... 2.8 %  
Diabetes mellitus..... 7.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 66.6%  
State ..... 29.8%  
Outside State ..... 3.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 3.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 54  
Occupancy Rate ..... 75.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 45.0 %  
Case Mix Index (CMI) ..... 0.9901

### STAFFING:

Total Number of Physicians..... 1  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 13  
Licensed Practical Nurses ..... 0

\*\* Except for CMI

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\* Not used in calculating mortality rates

# HOLTON CITY HOSPITAL


510 KANSAS AVE  
HOLTON, KS 66436  
Medicare Provider Number: 170160

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 107             | 15.0                | 9.7  | 4.1  | 21.5    | 15.1 | 5.6  | 25.2     | 19.1 | 5.6  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2               | 100.0               | 25.8 | ---- | 100.0   | 28.7 | ---- | 100.0    | 32.4 | ---- |
| Congestive Heart Failure.....              | 6               | 16.7                | 12.1 | ---- | 33.3    | 18.6 | ---- | 33.3     | 24.3 | ---- |
| Pneumonia/Influenza.....                   | 8               | 25.0                | 12.4 | ---- | 25.0    | 17.8 | ---- | 25.0     | 21.9 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2               | 0.0                 | 5.2  | ---- | 50.0    | 11.4 | ---- | 50.0     | 17.4 | ---- |
| Transient Cerebral Ischemia.....           | 5               | 0.0                 | 0.8  | ---- | 0.0     | 2.1  | ---- | 0.0      | 3.7  | ---- |
| Stroke.....                                | 3               | 0.0                 | 17.8 | ---- | 33.3    | 25.0 | ---- | 33.3     | 29.1 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 1               | 100.0               | 42.3 | ---- | 100.0   | 55.0 | ---- | 100.0    | 61.2 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 1               | 0.0                 | 0.5  | ---- | 0.0     | 1.2  | ---- | 0.0      | 2.1  | ---- |
| Cholecystectomy.....                       | 3               | 0.0                 | 1.4  | ---- | 0.0     | 3.2  | ---- | 0.0      | 5.3  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HOLTON CITY HOSPITAL

Medicare Provider Number: 170160

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.2 years  
Proportion female..... 54.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.4 %  
Transferred from skilled nursing facility..... 1.9 %  
Admitted for elective procedure..... 96.3 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 10.3 %  
Chronic cardiovascular disease..... 30.8 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.9 %  
Chronic pulmonary disease..... 10.3 %  
Cerebrovascular degeneration..... 3.7 %  
Diabetes mellitus..... 5.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 77.0%  
State ..... 23.0%  
Outside State ..... 0.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 15  
Occupancy Rate ..... 46.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 40.3 %  
Case Mix Index (CMI) ..... 0.9652

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists ..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 8  
Licensed Practical Nurses..... 7

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HORTON COMMUNITY HOSPITAL


240 W 18TH ST  
HORTON, KS 66439  
Medicare Provider Number: 170067

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 153             | 9.8                 | 9.7  | 2.4   | 14.4    | 13.8 | 3.7   | 17.0     | 16.9 | 3.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2               | 0.0                 | 31.6 | ----- | 0.0     | 35.1 | ----- | 0.0      | 39.0 | ----- |
| Congestive Heart Failure.....              | 6               | 50.0                | 16.6 | ----- | 50.0    | 22.7 | ----- | 50.0     | 27.7 | ----- |
| Pneumonia/Influenza.....                   | 24              | 12.5                | 18.0 | ----- | 16.7    | 24.3 | ----- | 20.8     | 28.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 7               | 0.0                 | 4.1  | ----- | 0.0     | 7.6  | ----- | 0.0      | 10.1 | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 1.0  | ----- | 0.0     | 2.4  | ----- | 0.0      | 4.1  | ----- |
| Stroke.....                                | 3               | 33.3                | 16.6 | ----- | 66.7    | 21.8 | ----- | 66.7     | 25.6 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1               | 0.0                 | 38.7 | ----- | 100.0   | 42.4 | ----- | 100.0    | 44.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 11              | 0.0                 | 0.6  | ----- | 0.0     | 1.2  | ----- | 0.0      | 2.1  | ----- |
| Cholecystectomy.....                       | 3               | 0.0                 | 0.6  | ----- | 0.0     | 1.3  | ----- | 0.0      | 1.7  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HORTON COMMUNITY HOSPITAL

Medicare Provider Number: 170067

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.3 years  
Proportion female..... 54.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 17.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 10.5 %  
Admitted for emergency..... 0.7 %

### COMORBIDITIES:

Cancer..... 2.0 %  
Chronic cardiovascular disease..... 45.1 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.0 %  
Chronic pulmonary disease..... 16.3 %  
Cerebrovascular degeneration..... 6.5 %  
Diabetes mellitus..... 7.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 78.2%  
State..... 18.2%  
Outside State..... 3.6%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.9 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 35  
Occupancy Rate..... 51.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 47.7 %  
Case Mix Index (CMI)..... 0.9705

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 5

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 1 CRAWFORD COUNTY


RR 2, BOX 5A  
GIRARD, KS 66743  
Medicare Provider Number: 170098

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 287             | 9.1                 | 9.9  | 2.5  | 15.0    | 14.9 | 2.2  | 18.1     | 18.5 | 2.5  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 4               | 25.0                | 42.8 | ---- | 50.0    | 47.9 | ---- | 50.0     | 50.7 | ---- |
| Congestive Heart Failure.....              | 26              | 7.7                 | 15.9 | ---- | 30.8    | 25.2 | ---- | 34.6     | 31.5 | ---- |
| Pneumonia/Influenza.....                   | 23              | 21.7                | 16.3 | ---- | 34.8    | 22.4 | ---- | 34.8     | 26.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 7               | 0.0                 | 5.7  | ---- | 14.3    | 10.3 | ---- | 28.6     | 13.9 | ---- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.1  | ---- | 12.5    | 2.5  | ---- | 12.5     | 4.1  | ---- |
| Stroke.....                                | 15              | 26.7                | 22.8 | ---- | 26.7    | 29.3 | ---- | 33.3     | 33.3 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 2               | 50.0                | 14.3 | ---- | 50.0    | 22.3 | ---- | 50.0     | 27.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 12              | 0.0                 | 0.7  | ---- | 0.0     | 1.7  | ---- | 0.0      | 3.1  | ---- |
| Cholecystectomy.....                       | 1               | 0.0                 | 13.7 | ---- | 0.0     | 26.3 | ---- | 0.0      | 33.3 | ---- |
| Hysterectomy.....                          | 5               | 20.0                | 1.7  | ---- | 20.0    | 3.6  | ---- | 20.0     | 5.5  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HOSPITAL DISTRICT 1 CRAWFORD COUNTY

Medicare Provider Number: 170098

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
Proportion female..... 59.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 49.8 %  
Transferred from skilled nursing facility..... 0.3 %  
Admitted for elective procedure..... 5.6 %  
Admitted for emergency..... 42.5 %

### COMORBIDITIES:

Cancer..... 3.8 %  
Chronic cardiovascular disease..... 34.5 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 1.4 %  
Chronic pulmonary disease..... 17.8 %  
Cerebrovascular degeneration..... 3.1 %  
Diabetes mellitus..... 3.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 90.6%  
State ..... 5.1%  
Outside State ..... 4.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.7 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 25  
Occupancy Rate ..... 56.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 59.3 %  
Case Mix Index (CMI) ..... 0.9994

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 20  
Licensed Practical Nurses ..... 0

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 1 RICE COUNTY


619 S CLARK ST  
LYONS, KS 67554  
Medicare Provider Number: 170051

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 202             | 13.9                | 10.6 | 2.7   | 18.3    | 15.7 | 2.8   | 22.8     | 19.7 | 3.2   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 22              | 27.3                | 21.8 | ----- | 27.3    | 25.0 | ----- | 36.4     | 28.1 | ----- |
| Congestive Heart Failure.....              | 13              | 7.7                 | 11.3 | ----- | 15.4    | 18.5 | ----- | 23.1     | 24.3 | ----- |
| Pneumonia/Influenza.....                   | 16              | 18.8                | 15.3 | ----- | 25.0    | 22.0 | ----- | 25.0     | 26.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 12.2 | ----- | 0.0     | 19.8 | ----- | 0.0      | 27.9 | ----- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.5  | ----- | 0.0     | 3.8  | ----- | 0.0      | 6.7  | ----- |
| Stroke.....                                | 6               | 33.3                | 16.2 | ----- | 33.3    | 23.9 | ----- | 50.0     | 28.5 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 3.5  | ----- | 0.0     | 6.3  | ----- | 0.0      | 9.2  | ----- |
| Sepsis.....                                | 3               | 33.3                | 21.0 | ----- | 33.3    | 27.6 | ----- | 33.3     | 32.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 2.1  | ----- | 0.0     | 3.1  | ----- | 0.0      | 3.9  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HOSPITAL DISTRICT 1 RICE COUNTY

Medicare Provider Number: 170051

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.7 years  
Proportion female..... 64.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 96.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 5.4 %  
Chronic cardiovascular disease..... 50.0 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 2.5 %  
Chronic pulmonary disease..... 16.3 %  
Cerebrovascular degeneration..... 3.0 %  
Diabetes mellitus..... 10.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 95.9%  
State ..... 2.5%  
Outside State ..... 1.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 44  
Occupancy Rate ..... 36.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 43.9 %  
Case Mix Index (CMI) ..... 0.9930

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses ..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 1-ATTICA

302 N BOTKIN, BOX 268  
ATTICA, KS 67009  
Medicare Provider Number: 170170

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 27                 | 29.6                | 15.2 | ---- | 40.7    | 21.7 | ---- | 44.4     | 25.7 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 1                  | 0.0                 | 14.0 | ---- | 0.0     | 24.0 | ---- | 0.0      | 29.1 | ---- |
| Pneumonia/Influenza.....                   | 2                  | 50.0                | 23.5 | ---- | 100.0   | 31.5 | ---- | 100.0    | 36.0 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 8.6  | ---- | 0.0     | 16.2 | ---- | 0.0      | 21.7 | ---- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 4                  | 50.0                | 37.4 | ---- | 75.0    | 49.6 | ---- | 75.0     | 55.3 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)

## HOSPITAL DISTRICT 1-ATTICA

Medicare Provider Number: 170170

### FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

#### DEMOGRAPHICS:

Average age at admission..... 81.0 years  
Proportion female..... 55.6 %

#### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 37.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 18.5 %

#### COMORBIDITIES:

Cancer..... 3.7 %  
Chronic cardiovascular disease..... 51.9 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.7 %  
Chronic pulmonary disease..... 18.5 %  
Cerebrovascular degeneration..... 7.4 %  
Diabetes mellitus..... 7.4 %

### ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

#### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 70.2%  
State ..... 22.8%  
Outside State ..... 7.0%  
Total ..... 100.0%

#### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

### HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1990

#### PROFILE:

Total Beds ..... 18  
Ownership/Control..... District/Authority  
Case Mix Index (CMI) ..... 1.0033

#### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 5  
Licensed Practical Nurses ..... 3

#### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... Yes  
Hospice Care ..... No  
Intensive Care Unit ..... No  
Organ Transplant ..... No  
Trauma Center ..... No

#### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 1-SUMNER COUNTY


601 SOUTH OSAGE  
CALDWELL, KS 67022  
Medicare Provider Number: 170152

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 111             | 6.3                 | 9.6  | 3.2   | 11.7    | 13.8 | 4.7   | 14.4     | 17.0 | 4.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3               | 66.7                | 27.7 | ----- | 66.7    | 30.8 | ----- | 66.7     | 34.3 | ----- |
| Congestive Heart Failure.....              | 9               | 22.2                | 13.9 | ----- | 22.2    | 22.0 | ----- | 22.2     | 28.1 | ----- |
| Pneumonia/Influenza.....                   | 13              | 0.0                 | 8.6  | ----- | 7.7     | 11.9 | ----- | 7.7      | 14.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 1.5  | ----- | 0.0     | 3.2  | ----- | 0.0      | 5.3  | ----- |
| Stroke.....                                | 3               | 0.0                 | 28.8 | ----- | 0.0     | 32.2 | ----- | 0.0      | 34.4 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2               | 0.0                 | 29.1 | ----- | 0.0     | 34.7 | ----- | 0.0      | 37.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.4  | ----- | 0.0     | 0.8  | ----- | 0.0      | 1.0  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HOSPITAL DISTRICT 1-SUMNER COUNTY

Medicare Provider Number: 170152

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.7 years  
Proportion female..... 55.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 48.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 4.5 %  
Chronic cardiovascular disease..... 47.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.9 %  
Chronic pulmonary disease..... 6.3 %  
Cerebrovascular degeneration..... 2.7 %  
Diabetes mellitus..... 11.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.1 %  
State ..... 5.8 %  
Outside State ..... 15.1 %  
Total ..... 100.0 %

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 27  
Occupancy Rate ..... 18.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 74.0 %  
Case Mix Index (CMI) ..... 1.0145

### STAFFING:

Total Number of Physicians..... 13  
Percent of Physicians Board  
Certified Specialists ..... 92.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 7  
Licensed Practical Nurses ..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 1-WASHINGTON COUNTY


205 SOUTH HANOVER  
HANOVER, KS 66945  
Medicare Provider Number: 170099

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 82              | 12.2                | 13.0 | 3.8   | 18.3    | 18.8 | 4.9   | 19.5     | 22.6 | 5.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3               | 66.7                | 41.7 | ----- | 66.7    | 45.4 | ----- | 66.7     | 48.4 | ----- |
| Congestive Heart Failure.....              | 1               | 0.0                 | 46.2 | ----- | 0.0     | 65.2 | ----- | 0.0      | 74.8 | ----- |
| Pneumonia/Influenza.....                   | 13              | 7.7                 | 17.3 | ----- | 15.4    | 25.3 | ----- | 15.4     | 29.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 4               | 25.0                | 17.3 | ----- | 25.0    | 21.9 | ----- | 25.0     | 25.3 | ----- |
| Hip Fracture.....                          | 2               | 0.0                 | 6.8  | ----- | 0.0     | 11.4 | ----- | 0.0      | 15.0 | ----- |
| Sepsis.....                                | 1               | 0.0                 | 8.1  | ----- | 0.0     | 11.6 | ----- | 0.0      | 15.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 1               | 0.0                 | 2.3  | ----- | 0.0     | 3.9  | ----- | 0.0      | 5.7  | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 1.6  | ----- | 0.0     | 3.0  | ----- | 0.0      | 3.7  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.3  | ----- | 0.0     | 0.9  | ----- | 0.0      | 1.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HOSPITAL DISTRICT 1-WASHINGTON COUNTY

Medicare Provider Number: 170099

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
 Proportion female..... 52.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 86.6 %  
 Transferred from skilled nursing facility..... 0.0 %  
 Admitted for elective procedure..... 0.0 %  
 Admitted for emergency..... 85.4 %

### COMORBIDITIES:

Cancer..... 4.9 %  
 Chronic cardiovascular disease..... 29.3 %  
 Chronic liver disease..... 0.0 %  
 Chronic renal disease..... 8.5 %  
 Chronic pulmonary disease..... 7.3 %  
 Cerebrovascular degeneration..... 1.2 %  
 Diabetes mellitus..... 2.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.4%  
 State ..... 14.3%  
 Outside State ..... 6.3%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.6 Days  
 State ..... 7.3 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 48  
 Occupancy Rate ..... 66.0 %  
 Ownership/Control..... District/Authority  
 Medicare Discharges ..... 58.8 %  
 Case Mix Index (CMI) ..... 1.2287

### STAFFING:

Total Number of Physicians..... 20  
 Percent of Physicians Board  
 Certified Specialists .....(Not Available)  
 Medical Residents/Interns ..... 0  
 Registered Nurses..... 8  
 Licensed Practical Nurses ..... 0

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care..... No  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
 Rehabilitation..... No  
 Psychiatric ..... No  
 Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 2-NESS COUNTY


312 E CUSTER ST  
NESS CITY, KS 67560  
Medicare Provider Number: 170066

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 89              | 9.0                 | 11.0 | 3.5  | 13.5    | 15.7 | 4.1  | 15.7     | 19.2 | 5.0  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 5               | 0.0                 | 29.7 | ---- | 20.0    | 33.8 | ---- | 20.0     | 36.8 | ---- |
| Congestive Heart Failure.....              | 5               | 20.0                | 17.8 | ---- | 40.0    | 25.9 | ---- | 40.0     | 31.4 | ---- |
| Pneumonia/Influenza.....                   | 4               | 25.0                | 20.1 | ---- | 25.0    | 26.1 | ---- | 25.0     | 30.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 7               | 0.0                 | 1.8  | ---- | 0.0     | 3.9  | ---- | 0.0      | 6.1  | ---- |
| Stroke.....                                | 5               | 40.0                | 19.1 | ---- | 40.0    | 24.5 | ---- | 40.0     | 28.4 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 2               | 0.0                 | 20.3 | ---- | 0.0     | 24.1 | ---- | 0.0      | 27.9 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





## HOSPITAL DISTRICT 2-NESS COUNTY

Medicare Provider Number: 170066

### FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

#### DEMOGRAPHICS:

Average age at admission..... 78.2 years  
Proportion female..... 60.7 %

#### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 48.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 16.9 %  
Admitted for emergency..... 9.0 %

#### COMORBIDITIES:

Cancer..... 6.7 %  
Chronic cardiovascular disease..... 56.2 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 21.3 %  
Cerebrovascular degeneration..... 1.1 %  
Diabetes mellitus..... 7.9 %

### ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

#### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 84.2%  
State ..... 15.1%  
Outside State ..... 0.7%  
Total ..... 100.0%

#### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 3.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

### HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

#### PROFILE:

Total Beds ..... 52  
Occupancy Rate ..... 55.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 44.1 %  
Case Mix Index (CMI) ..... 0.9789

#### STAFFING:

Total Number of Physicians..... 19  
Percent of Physicians Board  
Certified Specialists..... 42.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses ..... 3

#### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

#### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 5-HARPER COUNTY


TWELFTH AND MAPLE  
HARPER, KS 67058  
Medicare Provider Number: 170151

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 148             | 15.5                | 11.5 | 4.1  | 20.3    | 16.3 | 4.1  | 21.6     | 19.7 | 3.7  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 11              | 45.5                | 37.4 | ---- | 45.5    | 40.8 | ---- | 45.5     | 45.0 | ---- |
| Congestive Heart Failure.....              | 4               | 0.0                 | 13.5 | ---- | 0.0     | 22.6 | ---- | 0.0      | 28.5 | ---- |
| Pneumonia/Influenza.....                   | 19              | 21.1                | 20.9 | ---- | 26.3    | 28.7 | ---- | 26.3     | 32.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 8.2  | ---- | 0.0     | 13.1 | ---- | 0.0      | 17.4 | ---- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 1.1  | ---- | 0.0     | 2.6  | ---- | 0.0      | 4.6  | ---- |
| Stroke.....                                | 4               | 50.0                | 17.6 | ---- | 50.0    | 25.1 | ---- | 50.0     | 30.6 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 2               | 0.0                 | 29.9 | ---- | 0.0     | 36.5 | ---- | 0.0      | 40.7 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 3               | 0.0                 | 0.6  | ---- | 0.0     | 1.3  | ---- | 0.0      | 2.2  | ---- |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 3               | 0.0                 | 0.1  | ---- | 0.0     | 0.3  | ---- | 0.0      | 0.6  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HOSPITAL DISTRICT 5-HARPER COUNTY

Medicare Provider Number: 170151

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.0 years  
Proportion female..... 52.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 33.8 %  
Transferred from skilled nursing facility..... 0.7 %  
Admitted for elective procedure..... 8.8 %  
Admitted for emergency..... 63.5 %

### COMORBIDITIES:

Cancer..... 2.0 %  
Chronic cardiovascular disease..... 27.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 14.9 %  
Cerebrovascular degeneration..... 4.7 %  
Diabetes mellitus..... 3.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 69.0%  
State ..... 27.8%  
Outside State ..... 3.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 25  
Occupancy Rate ..... 72.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 58.3 %  
Case Mix Index (CMI) ..... 1.0339

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists ..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses ..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation ..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HOSPITAL DISTRICT 6-HARPER COUNTY


1101 E SPRING ST  
ANTHONY, KS 67003  
Medicare Provider Number: 170124

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 154             | 12.3                | 12.5 | 3.0  | 19.5    | 19.0 | 3.2  | 22.1     | 23.1 | 3.6  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 5               | 40.0                | 22.4 | ---- | 40.0    | 25.9 | ---- | 40.0     | 28.8 | ---- |
| Congestive Heart Failure.....              | 1               | 0.0                 | 8.9  | ---- | 100.0   | 13.8 | ---- | 100.0    | 20.0 | ---- |
| Pneumonia/Influenza.....                   | 4               | 25.0                | 12.8 | ---- | 25.0    | 18.9 | ---- | 25.0     | 22.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 5               | 0.0                 | 13.4 | ---- | 20.0    | 25.1 | ---- | 20.0     | 33.0 | ---- |
| Transient Cerebral Ischemia.....           | 7               | 14.3                | 5.3  | ---- | 14.3    | 11.7 | ---- | 42.9     | 17.8 | ---- |
| Stroke.....                                | 5               | 0.0                 | 18.7 | ---- | 20.0    | 26.8 | ---- | 20.0     | 31.6 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 7.5  | ---- | 0.0     | 13.8 | ---- | 0.0      | 17.8 | ---- |
| Sepsis.....                                | 1               | 0.0                 | 14.2 | ---- | 0.0     | 17.2 | ---- | 0.0      | 21.3 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 1               | 0.0                 | 1.7  | ---- | 0.0     | 3.9  | ---- | 0.0      | 5.9  | ---- |
| Cholecystectomy.....                       | 2               | 0.0                 | 1.0  | ---- | 0.0     | 1.9  | ---- | 0.0      | 2.7  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HOSPITAL DISTRICT 6-HARPER COUNTY

Medicare Provider Number: 170124

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.5 years  
Proportion female..... 61.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 39.6 %  
Transferred from skilled nursing facility..... 1.9 %  
Admitted for elective procedure..... 9.1 %  
Admitted for emergency..... 9.1 %

### COMORBIDITIES:

Cancer..... 11.7 %  
Chronic cardiovascular disease..... 28.6 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 10.4 %  
Cerebrovascular degeneration..... 5.8 %  
Diabetes mellitus..... 7.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 84.9%  
State ..... 9.8%  
Outside State ..... 5.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 37  
Occupancy Rate ..... 45.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 48.5 %  
Case Mix Index (CMI) ..... 1.0180

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists..... 40.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses ..... 0

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HUMANA HOSPITAL DODGE CITY


3001 AVE A BOX 1478  
DODGE CITY, KS 67801  
Medicare Provider Number: 170175

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 956             | 10.1                | 9.3  | 1.2  | 14.4    | 14.2 | 1.4  | 18.4     | 17.8 | 1.6  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 20              | 30.0                | 22.8 | ---- | 35.0    | 26.2 | ---- | 35.0     | 29.0 | ---- |
| Congestive Heart Failure.....              | 30              | 10.0                | 12.4 | ---- | 16.7    | 19.8 | ---- | 30.0     | 25.9 | ---- |
| Pneumonia/Influenza.....                   | 50              | 14.0                | 15.2 | ---- | 18.0    | 20.9 | ---- | 22.0     | 25.0 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 8               | 0.0                 | 15.4 | ---- | 12.5    | 25.5 | ---- | 12.5     | 31.8 | ---- |
| Transient Cerebral Ischemia.....           | 10              | 10.0                | 1.7  | ---- | 10.0    | 3.9  | ---- | 10.0     | 6.2  | ---- |
| Stroke.....                                | 34              | 17.6                | 19.7 | ---- | 20.6    | 26.6 | ---- | 29.4     | 30.5 | ---- |
| Hip Fracture.....                          | 60              | 10.0                | 6.3  | 4.4  | 13.3    | 11.6 | 4.4  | 16.7     | 15.5 | 4.8  |
| Sepsis.....                                | 7               | 14.3                | 21.9 | ---- | 14.3    | 29.7 | ---- | 28.6     | 34.8 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 9               | 11.1                | 3.0  | ---- | 11.1    | 6.0  | ---- | 22.2     | 8.8  | ---- |
| Carotid Endarterectomy.....                | 1               | 0.0                 | 1.3  | ---- | 0.0     | 2.5  | ---- | 0.0      | 3.8  | ---- |
| Hip Replacement/Reconstruction.....        | 45              | 4.4                 | 2.9  | ---- | 8.9     | 5.6  | ---- | 11.1     | 7.9  | ---- |
| Open Reduction of Hip Fracture.....        | 8               | 12.5                | 5.8  | ---- | 12.5    | 11.6 | ---- | 12.5     | 16.1 | ---- |
| Prostatectomy.....                         | 31              | 0.0                 | 1.0  | ---- | 0.0     | 2.4  | ---- | 0.0      | 4.2  | ---- |
| Cholecystectomy.....                       | 10              | 0.0                 | 2.4  | ---- | 0.0     | 4.4  | ---- | 0.0      | 5.9  | ---- |
| Hysterectomy.....                          | 5               | 0.0                 | 2.0  | ---- | 0.0     | 4.5  | ---- | 0.0      | 6.9  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HUMANA HOSPITAL DODGE CITY

Medicare Provider Number: 170175

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.3 years  
Proportion female..... 54.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 64.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 3.2 %  
Admitted for emergency..... 25.3 %

### COMORBIDITIES:

Cancer..... 8.2 %  
Chronic cardiovascular disease..... 40.1 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 17.3 %  
Cerebrovascular degeneration..... 4.0 %  
Diabetes mellitus..... 8.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 64.4%  
State ..... 33.4%  
Outside State ..... 2.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 110  
Occupancy Rate ..... 44.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 35.5 %  
Case Mix Index (CMI) ..... 1.2609

### STAFFING:

Total Number of Physicians..... 35  
Percent of Physicians Board  
Certified Specialists ..... 71.4 %  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 62  
Licensed Practical Nurses ..... 31

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... Yes

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation ..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# HUMANA HOSPITAL OVERLAND PARK


10500 QUIVIRA RD  
OVERLAND PARK, KS 66215  
Medicare Provider Number: 170176

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1303            | 7.4                 | 8.5  | 1.2   | 11.4    | 12.7 | 1.3   | 14.4     | 15.8 | 1.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 39              | 20.5                | 31.9 | ----- | 30.8    | 35.5 | ----- | 33.3     | 38.5 | ----- |
| Congestive Heart Failure.....              | 45              | 15.6                | 14.5 | ----- | 17.8    | 23.0 | ----- | 22.2     | 28.9 | ----- |
| Pneumonia/Influenza.....                   | 52              | 21.2                | 16.7 | 7.7   | 28.8    | 23.0 | 8.9   | 30.8     | 26.9 | 7.6   |
| Chronic Obstructive Pulmonary Disease..... | 25              | 12.0                | 7.3  | ----- | 12.0    | 13.2 | ----- | 20.0     | 17.6 | ----- |
| Transient Cerebral Ischemia.....           | 24              | 0.0                 | 1.3  | ----- | 4.2     | 3.0  | ----- | 12.5     | 4.9  | ----- |
| Stroke.....                                | 31              | 16.1                | 20.9 | ----- | 22.6    | 27.0 | ----- | 25.8     | 30.5 | ----- |
| Hip Fracture.....                          | 35              | 2.9                 | 7.6  | ----- | 14.3    | 13.0 | ----- | 14.3     | 16.4 | ----- |
| Sepsis.....                                | 7               | 14.3                | 24.9 | ----- | 14.3    | 33.2 | ----- | 14.3     | 38.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 17              | 0.0                 | 3.8  | ----- | 0.0     | 4.6  | ----- | 0.0      | 5.4  | ----- |
| Coronary Artery Bypass Graft.....          | 27              | 7.4                 | 4.8  | ----- | 11.1    | 6.7  | ----- | 11.1     | 7.6  | ----- |
| Initial Pacemaker Insertion.....           | 12              | 8.3                 | 3.9  | ----- | 8.3     | 7.8  | ----- | 8.3      | 11.0 | ----- |
| Carotid Endarterectomy.....                | 2               | 0.0                 | 0.6  | ----- | 0.0     | 1.3  | ----- | 0.0      | 2.1  | ----- |
| Hip Replacement/Reconstruction.....        | 36              | 0.0                 | 2.1  | ----- | 8.3     | 3.7  | ----- | 8.3      | 5.0  | ----- |
| Open Reduction of Hip Fracture.....        | 23              | 4.3                 | 6.7  | ----- | 8.7     | 12.2 | ----- | 8.7      | 15.7 | ----- |
| Prostatectomy.....                         | 45              | 2.2                 | 1.6  | ----- | 4.4     | 3.9  | ----- | 6.7      | 6.4  | ----- |
| Cholecystectomy.....                       | 31              | 6.5                 | 2.5  | ----- | 6.5     | 4.6  | ----- | 6.5      | 6.0  | ----- |
| Hysterectomy.....                          | 26              | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HUMANA HOSPITAL OVERLAND PARK

Medicare Provider Number: 170176

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 60.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 54.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 26.0 %  
Admitted for emergency..... 46.2 %

### COMORBIDITIES:

Cancer..... 6.0 %  
Chronic cardiovascular disease..... 40.1 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 2.5 %  
Chronic pulmonary disease..... 18.4 %  
Cerebrovascular degeneration..... 5.4 %  
Diabetes mellitus..... 5.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 62.2%  
State ..... 22.1%  
Outside State ..... 15.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 400  
Occupancy Rate ..... 25.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 25.3 %  
Case Mix Index (CMI) ..... 1.4563

### STAFFING:

Total Number of Physicians..... 287  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 269  
Licensed Practical Nurses..... 27

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# HUTCHINSON HOSPITAL CORPORATION


1701 E 23RD ST  
HUTCHINSON, KS 67502  
Medicare Provider Number: 170020

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 2077               | 9.1                 | 9.3  | 0.6  | 13.4    | 14.1 | 0.9  | 16.0     | 17.7 | 1.0  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 68                 | 35.3                | 28.2 | 6.1  | 38.2    | 31.4 | 6.0  | 38.2     | 34.2 | 5.9  |
| Congestive Heart Failure.....              | 91                 | 9.9                 | 14.4 | 5.9  | 18.7    | 22.8 | 6.1  | 26.4     | 29.4 | 5.4  |
| Pneumonia/Influenza.....                   | 152                | 16.4                | 13.9 | 3.5  | 21.7    | 19.3 | 3.9  | 23.7     | 23.0 | 3.5  |
| Chronic Obstructive Pulmonary Disease..... | 18                 | 16.7                | 9.8  | ---- | 16.7    | 16.7 | ---- | 16.7     | 21.5 | ---- |
| Transient Cerebral Ischemia.....           | 31                 | 0.0                 | 1.6  | ---- | 0.0     | 3.7  | ---- | 6.5      | 6.5  | ---- |
| Stroke.....                                | 99                 | 26.3                | 18.9 | 7.0  | 35.4    | 25.8 | 6.3  | 38.4     | 29.9 | 6.3  |
| Hip Fracture.....                          | 90                 | 2.2                 | 6.3  | 4.1  | 6.7     | 11.3 | 5.8  | 8.9      | 15.1 | 7.3  |
| Sepsis.....                                | 47                 | 17.0                | 30.4 | ---- | 23.4    | 39.4 | ---- | 36.2     | 44.5 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 1                  | 0.0                 | 1.1  | ---- | 0.0     | 1.8  | ---- | 0.0      | 2.7  | ---- |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 13                 | 0.0                 | 2.7  | ---- | 0.0     | 5.8  | ---- | 0.0      | 8.9  | ---- |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 80                 | 0.0                 | 3.4  | 3.7  | 3.8     | 6.3  | 5.2  | 3.8      | 8.7  | 6.2  |
| Open Reduction of Hip Fracture.....        | 20                 | 10.0                | 6.2  | ---- | 10.0    | 12.3 | ---- | 15.0     | 17.1 | ---- |
| Prostatectomy.....                         | 76                 | 0.0                 | 1.2  | 1.5  | 0.0     | 2.8  | 2.4  | 0.0      | 4.7  | 3.3  |
| Cholecystectomy.....                       | 43                 | 4.7                 | 2.8  | ---- | 4.7     | 5.0  | ---- | 7.0      | 6.3  | ---- |
| Hysterectomy.....                          | 16                 | 0.0                 | 1.3  | ---- | 0.0     | 2.7  | ---- | 0.0      | 4.1  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HUTCHINSON HOSPITAL CORPORATION

Medicare Provider Number: 170020

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.7 years  
Proportion female..... 58.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 61.4 %  
Transferred from skilled nursing facility..... 0.8 %  
Admitted for elective procedure..... 0.7 %  
Admitted for emergency..... 1.3 %

### COMORBIDITIES:

Cancer..... 8.3 %  
Chronic cardiovascular disease..... 37.7 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 1.2 %  
Chronic pulmonary disease..... 15.3 %  
Cerebrovascular degeneration..... 4.8 %  
Diabetes mellitus..... 6.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 80.3%  
State..... 18.0%  
Outside State..... 1.7%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.4 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 172  
Occupancy Rate..... 75.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... (Not Available)  
Case Mix Index (CMI)..... 1.2330

### STAFFING:

Total Number of Physicians..... 73  
Percent of Physicians Board  
Certified Specialists..... 83.6 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 173  
Licensed Practical Nurses..... 29

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... Yes  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... Yes  
Psychiatric..... Yes  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# JEFFERSON COUNTY MEMORIAL HOSPITAL


ROUTE 1, BOX 1  
WINCHESTER, KS 66097  
Medicare Provider Number: 170131

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 120             | 16.7                | 11.7 | 4.1   | 21.7    | 17.4 | 4.1   | 26.7     | 21.5 | 4.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2               | 0.0                 | 29.6 | ----- | 0.0     | 32.1 | ----- | 0.0      | 34.5 | ----- |
| Congestive Heart Failure.....              | 8               | 50.0                | 12.3 | ----- | 50.0    | 19.9 | ----- | 50.0     | 26.0 | ----- |
| Pneumonia/Influenza.....                   | 14              | 28.6                | 18.9 | ----- | 28.6    | 26.5 | ----- | 35.7     | 31.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 50.0                | 9.6  | ----- | 50.0    | 17.7 | ----- | 50.0     | 22.7 | ----- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 1.5  | ----- | 0.0     | 3.6  | ----- | 0.0      | 6.1  | ----- |
| Stroke.....                                | 6               | 16.7                | 20.2 | ----- | 16.7    | 27.8 | ----- | 50.0     | 32.3 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 3.3  | ----- | 0.0     | 5.4  | ----- | 0.0      | 7.8  | ----- |
| Sepsis.....                                | 3               | 33.3                | 14.3 | ----- | 66.7    | 21.3 | ----- | 66.7     | 24.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 10              | 0.0                 | 1.8  | ----- | 0.0     | 4.6  | ----- | 20.0     | 8.0  | ----- |
| Cholecystectomy.....                       | 2               | 0.0                 | 1.2  | ----- | 0.0     | 1.8  | ----- | 0.0      | 2.5  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# JEFFERSON COUNTY MEMORIAL HOSPITAL

Medicare Provider Number: 170131

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 81.6 years  
Proportion female..... 58.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 93.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.8 %  
Admitted for emergency..... 4.2 %

### COMORBIDITIES:

Cancer..... 5.8 %  
Chronic cardiovascular disease..... 41.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.5 %  
Chronic pulmonary disease..... 16.7 %  
Cerebrovascular degeneration..... 7.5 %  
Diabetes mellitus..... 4.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 76.9%  
State ..... 22.0%  
Outside State ..... 1.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.2 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 128  
Occupancy Rate ..... 68.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 64.8 %  
Case Mix Index (CMI) ..... 1.0840

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... Yes  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# JEWELL COUNTY HOSPITAL

100 CREST VUE  
MANKATO, KS 66956  
Medicare Provider Number: 170168

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 26                 | 19.2                | 9.7  | ---- | 23.1    | 16.1 | ---- | 30.8     | 20.1 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 5                  | 20.0                | 13.3 | ---- | 20.0    | 21.2 | ---- | 60.0     | 26.7 | ---- |
| Pneumonia/Influenza.....                   | 3                  | 66.7                | 11.7 | ---- | 66.7    | 15.2 | ---- | 66.7     | 17.3 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 1                  | 0.0                 | 17.5 | ---- | 0.0     | 26.0 | ---- | 0.0      | 30.3 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)

# JEWELL COUNTY HOSPITAL

Medicare Provider Number: 170168

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.0 years  
Proportion female..... 65.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 42.3 %  
Transferred from skilled nursing facility..... 3.8 %  
Admitted for elective procedure..... 100.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 7.7 %  
Chronic cardiovascular disease..... 26.9 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 15.4 %  
Cerebrovascular degeneration..... 0.0 %  
Diabetes mellitus..... 3.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 86.5%  
State..... 2.7%  
Outside State..... 10.8%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.5 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 61  
Occupancy Rate..... 55.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 36.3 %  
Case Mix Index (CMI)..... 0.8945

### STAFFING:

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists..... (Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 7  
Licensed Practical Nurses..... 1

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# KEARNY COUNTY HOSPITAL


500 THORPE AVE, BOX 744  
LAKIN, KS 67860  
Medicare Provider Number: 170100

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 61              | 4.9                 | 6.2  | 3.6  | 8.2     | 10.1 | 4.3  | 9.8      | 13.1 | 5.9  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 1               | 0.0                 | 15.5 | ---- | 0.0     | 19.9 | ---- | 0.0      | 22.5 | ---- |
| Congestive Heart Failure.....              | 1               | 0.0                 | 9.2  | ---- | 0.0     | 16.0 | ---- | 0.0      | 20.2 | ---- |
| Pneumonia/Influenza.....                   | 8               | 12.5                | 11.9 | ---- | 12.5    | 16.9 | ---- | 12.5     | 20.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 6.6  | ---- | 0.0     | 13.4 | ---- | 0.0      | 18.6 | ---- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 1.4  | ---- | 0.0     | 3.4  | ---- | 0.0      | 5.9  | ---- |
| Stroke.....                                | 2               | 0.0                 | 8.3  | ---- | 0.0     | 11.3 | ---- | 0.0      | 13.4 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 2               | 50.0                | 22.8 | ---- | 50.0    | 30.7 | ---- | 50.0     | 35.7 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# KEARNY COUNTY HOSPITAL

Medicare Provider Number: 170100

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.1 years  
Proportion female..... 55.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 59.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 52.5 %  
Admitted for emergency..... 1.6 %

### COMORBIDITIES:

Cancer..... 3.3 %  
Chronic cardiovascular disease..... 14.8 %  
Chronic liver disease..... 1.6 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 6.6 %  
Cerebrovascular degeneration..... 4.9 %  
Diabetes mellitus..... 6.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 83.0%  
State ..... 14.0%  
Outside State ..... 3.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 20  
Occupancy Rate ..... 25.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 37.8 %  
Case Mix Index (CMI) ..... 0.7725

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board Certified Specialists..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 7  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# KINGMAN COMMUNITY HOSPITAL


750 AVENUE D WEST  
KINGMAN, KS 67068  
Medicare Provider Number: 170052

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 234             | 12.4                | 12.0 | 2.3   | 15.4    | 17.8 | 3.1   | 18.8     | 21.7 | 3.3   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 20.0                | 32.3 | ----- | 20.0    | 35.9 | ----- | 20.0     | 39.2 | ----- |
| Congestive Heart Failure.....              | 17              | 11.8                | 17.5 | ----- | 11.8    | 27.5 | ----- | 17.6     | 33.7 | ----- |
| Pneumonia/Influenza.....                   | 19              | 26.3                | 18.2 | ----- | 42.1    | 25.4 | ----- | 42.1     | 29.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 6.1  | ----- | 0.0     | 10.1 | ----- | 0.0      | 13.5 | ----- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 0.9  | ----- | 0.0     | 2.2  | ----- | 0.0      | 3.7  | ----- |
| Stroke.....                                | 7               | 0.0                 | 18.8 | ----- | 0.0     | 27.0 | ----- | 42.9     | 32.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2               | 0.0                 | 16.4 | ----- | 0.0     | 23.9 | ----- | 0.0      | 28.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 2               | 0.0                 | 2.3  | ----- | 0.0     | 6.2  | ----- | 0.0      | 11.3 | ----- |
| Cholecystectomy.....                       | 4               | 25.0                | 1.6  | ----- | 25.0    | 2.8  | ----- | 25.0     | 3.8  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.1  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# KINGMAN COMMUNITY HOSPITAL

Medicare Provider Number: 170052

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.0 years  
Proportion female..... 61.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 66.2 %  
Transferred from skilled nursing facility..... 0.4 %  
Admitted for elective procedure..... 17.1 %  
Admitted for emergency..... 24.4 %

### COMORBIDITIES:

Cancer..... 5.6 %  
Chronic cardiovascular disease..... 40.6 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 4.3 %  
Chronic pulmonary disease..... 9.0 %  
Cerebrovascular degeneration..... 5.1 %  
Diabetes mellitus..... 9.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 75.4%  
State ..... 21.0%  
Outside State ..... 3.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.7 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 32.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 44.2 %  
Case Mix Index (CMI) ..... 1.0677

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 75.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 18  
Licensed Practical Nurses..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# **KIOWA COUNTY MEMORIAL HOSPITAL**


501 S WALNUT ST  
GREENSBURG, KS 67054  
Medicare Provider Number: 170053

## **FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 152                | 8.6                 | 9.9  | 2.7   | 15.1    | 15.3 | 3.7   | 17.8     | 19.2 | 4.7   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 4                  | 25.0                | 33.8 | ----- | 25.0    | 40.8 | ----- | 25.0     | 44.9 | ----- |
| Congestive Heart Failure.....              | 4                  | 0.0                 | 9.4  | ----- | 0.0     | 14.8 | ----- | 0.0      | 20.0 | ----- |
| Pneumonia/Influenza.....                   | 13                 | 0.0                 | 15.4 | ----- | 0.0     | 21.6 | ----- | 0.0      | 25.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 0.7  | ----- | 0.0     | 1.7  | ----- | 0.0      | 2.9  | ----- |
| Stroke.....                                | 7                  | 42.9                | 13.1 | ----- | 57.1    | 19.1 | ----- | 57.1     | 22.8 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1                  | 100.0               | 35.2 | ----- | 100.0   | 40.8 | ----- | 100.0    | 44.9 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 1                  | 0.0                 | 0.2  | ----- | 0.0     | 0.6  | ----- | 0.0      | 1.0  | ----- |
| Cholecystectomy.....                       | 3                  | 0.0                 | 0.7  | ----- | 0.0     | 1.1  | ----- | 0.0      | 1.6  | ----- |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## **OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**





# KIOWA COUNTY MEMORIAL HOSPITAL

Medicare Provider Number: 170053

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.1 years  
Proportion female..... 62.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 37.5 %  
Transferred from skilled nursing facility..... 3.3 %  
Admitted for elective procedure..... 18.4 %  
Admitted for emergency..... 3.3 %

### COMORBIDITIES:

Cancer..... 10.5 %  
Chronic cardiovascular disease..... 37.5 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 1.3 %  
Chronic pulmonary disease..... 17.1 %  
Cerebrovascular degeneration..... 8.6 %  
Diabetes mellitus..... 3.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 80.3%  
State..... 17.2%  
Outside State..... 2.5%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.2 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 24  
Occupancy Rate..... 50.0 %  
Ownership/Control..... Church  
Medicare Discharges..... 46.5 %  
Case Mix Index (CMI)..... 0.9049

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses..... 5

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# KIOWA DISTRICT HOSPITAL


810 DRUMM ST  
KIOWA, KS 67070  
Medicare Provider Number: 170081

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 110             | 14.5                | 15.2 | 3.6   | 17.3    | 20.8 | 4.4   | 20.9     | 24.5 | 4.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 12              | 16.7                | 32.1 | ----- | 25.0    | 35.2 | ----- | 25.0     | 38.2 | ----- |
| Congestive Heart Failure.....              | 4               | 0.0                 | 19.8 | ----- | 0.0     | 25.6 | ----- | 25.0     | 30.6 | ----- |
| Pneumonia/Influenza.....                   | 18              | 11.1                | 12.4 | ----- | 11.1    | 18.3 | ----- | 16.7     | 21.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 5.8  | ----- | 0.0     | 11.8 | ----- | 0.0      | 18.4 | ----- |
| Transient Cerebral Ischemia.....           | 2               | 50.0                | 1.4  | ----- | 50.0    | 3.3  | ----- | 50.0     | 5.7  | ----- |
| Stroke.....                                | 7               | 57.1                | 34.0 | ----- | 71.4    | 40.2 | ----- | 71.4     | 43.4 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2               | 0.0                 | 12.8 | ----- | 50.0    | 23.6 | ----- | 50.0     | 29.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# KIOWA DISTRICT HOSPITAL

Medicare Provider Number: 170081

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 78.0 years |
| Proportion female.....        | 54.5 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 90.0 % |
| Transferred from skilled nursing facility..... | 0.0 %  |
| Admitted for elective procedure.....           | 5.5 %  |
| Admitted for emergency.....                    | 36.4 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 3.6 %  |
| Chronic cardiovascular disease..... | 48.2 % |
| Chronic liver disease.....          | 0.9 %  |
| Chronic renal disease.....          | 3.6 %  |
| Chronic pulmonary disease.....      | 10.0 % |
| Cerebrovascular degeneration.....   | 4.5 %  |
| Diabetes mellitus.....              | 7.3 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 58.6%  |
| State .....         | 5.2%   |
| Outside State ..... | 36.2%  |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 8.0 Days |
| State .....    | 7.3 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |                    |
|----------------------------|--------------------|
| Total Beds .....           | 24                 |
| Occupancy Rate .....       | 20.0 %             |
| Ownership/Control.....     | District/Authority |
| Medicare Discharges .....  | 53.6 %             |
| Case Mix Index (CMI) ..... | 1.0956             |

### STAFFING:

|                                                           |        |
|-----------------------------------------------------------|--------|
| Total Number of Physicians.....                           | 3      |
| Percent of Physicians Board<br>Certified Specialists..... | 66.7 % |
| Medical Residents/Interns .....                           | 0      |
| Registered Nurses.....                                    | 11     |
| Licensed Practical Nurses .....                           | 0      |

### SPECIALTY SERVICES:

|                                       |    |
|---------------------------------------|----|
| Burn Unit .....                       | No |
| Cardiac Intensive Care .....          | No |
| Comprehensive Geriatric .....         | No |
| Hospice Care .....                    | No |
| Medical/Surgical Intensive Care ..... | No |
| Organ/Tissue Transplant .....         | No |
| Other Intensive Care .....            | No |
| Trauma Center .....                   | No |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |    |
|---------------------------|----|
| Alcohol/Drug .....        | No |
| Rehabilitation.....       | No |
| Psychiatric .....         | No |
| Medicare Swing Beds ..... | No |

\*\* Except for CMI

\* Not used in calculating mortality rates

# LABETTE COUNTY MEDICAL CENTER


SOUTH HWY 59  
PARSONS, KS 67357  
Medicare Provider Number: 170120

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1001            | 8.9                 | 8.5  | 1.2   | 12.9    | 12.8 | 1.2   | 16.7     | 15.9 | 1.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 27              | 40.7                | 29.8 | ----- | 40.7    | 33.6 | ----- | 44.4     | 37.0 | ----- |
| Congestive Heart Failure.....              | 31              | 25.8                | 16.3 | ----- | 41.9    | 26.4 | ----- | 48.4     | 33.0 | ----- |
| Pneumonia/Influenza.....                   | 100             | 17.0                | 16.6 | 5.0   | 22.0    | 23.0 | 4.3   | 27.0     | 27.0 | 4.7   |
| Chronic Obstructive Pulmonary Disease..... | 5               | 0.0                 | 6.9  | ----- | 20.0    | 12.1 | ----- | 20.0     | 17.4 | ----- |
| Transient Cerebral Ischemia.....           | 14              | 0.0                 | 1.4  | ----- | 0.0     | 3.4  | ----- | 0.0      | 5.6  | ----- |
| Stroke.....                                | 32              | 21.9                | 20.5 | ----- | 28.1    | 27.6 | ----- | 34.4     | 31.5 | ----- |
| Hip Fracture.....                          | 41              | 7.3                 | 5.0  | ----- | 9.8     | 9.8  | ----- | 9.8      | 13.8 | ----- |
| Sepsis.....                                | 12              | 8.3                 | 19.8 | ----- | 25.0    | 28.1 | ----- | 33.3     | 32.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 6               | 0.0                 | 9.0  | ----- | 0.0     | 13.4 | ----- | 16.7     | 17.1 | ----- |
| Carotid Endarterectomy.....                | 5               | 0.0                 | 1.2  | ----- | 0.0     | 2.3  | ----- | 0.0      | 3.7  | ----- |
| Hip Replacement/Reconstruction.....        | 38              | 0.0                 | 1.9  | ----- | 2.6     | 4.1  | ----- | 2.6      | 6.0  | ----- |
| Open Reduction of Hip Fracture.....        | 23              | 13.0                | 4.9  | ----- | 13.0    | 9.7  | ----- | 13.0     | 13.6 | ----- |
| Prostatectomy.....                         | 23              | 0.0                 | 0.8  | ----- | 0.0     | 2.0  | ----- | 0.0      | 3.6  | ----- |
| Cholecystectomy.....                       | 28              | 7.1                 | 2.7  | ----- | 10.7    | 5.4  | ----- | 14.3     | 7.3  | ----- |
| Hysterectomy.....                          | 18              | 0.0                 | 0.3  | ----- | 0.0     | 0.9  | ----- | 0.0      | 1.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# LABETTE COUNTY MEDICAL CENTER

Medicare Provider Number: 170120

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.7 years  
Proportion female..... 60.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 47.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 28.8 %  
Admitted for emergency..... 6.9 %

### COMORBIDITIES:

Cancer..... 6.3 %  
Chronic cardiovascular disease..... 29.2 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 2.3 %  
Chronic pulmonary disease..... 10.8 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 6.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 68.0%  
State ..... 29.8%  
Outside State ..... 2.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.7 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 85  
Occupancy Rate ..... 66.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 44.9 %  
Case Mix Index (CMI) ..... 1.1929

### STAFFING:

Total Number of Physicians..... 28  
Percent of Physicians Board  
Certified Specialists..... 67.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 83  
Licensed Practical Nurses..... 8

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# LANE COUNTY HOSPITAL

243 S SECOND, BOX 969  
DIGHTON, KS 67839  
Medicare Provider Number: 170108

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 47                 | 8.5                 | 9.8  | ----- | 17.0    | 13.9 | ----- | 17.0     | 17.3 | ----- |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2                  | 50.0                | 13.0 | ----- | 50.0    | 15.8 | ----- | 50.0     | 18.0 | ----- |
| Congestive Heart Failure.....              | 2                  | 0.0                 | 14.6 | ----- | 0.0     | 21.9 | ----- | 0.0      | 28.5 | ----- |
| Pneumonia/Influenza.....                   | 4                  | 0.0                 | 8.1  | ----- | 0.0     | 11.6 | ----- | 0.0      | 14.0 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 6.4  | ----- | 0.0     | 12.5 | ----- | 0.0      | 19.0 | ----- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 0.4  | ----- | 0.0     | 1.0  | ----- | 0.0      | 1.8  | ----- |
| Stroke.....                                | 3                  | 0.0                 | 11.4 | ----- | 0.0     | 15.5 | ----- | 0.0      | 18.9 | ----- |
| Hip Fracture.....                          | 1                  | 0.0                 | 2.3  | ----- | 0.0     | 4.9  | ----- | 0.0      | 8.1  | ----- |
| Sepsis.....                                | 1                  | 100.0               | 28.1 | ----- | 100.0   | 40.3 | ----- | 100.0    | 47.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1                  | 0.0                 | 1.4  | ----- | 0.0     | 2.8  | ----- | 0.0      | 3.7  | ----- |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)

# LANE COUNTY HOSPITAL

Medicare Provider Number: 170108

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.3 years  
Proportion female..... 72.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 95.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 95.7 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 4.3 %  
Chronic cardiovascular disease..... 34.0 %  
Chronic liver disease..... 2.1 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 6.4 %  
Cerebrovascular degeneration..... 0.0 %  
Diabetes mellitus..... 10.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 91.3%  
State ..... 5.8%  
Outside State ..... 2.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 3.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 31  
Occupancy Rate ..... 74.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 55.6 %  
Case Mix Index (CMI) ..... 0.9874

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 3  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# LAWRENCE MEMORIAL HOSPITAL


325 MAINE ST  
LAWRENCE, KS 66044  
Medicare Provider Number: 170137

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1407               | 9.1                 | 7.8  | 1.1   | 13.1    | 12.0 | 1.1   | 15.8     | 15.2 | 1.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 26                 | 26.9                | 25.8 | ----- | 30.8    | 28.4 | ----- | 30.8     | 31.0 | ----- |
| Congestive Heart Failure.....              | 68                 | 14.7                | 13.9 | 4.4   | 23.5    | 21.7 | 5.7   | 29.4     | 27.9 | 5.6   |
| Pneumonia/Influenza.....                   | 61                 | 19.7                | 12.2 | 7.2   | 21.3    | 16.8 | 8.5   | 27.9     | 19.9 | 9.0   |
| Chronic Obstructive Pulmonary Disease..... | 27                 | 0.0                 | 4.7  | ----- | 3.7     | 8.9  | ----- | 3.7      | 12.5 | ----- |
| Transient Cerebral Ischemia.....           | 26                 | 0.0                 | 2.8  | ----- | 3.8     | 6.6  | ----- | 3.8      | 10.5 | ----- |
| Stroke.....                                | 40                 | 20.0                | 21.3 | ----- | 25.0    | 28.2 | ----- | 32.5     | 32.3 | ----- |
| Hip Fracture.....                          | 45                 | 4.4                 | 7.5  | ----- | 4.4     | 13.3 | ----- | 6.7      | 17.2 | ----- |
| Sepsis.....                                | 18                 | 16.7                | 23.0 | ----- | 33.3    | 32.3 | ----- | 33.3     | 37.5 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 12                 | 0.0                 | 2.1  | ----- | 8.3     | 4.7  | ----- | 8.3      | 7.3  | ----- |
| Carotid Endarterectomy.....                | 2                  | 0.0                 | 1.3  | ----- | 0.0     | 2.0  | ----- | 0.0      | 2.9  | ----- |
| Hip Replacement/Reconstruction.....        | 47                 | 2.1                 | 2.5  | ----- | 2.1     | 4.5  | ----- | 4.3      | 6.2  | ----- |
| Open Reduction of Hip Fracture.....        | 20                 | 5.0                 | 7.4  | ----- | 5.0     | 13.7 | ----- | 5.0      | 18.0 | ----- |
| Prostatectomy.....                         | 55                 | 0.0                 | 0.9  | 1.4   | 1.8     | 2.1  | 2.2   | 3.6      | 3.6  | 3.6   |
| Cholecystectomy.....                       | 28                 | 3.6                 | 1.3  | ----- | 3.6     | 2.4  | ----- | 3.6      | 3.2  | ----- |
| Hysterectomy.....                          | 9                  | 0.0                 | 0.5  | ----- | 0.0     | 1.3  | ----- | 0.0      | 2.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# LAWRENCE MEMORIAL HOSPITAL

Medicare Provider Number: 170137

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 59.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 46.2 %  
Transferred from skilled nursing facility..... 0.6 %  
Admitted for elective procedure..... 19.5 %  
Admitted for emergency..... 26.3 %

### COMORBIDITIES:

Cancer..... 6.5 %  
Chronic cardiovascular disease..... 33.1 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 1.5 %  
Chronic pulmonary disease..... 12.4 %  
Cerebrovascular degeneration..... 5.0 %  
Diabetes mellitus..... 5.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 77.7%  
State ..... 19.7%  
Outside State ..... 2.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.2 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 165  
Occupancy Rate ..... 56.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 34.5 %  
Case Mix Index (CMI) ..... 1.1592

### STAFFING:

Total Number of Physicians..... 76  
Percent of Physicians Board  
Certified Specialists..... 75.0 %  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# LINCOLN COUNTY HOSPITAL


624 N 2ND ST  
LINCOLN, KS 67455  
Medicare Provider Number: 170056

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 172                | 9.9                 | 12.0 | 2.7  | 14.0    | 17.4 | 3.7  | 14.5     | 21.4 | 4.2  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 6                  | 33.3                | 35.1 | ---- | 33.3    | 39.9 | ---- | 33.3     | 44.6 | ---- |
| Congestive Heart Failure.....              | 4                  | 0.0                 | 13.4 | ---- | 0.0     | 20.0 | ---- | 25.0     | 25.1 | ---- |
| Pneumonia/Influenza.....                   | 29                 | 10.3                | 15.3 | ---- | 17.2    | 21.1 | ---- | 17.2     | 25.3 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 0.0                 | 6.8  | ---- | 0.0     | 12.7 | ---- | 0.0      | 17.4 | ---- |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 1.2  | ---- | 20.0    | 2.8  | ---- | 20.0     | 4.7  | ---- |
| Stroke.....                                | 6                  | 0.0                 | 25.6 | ---- | 0.0     | 32.4 | ---- | 0.0      | 36.6 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 2.3  | ---- | 0.0     | 5.4  | ---- | 0.0      | 9.1  | ---- |
| Sepsis.....                                | 2                  | 50.0                | 37.8 | ---- | 50.0    | 44.9 | ---- | 50.0     | 50.0 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# LINCOLN COUNTY HOSPITAL

Medicare Provider Number: 170056

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.6 years  
Proportion female..... 65.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 96.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 5.2 %  
Chronic cardiovascular disease..... 48.8 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.6 %  
Chronic pulmonary disease..... 12.2 %  
Cerebrovascular degeneration..... 5.2 %  
Diabetes mellitus..... 5.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 83.5%  
State ..... 15.8%  
Outside State ..... 0.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 34  
Occupancy Rate ..... 73.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 70.8 %  
Case Mix Index (CMI) ..... 0.9713

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# LINDSBORG COMMUNITY HOSPITAL


605 W LINCOLN ST  
LINDSBORG, KS 67456  
Medicare Provider Number: 170101

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 208                | 11.5                | 10.0 | 2.7  | 15.9    | 15.1 | 2.6  | 19.7     | 18.8 | 2.8  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3                  | 66.7                | 21.0 | ---- | 66.7    | 23.1 | ---- | 66.7     | 25.5 | ---- |
| Congestive Heart Failure.....              | 11                 | 18.2                | 15.0 | ---- | 18.2    | 22.4 | ---- | 27.3     | 29.0 | ---- |
| Pneumonia/Influenza.....                   | 31                 | 9.7                 | 11.4 | ---- | 16.1    | 15.6 | ---- | 19.4     | 18.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 0.0                 | 6.2  | ---- | 0.0     | 11.5 | ---- | 0.0      | 17.1 | ---- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 0.9  | ---- | 0.0     | 2.3  | ---- | 0.0      | 3.9  | ---- |
| Stroke.....                                | 6                  | 50.0                | 18.5 | ---- | 66.7    | 25.3 | ---- | 66.7     | 29.7 | ---- |
| Hip Fracture.....                          | 8                  | 25.0                | 6.0  | ---- | 37.5    | 11.5 | ---- | 37.5     | 15.5 | ---- |
| Sepsis.....                                | 9                  | 33.3                | 19.6 | ---- | 33.3    | 29.9 | ---- | 33.3     | 35.5 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 5                  | 40.0                | 5.6  | ---- | 40.0    | 10.5 | ---- | 40.0     | 14.1 | ---- |
| Open Reduction of Hip Fracture.....        | 4                  | 25.0                | 5.1  | ---- | 25.0    | 10.2 | ---- | 25.0     | 13.7 | ---- |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 4                  | 0.0                 | 1.1  | ---- | 0.0     | 1.9  | ---- | 0.0      | 2.5  | ---- |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# LINDSBORG COMMUNITY HOSPITAL

Medicare Provider Number: 170101

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.8 years  
Proportion female..... 64.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.9 %  
Transferred from skilled nursing facility..... 1.0 %  
Admitted for elective procedure..... 86.1 %  
Admitted for emergency..... 7.2 %

### COMORBIDITIES:

Cancer..... 7.7 %  
Chronic cardiovascular disease..... 38.5 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 5.3 %  
Chronic pulmonary disease..... 12.5 %  
Cerebrovascular degeneration..... 1.4 %  
Diabetes mellitus..... 6.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.4%  
State ..... 18.4%  
Outside State ..... 1.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.0 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 39  
Occupancy Rate ..... 33.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 42.9 %  
Case Mix Index (CMI) ..... 1.1072

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 7

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# LOGAN COUNTY HOSPITAL


211 CHERRY ST  
OAKLEY, KS 67748  
Medicare Provider Number: 170134

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 114             | 13.2                | 13.3 | 3.8   | 19.3    | 19.4 | 3.7   | 23.7     | 23.8 | 4.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6               | 50.0                | 26.4 | ----- | 50.0    | 28.5 | ----- | 50.0     | 30.8 | ----- |
| Congestive Heart Failure.....              | 17              | 17.6                | 15.5 | ----- | 29.4    | 24.9 | ----- | 29.4     | 31.9 | ----- |
| Pneumonia/Influenza.....                   | 15              | 20.0                | 23.4 | ----- | 20.0    | 31.6 | ----- | 20.0     | 36.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 2.4  | ----- | 0.0     | 5.0  | ----- | 0.0      | 7.2  | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 0.9  | ----- | 0.0     | 2.0  | ----- | 0.0      | 3.4  | ----- |
| Stroke.....                                | 4               | 0.0                 | 12.0 | ----- | 25.0    | 15.4 | ----- | 25.0     | 18.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.9  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.1  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# LOGAN COUNTY HOSPITAL

Medicare Provider Number: 170134

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.7 years  
Proportion female..... 57.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 39.5 %  
Transferred from skilled nursing facility..... 1.8 %  
Admitted for elective procedure..... 10.5 %  
Admitted for emergency..... 1.8 %

### COMORBIDITIES:

Cancer..... 5.3 %  
Chronic cardiovascular disease..... 46.5 %  
Chronic liver disease..... 0.9 %  
Chronic renal disease..... 1.8 %  
Chronic pulmonary disease..... 7.9 %  
Cerebrovascular degeneration..... 8.8 %  
Diabetes mellitus..... 13.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 80.3%  
State ..... 16.2%  
Outside State ..... 3.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.2 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 39  
Occupancy Rate ..... 41.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 49.3 %  
Case Mix Index (CMI) ..... 0.9946

### STAFFING:

Total Number of Physicians..... 1  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 3  
Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MAUDE NORTON MEMORIAL CITY HOSPITAL


220 N PENNSYLVANIA  
COLUMBUS, KS 66725  
Medicare Provider Number: 170043

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 147                | 10.2                | 9.3  | 2.4   | 15.0    | 14.2 | 3.8   | 18.4     | 17.8 | 3.8   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6                  | 33.3                | 20.5 | ----- | 33.3    | 22.9 | ----- | 50.0     | 25.6 | ----- |
| Congestive Heart Failure.....              | 17                 | 29.4                | 15.8 | ----- | 29.4    | 25.8 | ----- | 35.3     | 33.1 | ----- |
| Pneumonia/Influenza.....                   | 9                  | 11.1                | 10.7 | ----- | 22.2    | 16.1 | ----- | 22.2     | 19.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 8.9  | ----- | 0.0     | 18.4 | ----- | 0.0      | 25.6 | ----- |
| Transient Cerebral Ischemia.....           | 3                  | 0.0                 | 1.4  | ----- | 33.3    | 3.4  | ----- | 33.3     | 6.0  | ----- |
| Stroke.....                                | 3                  | 0.0                 | 17.0 | ----- | 33.3    | 25.2 | ----- | 33.3     | 30.0 | ----- |
| Hip Fracture.....                          | 2                  | 0.0                 | 3.0  | ----- | 0.0     | 5.3  | ----- | 0.0      | 7.5  | ----- |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 1                  | 0.0                 | 0.4  | ----- | 0.0     | 1.1  | ----- | 100.0    | 2.0  | ----- |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MAUDE NORTON MEMORIAL CITY HOSPITAL

Medicare Provider Number: 170043

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.6 years  
Proportion female..... 68.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 29.3 %  
Transferred from skilled nursing facility..... 2.0 %  
Admitted for elective procedure..... 8.2 %  
Admitted for emergency..... 4.8 %

### COMORBIDITIES:

Cancer..... 3.4 %  
Chronic cardiovascular disease..... 25.2 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.4 %  
Chronic pulmonary disease..... 17.7 %  
Cerebrovascular degeneration..... 1.4 %  
Diabetes mellitus..... 4.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 86.8%  
State ..... 9.1%  
Outside State ..... 4.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.2 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 39  
Occupancy Rate ..... 17.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 64.3 %  
Case Mix Index (CMI) ..... 1.0014

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses ..... 0

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MEADE DISTRICT HOSPITAL


510 E CARTHAGE  
MEADE, KS 67864  
Medicare Provider Number: 170055

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 145                | 9.7                 | 8.7  | 2.5   | 12.4    | 13.6 | 3.3   | 15.2     | 17.0 | 3.7   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3                  | 100.0               | 46.3 | ----- | 100.0   | 52.1 | ----- | 100.0    | 56.2 | ----- |
| Congestive Heart Failure.....              | 9                  | 44.4                | 24.2 | ----- | 55.6    | 37.9 | ----- | 66.7     | 45.1 | ----- |
| Pneumonia/Influenza.....                   | 9                  | 0.0                 | 16.3 | ----- | 0.0     | 22.2 | ----- | 0.0      | 25.9 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 37.6 | ----- | 0.0     | 59.9 | ----- | 0.0      | 74.2 | ----- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 6                  | 0.0                 | 21.5 | ----- | 0.0     | 32.0 | ----- | 33.3     | 38.3 | ----- |
| Hip Fracture.....                          | 3                  | 0.0                 | 5.3  | ----- | 0.0     | 10.2 | ----- | 0.0      | 13.5 | ----- |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 12                 | 0.0                 | 0.9  | ----- | 0.0     | 2.2  | ----- | 0.0      | 3.8  | ----- |
| Cholecystectomy.....                       | 5                  | 0.0                 | 2.2  | ----- | 0.0     | 4.1  | ----- | 0.0      | 5.3  | ----- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.7  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MEADE DISTRICT HOSPITAL

Medicare Provider Number: 170055

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.7 years  
Proportion female..... 44.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 43.4 %  
Transferred from skilled nursing facility..... 0.7 %  
Admitted for elective procedure..... 59.3 %  
Admitted for emergency..... 1.4 %

### COMORBIDITIES:

Cancer..... 6.2 %  
Chronic cardiovascular disease..... 35.9 %  
Chronic liver disease..... 2.1 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 14.5 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 4.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 84.0%  
State..... 11.6%  
Outside State..... 4.4%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.8 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 26  
Occupancy Rate..... 26.0 %  
Ownership/Control..... Church  
Medicare Discharges..... 47.4 %  
Case Mix Index (CMI)..... 1.0492

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists..... (Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses..... 2

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MEDICINE LODGE MEMORIAL HOSPITAL


710 N WALNUT ST  
MEDICINE LODGE, KS 67104  
Medicare Provider Number: 170102

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 181             | 6.6                 | 10.2 | 3.5  | 12.2    | 14.6 | 4.2  | 14.9     | 17.8 | 5.0  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2               | 50.0                | 46.5 | ---- | 50.0    | 51.6 | ---- | 50.0     | 53.8 | ---- |
| Congestive Heart Failure.....              | 8               | 12.5                | 14.4 | ---- | 12.5    | 22.2 | ---- | 25.0     | 28.2 | ---- |
| Pneumonia/Influenza.....                   | 47              | 8.5                 | 12.7 | ---- | 12.8    | 17.6 | ---- | 14.9     | 20.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 5               | 0.0                 | 1.6  | ---- | 0.0     | 4.1  | ---- | 0.0      | 7.2  | ---- |
| Stroke.....                                | 8               | 12.5                | 23.4 | ---- | 25.0    | 29.7 | ---- | 25.0     | 33.6 | ---- |
| Hip Fracture.....                          | 2               | 0.0                 | 4.8  | ---- | 0.0     | 8.8  | ---- | 0.0      | 12.2 | ---- |
| Sepsis.....                                | 4               | 0.0                 | 24.5 | ---- | 0.0     | 28.1 | ---- | 0.0      | 31.8 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 6               | 0.0                 | 1.0  | ---- | 0.0     | 1.7  | ---- | 0.0      | 2.1  | ---- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.1  | ---- | 0.0     | 0.2  | ---- | 0.0      | 0.2  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MEDICINE LODGE MEMORIAL HOSPITAL

Medicare Provider Number: 170102

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 75.4 years |
| Proportion female.....        | 63.5 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 46.4 % |
| Transferred from skilled nursing facility..... | 0.0 %  |
| Admitted for elective procedure.....           | 5.5 %  |
| Admitted for emergency.....                    | 26.5 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 5.0 %  |
| Chronic cardiovascular disease..... | 34.3 % |
| Chronic liver disease.....          | 1.7 %  |
| Chronic renal disease.....          | 3.3 %  |
| Chronic pulmonary disease.....      | 11.6 % |
| Cerebrovascular degeneration.....   | 6.1 %  |
| Diabetes mellitus.....              | 3.9 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 78.4%  |
| State .....         | 19.9%  |
| Outside State ..... | 1.7%   |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 5.2 Days |
| State .....    | 7.3 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

|                            |                    |
|----------------------------|--------------------|
| Total Beds .....           | 42                 |
| Occupancy Rate .....       | 21.0 %             |
| Ownership/Control.....     | District/Authority |
| Medicare Discharges .....  | 48.1 %             |
| Case Mix Index (CMI) ..... | 1.0015             |

### STAFFING:

|                                                            |        |
|------------------------------------------------------------|--------|
| Total Number of Physicians.....                            | 4      |
| Percent of Physicians Board<br>Certified Specialists ..... | 25.0 % |
| Medical Residents/Interns .....                            | 0      |
| Registered Nurses.....                                     | 18     |
| Licensed Practical Nurses .....                            | 3      |

### SPECIALTY SERVICES:

|                                      |    |
|--------------------------------------|----|
| Burn Unit .....                      | No |
| Cardiac Intensive Care .....         | No |
| Comprehensive Geriatric .....        | No |
| Hospice Care .....                   | No |
| Medical/Surgical Intensive Care..... | No |
| Organ/Tissue Transplant .....        | No |
| Other Intensive Care .....           | No |
| Trauma Center .....                  | No |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |     |
|---------------------------|-----|
| Alcohol/Drug .....        | No  |
| Rehabilitation.....       | No  |
| Psychiatric .....         | No  |
| Medicare Swing Beds ..... | Yes |

\*\* Except for CMI

\* Not used in calculating mortality rates

# MEMORIAL HOSPITAL


1105 SUNSET  
MANHATTAN, KS 66502  
Medicare Provider Number: 170037

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 170             | 10.0                | 7.9  | 3.6   | 15.9    | 12.5 | 4.5   | 17.6     | 16.0 | 4.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 5               | 20.0                | 26.7 | ----- | 20.0    | 30.1 | ----- | 20.0     | 33.1 | ----- |
| Congestive Heart Failure.....              | 6               | 0.0                 | 15.9 | ----- | 0.0     | 24.9 | ----- | 0.0      | 31.0 | ----- |
| Pneumonia/Influenza.....                   | 12              | 25.0                | 17.3 | ----- | 33.3    | 24.7 | ----- | 33.3     | 30.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 100.0               | 2.4  | ----- | 100.0   | 4.9  | ----- | 100.0    | 6.7  | ----- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 2.3  | ----- | 0.0     | 5.7  | ----- | 0.0      | 9.4  | ----- |
| Stroke.....                                | 5               | 20.0                | 11.0 | ----- | 20.0    | 17.2 | ----- | 20.0     | 20.9 | ----- |
| Hip Fracture.....                          | 6               | 16.7                | 8.0  | ----- | 33.3    | 13.6 | ----- | 33.3     | 17.0 | ----- |
| Sepsis.....                                | 3               | 0.0                 | 24.9 | ----- | 0.0     | 33.4 | ----- | 0.0      | 39.1 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 2               | 0.0                 | 3.8  | ----- | 0.0     | 7.2  | ----- | 0.0      | 10.0 | ----- |
| Open Reduction of Hip Fracture.....        | 4               | 25.0                | 8.8  | ----- | 50.0    | 15.3 | ----- | 50.0     | 19.1 | ----- |
| Prostatectomy.....                         | 14              | 0.0                 | 0.5  | ----- | 0.0     | 1.1  | ----- | 0.0      | 2.0  | ----- |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.3  | ----- | 0.0     | 0.6  | ----- | 0.0      | 0.7  | ----- |
| Hysterectomy.....                          | 11              | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.5  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MEMORIAL HOSPITAL

Medicare Provider Number: 170037

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
Proportion female..... 58.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 72.9 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 59.4 %  
Admitted for emergency..... 29.4 %

### COMORBIDITIES:

Cancer..... 7.6 %  
Chronic cardiovascular disease..... 24.1 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.8 %  
Chronic pulmonary disease..... 11.2 %  
Cerebrovascular degeneration..... 7.6 %  
Diabetes mellitus..... 5.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 73.5%  
State ..... 23.1%  
Outside State ..... 3.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 76  
Occupancy Rate ..... 22.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 16.0 %  
Case Mix Index (CMI) ..... 1.1080

### STAFFING:

Total Number of Physicians..... 57  
Percent of Physicians Board  
Certified Specialists ..... 77.2 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 50  
Licensed Practical Nurses ..... 14

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MEMORIAL HOSPITAL


1000 HOSPITAL DRIVE  
MCPHERSON, KS 67460  
Medicare Provider Number: 170105

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 469             | 10.4                | 9.6  | 1.4   | 14.5    | 14.4 | 1.7   | 18.6     | 17.9 | 1.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 13              | 53.8                | 36.2 | ----- | 61.5    | 39.6 | ----- | 61.5     | 43.1 | ----- |
| Congestive Heart Failure.....              | 32              | 15.6                | 18.6 | ----- | 21.9    | 28.8 | ----- | 31.3     | 36.2 | ----- |
| Pneumonia/Influenza.....                   | 41              | 4.9                 | 14.8 | ----- | 9.8     | 20.8 | ----- | 17.1     | 24.9 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 33.3                | 12.5 | ----- | 33.3    | 21.3 | ----- | 33.3     | 26.2 | ----- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 1.8  | ----- | 0.0     | 3.6  | ----- | 0.0      | 5.9  | ----- |
| Stroke.....                                | 25              | 24.0                | 18.7 | ----- | 28.0    | 24.1 | ----- | 28.0     | 27.5 | ----- |
| Hip Fracture.....                          | 10              | 0.0                 | 8.6  | ----- | 0.0     | 15.9 | ----- | 10.0     | 20.8 | ----- |
| Sepsis.....                                | 4               | 0.0                 | 9.7  | ----- | 0.0     | 12.1 | ----- | 0.0      | 14.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 8               | 0.0                 | 9.2  | ----- | 0.0     | 17.8 | ----- | 12.5     | 23.6 | ----- |
| Open Reduction of Hip Fracture.....        | 1               | 0.0                 | 4.0  | ----- | 0.0     | 7.9  | ----- | 0.0      | 10.6 | ----- |
| Prostatectomy.....                         | 6               | 0.0                 | 0.7  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.8  | ----- |
| Cholecystectomy.....                       | 6               | 0.0                 | 0.6  | ----- | 0.0     | 1.1  | ----- | 0.0      | 1.6  | ----- |
| Hysterectomy.....                          | 4               | 0.0                 | 0.2  | ----- | 0.0     | 0.6  | ----- | 0.0      | 1.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MEMORIAL HOSPITAL

Medicare Provider Number: 170105

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.9 years  
Proportion female..... 60.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 46.7 %  
Transferred from skilled nursing facility..... 1.5 %  
Admitted for elective procedure..... 37.1 %  
Admitted for emergency..... 2.1 %

### COMORBIDITIES:

Cancer..... 6.2 %  
Chronic cardiovascular disease..... 31.8 %  
Chronic liver disease..... 0.2 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 11.3 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 6.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 91.7%  
State..... 6.7%  
Outside State..... 1.6%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.3 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 44  
Occupancy Rate..... 59.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 43.2 %  
Case Mix Index (CMI)..... 1.0033

### STAFFING:

Total Number of Physicians..... 14  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 31  
Licensed Practical Nurses..... 5

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MEMORIAL HOSPITAL


511 NE 10TH ST  
ABILENE, KS 67410  
Medicare Provider Number: 170114

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 393             | 14.2                | 11.9 | 2.4   | 20.1    | 17.5 | 2.5   | 23.4     | 21.2 | 2.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 9               | 0.0                 | 23.4 | ----- | 0.0     | 26.4 | ----- | 0.0      | 29.4 | ----- |
| Congestive Heart Failure.....              | 29              | 10.3                | 16.2 | ----- | 20.7    | 25.0 | ----- | 24.1     | 31.1 | ----- |
| Pneumonia/Influenza.....                   | 36              | 22.2                | 17.5 | ----- | 30.6    | 24.5 | ----- | 33.3     | 28.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 7.0  | ----- | 25.0    | 14.1 | ----- | 25.0     | 20.0 | ----- |
| Transient Cerebral Ischemia.....           | 7               | 0.0                 | 2.4  | ----- | 14.3    | 5.4  | ----- | 28.6     | 9.2  | ----- |
| Stroke.....                                | 27              | 44.4                | 22.4 | ----- | 44.4    | 29.2 | ----- | 44.4     | 33.2 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 7.4  | ----- | 0.0     | 13.8 | ----- | 0.0      | 19.3 | ----- |
| Sepsis.....                                | 7               | 14.3                | 23.5 | ----- | 42.9    | 32.0 | ----- | 42.9     | 37.3 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 14              | 0.0                 | 0.4  | ----- | 0.0     | 0.9  | ----- | 0.0      | 1.7  | ----- |
| Cholecystectomy.....                       | 7               | 0.0                 | 2.0  | ----- | 0.0     | 3.7  | ----- | 14.3     | 4.9  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.0  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.1  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MEMORIAL HOSPITAL

Medicare Provider Number: 170114

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.7 years  
Proportion female..... 57.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 49.1 %  
Transferred from skilled nursing facility..... 1.3 %  
Admitted for elective procedure..... 8.1 %  
Admitted for emergency..... 31.0 %

### COMORBIDITIES:

Cancer..... 6.9 %  
Chronic cardiovascular disease..... 39.4 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 2.5 %  
Chronic pulmonary disease..... 15.3 %  
Cerebrovascular degeneration..... 4.8 %  
Diabetes mellitus..... 2.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 92.3%  
State ..... 6.0%  
Outside State ..... 1.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 52  
Occupancy Rate ..... 32.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 54.7 %  
Case Mix Index (CMI) ..... 1.0338

### STAFFING:

Total Number of Physicians..... 10  
Percent of Physicians Board  
Certified Specialists ..... 90.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 23  
Licensed Practical Nurses..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates


**MERCY HOSPITAL**  
821 BURKE ST  
FORT SCOTT, KS 66701  
Medicare Provider Number: 170058

**FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1068            | 7.4                 | 8.3  | 1.4   | 12.9    | 12.8 | 1.1   | 15.6     | 16.3 | 1.3   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 23              | 34.8                | 29.5 | ----- | 39.1    | 32.5 | ----- | 39.1     | 35.2 | ----- |
| Congestive Heart Failure.....              | 63              | 14.3                | 15.8 | 4.8   | 20.6    | 24.2 | 6.5   | 25.4     | 30.8 | 7.9   |
| Pneumonia/Influenza.....                   | 65              | 13.8                | 13.7 | 7.6   | 23.1    | 18.9 | 5.6   | 24.6     | 22.6 | 5.3   |
| Chronic Obstructive Pulmonary Disease..... | 15              | 6.7                 | 6.5  | ----- | 6.7     | 12.3 | ----- | 6.7      | 16.9 | ----- |
| Transient Cerebral Ischemia.....           | 16              | 0.0                 | 1.7  | ----- | 6.3     | 3.6  | ----- | 6.3      | 5.8  | ----- |
| Stroke.....                                | 36              | 19.4                | 21.5 | ----- | 27.8    | 28.5 | ----- | 33.3     | 32.9 | ----- |
| Hip Fracture.....                          | 14              | 7.1                 | 5.4  | ----- | 7.1     | 9.5  | ----- | 7.1      | 12.3 | ----- |
| Sepsis.....                                | 12              | 25.0                | 26.4 | ----- | 33.3    | 35.8 | ----- | 41.7     | 41.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 6               | 16.7                | 1.2  | ----- | 16.7    | 2.4  | ----- | 16.7     | 3.7  | ----- |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 1               | 0.0                 | 3.1  | ----- | 0.0     | 6.0  | ----- | 0.0      | 8.6  | ----- |
| Prostatectomy.....                         | 112             | 0.0                 | 0.6  | 1.3   | 2.7     | 1.6  | 1.5   | 3.6      | 2.8  | 1.7   |
| Cholecystectomy.....                       | 25              | 0.0                 | 1.5  | ----- | 0.0     | 2.9  | ----- | 4.0      | 4.2  | ----- |
| Hysterectomy.....                          | 12              | 0.0                 | 0.2  | ----- | 0.0     | 0.6  | ----- | 0.0      | 1.1  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

**OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD)  
FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**





**MERCY HOSPITAL**  
Medicare Provider Number: 170058

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 77.0 years  
Proportion female..... 52.4 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 43.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 25.7 %  
Admitted for emergency..... 53.7 %

**COMORBIDITIES:**

Cancer..... 7.5 %  
Chronic cardiovascular disease..... 31.6 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 12.0 %  
Cerebrovascular degeneration..... 5.0 %  
Diabetes mellitus..... 7.3 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 57.1 %  
State ..... 28.2 %  
Outside State ..... 14.7 %  
Total ..... 100.0 %

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 6.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 106  
Occupancy Rate ..... 52.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 54.1 %  
Case Mix Index (CMI) ..... 1.0473

**STAFFING:**

Total Number of Physicians..... 20  
Percent of Physicians Board  
Certified Specialists..... 90.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 77  
Licensed Practical Nurses ..... 2

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MERCY HOSPITAL INC


218 E PACK  
MOUNDRIDGE, KS 67107  
Medicare Provider Number: 170075

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 127             | 12.6                | 9.6  | 3.8  | 16.5    | 13.9 | 4.8  | 19.7     | 17.2 | 5.4  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 7               | 57.1                | 27.3 | ---- | 57.1    | 30.6 | ---- | 57.1     | 34.0 | ---- |
| Congestive Heart Failure.....              | 8               | 50.0                | 24.8 | ---- | 62.5    | 35.2 | ---- | 62.5     | 41.4 | ---- |
| Pneumonia/Influenza.....                   | 10              | 10.0                | 11.8 | ---- | 20.0    | 15.9 | ---- | 30.0     | 19.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 0.8  | ---- | 0.0     | 2.0  | ---- | 0.0      | 3.4  | ---- |
| Stroke.....                                | 9               | 44.4                | 19.1 | ---- | 44.4    | 25.0 | ---- | 44.4     | 29.0 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 8.7  | ---- | 0.0     | 18.7 | ---- | 0.0      | 28.0 | ---- |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.4  | ---- | 0.0     | 0.7  | ---- | 0.0      | 1.0  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



**MERCY HOSPITAL INC**  
Medicare Provider Number: 170075

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 79.1 years  
Proportion female..... 67.7 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 52.8 %  
Transferred from skilled nursing facility..... 0.8 %  
Admitted for elective procedure..... 26.8 %  
Admitted for emergency..... 3.1 %

**COMORBIDITIES:**

Cancer..... 3.1 %  
Chronic cardiovascular disease..... 35.4 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 6.3 %  
Cerebrovascular degeneration..... 3.1 %  
Diabetes mellitus..... 6.3 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 83.3%  
State ..... 16.7%  
Outside State ..... 0.0%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 5.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 27  
Occupancy Rate ..... 14.8 %  
Ownership/Control..... Church  
Medicare Discharges ..... 66.7 %  
Case Mix Index (CMI) ..... 0.8375

**STAFFING:**

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MERCY HOSPITAL INDEPENDENCE


800 W MYRTLE  
INDEPENDENCE, KS 67301  
Medicare Provider Number: 170010

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 614             | 9.0                 | 10.4 | 1.4   | 13.7    | 15.5 | 2.2   | 16.3     | 19.1 | 2.3   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 24              | 20.8                | 34.7 | ----- | 20.8    | 38.1 | ----- | 20.8     | 41.2 | ----- |
| Congestive Heart Failure.....              | 22              | 4.5                 | 13.0 | ----- | 13.6    | 21.2 | ----- | 22.7     | 27.5 | ----- |
| Pneumonia/Influenza.....                   | 52              | 13.5                | 14.4 | 6.4   | 19.2    | 19.8 | 6.6   | 19.2     | 23.7 | 7.4   |
| Chronic Obstructive Pulmonary Disease..... | 11              | 0.0                 | 5.2  | ----- | 9.1     | 9.3  | ----- | 9.1      | 13.3 | ----- |
| Transient Cerebral Ischemia.....           | 5               | 20.0                | 2.3  | ----- | 20.0    | 5.5  | ----- | 20.0     | 9.2  | ----- |
| Stroke.....                                | 24              | 8.3                 | 20.1 | ----- | 16.7    | 25.8 | ----- | 29.2     | 29.7 | ----- |
| Hip Fracture.....                          | 31              | 9.7                 | 6.2  | ----- | 12.9    | 10.9 | ----- | 16.1     | 14.0 | ----- |
| Sepsis.....                                | 13              | 38.5                | 24.5 | ----- | 61.5    | 31.1 | ----- | 61.5     | 35.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 14              | 0.0                 | 3.1  | ----- | 0.0     | 6.4  | ----- | 0.0      | 9.2  | ----- |
| Open Reduction of Hip Fracture.....        | 10              | 20.0                | 6.4  | ----- | 20.0    | 10.7 | ----- | 30.0     | 13.6 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 13              | 7.7                 | 2.9  | ----- | 7.7     | 5.0  | ----- | 7.7      | 6.6  | ----- |
| Hysterectomy.....                          | 8               | 0.0                 | 0.4  | ----- | 0.0     | 0.9  | ----- | 12.5     | 1.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MERCY HOSPITAL INDEPENDENCE

Medicare Provider Number: 170010

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.8 years  
Proportion female..... 67.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 38.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 16.0 %  
Admitted for emergency..... 58.6 %

### COMORBIDITIES:

Cancer..... 5.9 %  
Chronic cardiovascular disease..... 38.1 %  
Chronic liver disease..... 1.6 %  
Chronic renal disease..... 2.3 %  
Chronic pulmonary disease..... 17.3 %  
Cerebrovascular degeneration..... 1.5 %  
Diabetes mellitus..... 6.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 85.6%  
State ..... 11.0%  
Outside State ..... 3.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 54  
Occupancy Rate ..... 61.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 60.9 %  
Case Mix Index (CMI) ..... 1.1460

### STAFFING:

Total Number of Physicians..... 16  
Percent of Physicians Board  
Certified Specialists..... 43.8 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 46  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MIAMI COUNTY HOSPITAL


501 S HOSPITAL DR, BOX 365  
PAOLA, KS 66071  
Medicare Provider Number: 170109

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 198                | 18.2                | 13.0 | 4.5  | 25.3    | 19.6 | 4.8  | 26.8     | 24.1 | 4.3  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 4                  | 75.0                | 46.6 | ---- | 100.0   | 56.6 | ---- | 100.0    | 62.0 | ---- |
| Congestive Heart Failure.....              | 13                 | 30.8                | 17.1 | ---- | 38.5    | 26.7 | ---- | 38.5     | 33.2 | ---- |
| Pneumonia/Influenza.....                   | 51                 | 23.5                | 16.1 | 7.6  | 35.3    | 21.8 | 11.4 | 35.3     | 25.8 | 11.1 |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 20.0                | 20.8 | ---- | 40.0    | 36.2 | ---- | 60.0     | 44.4 | ---- |
| Transient Cerebral Ischemia.....           | 4                  | 25.0                | 6.6  | ---- | 25.0    | 14.0 | ---- | 50.0     | 20.8 | ---- |
| Stroke.....                                | 4                  | 50.0                | 26.9 | ---- | 75.0    | 37.1 | ---- | 75.0     | 43.7 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 5.0  | ---- | 0.0     | 9.8  | ---- | 0.0      | 13.2 | ---- |
| Sepsis.....                                | 3                  | 66.7                | 24.0 | ---- | 66.7    | 34.5 | ---- | 100.0    | 41.6 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



**MIAMI COUNTY HOSPITAL**  
Medicare Provider Number: 170109

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 80.1 years  
Proportion female..... 71.7 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 31.8 %  
Transferred from skilled nursing facility..... 1.0 %  
Admitted for elective procedure..... 1.0 %  
Admitted for emergency..... 9.6 %

**COMORBIDITIES:**

Cancer..... 7.6 %  
Chronic cardiovascular disease..... 50.5 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.5 %  
Chronic pulmonary disease..... 21.7 %  
Cerebrovascular degeneration..... 7.6 %  
Diabetes mellitus..... 11.1 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 64.1 %  
State ..... 30.6 %  
Outside State ..... 5.3 %  
Total ..... 100.0 %

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 6.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 22  
Occupancy Rate ..... 36.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 58.2 %  
Case Mix Index (CMI) ..... 1.0153

**STAFFING:**

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 21  
Licensed Practical Nurses ..... 4

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MINNEOLA DISTRICT HOSPITAL


212 MAIN ST  
MINNEOLA, KS 67865  
Medicare Provider Number: 170034

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 167                | 8.4                 | 10.5 | 3.8  | 12.0    | 16.0 | 3.9  | 16.2     | 19.9 | 4.3  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3                  | 0.0                 | 38.4 | ---- | 0.0     | 41.2 | ---- | 0.0      | 43.7 | ---- |
| Congestive Heart Failure.....              | 13                 | 30.8                | 14.0 | ---- | 38.5    | 21.8 | ---- | 46.2     | 28.3 | ---- |
| Pneumonia/Influenza.....                   | 16                 | 12.5                | 19.8 | ---- | 12.5    | 27.2 | ---- | 12.5     | 31.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 3.1  | ---- | 0.0     | 6.2  | ---- | 0.0      | 9.9  | ---- |
| Stroke.....                                | 7                  | 14.3                | 19.6 | ---- | 14.3    | 30.8 | ---- | 28.6     | 37.6 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 2.7  | ---- | 0.0     | 5.6  | ---- | 0.0      | 7.8  | ---- |
| Sepsis.....                                | 2                  | 0.0                 | 21.1 | ---- | 0.0     | 29.6 | ---- | 0.0      | 34.1 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 3                  | 0.0                 | 1.5  | ---- | 0.0     | 3.5  | ---- | 0.0      | 5.6  | ---- |
| Cholecystectomy.....                       | 1                  | 0.0                 | 0.4  | ---- | 0.0     | 0.8  | ---- | 0.0      | 1.2  | ---- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.1  | ---- | 0.0     | 0.2  | ---- | 0.0      | 0.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MINNEOLA DISTRICT HOSPITAL

Medicare Provider Number: 170034

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.4 years  
Proportion female..... 58.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 46.1 %  
Transferred from skilled nursing facility..... 1.2 %  
Admitted for elective procedure..... 6.0 %  
Admitted for emergency..... 12.0 %

### COMORBIDITIES:

Cancer..... 2.4 %  
Chronic cardiovascular disease..... 46.7 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 1.8 %  
Chronic pulmonary disease..... 12.6 %  
Cerebrovascular degeneration..... 8.4 %  
Diabetes mellitus..... 6.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 50.4%  
State ..... 48.3%  
Outside State ..... 1.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 15  
Occupancy Rate ..... 73.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 66.1 %  
Case Mix Index (CMI) ..... 1.0273

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MITCHELL COUNTY HOSPITAL


400 W 8TH ST  
BELOIT, KS 67420  
Medicare Provider Number: 170015

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 487             | 7.2                 | 9.9  | 1.5  | 10.3    | 14.5 | 2.0  | 12.7     | 17.9 | 2.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 11              | 54.5                | 30.2 | ---- | 54.5    | 33.4 | ---- | 54.5     | 36.2 | ---- |
| Congestive Heart Failure.....              | 27              | 7.4                 | 15.3 | ---- | 11.1    | 24.0 | ---- | 11.1     | 30.4 | ---- |
| Pneumonia/Influenza.....                   | 45              | 0.0                 | 13.9 | ---- | 6.7     | 19.1 | ---- | 8.9      | 22.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 25.0                | 5.9  | ---- | 25.0    | 10.2 | ---- | 25.0     | 14.2 | ---- |
| Transient Cerebral Ischemia.....           | 7               | 0.0                 | 1.9  | ---- | 0.0     | 4.6  | ---- | 0.0      | 7.6  | ---- |
| Stroke.....                                | 24              | 16.7                | 20.6 | ---- | 25.0    | 26.6 | ---- | 33.3     | 30.5 | ---- |
| Hip Fracture.....                          | 13              | 23.1                | 6.3  | ---- | 30.8    | 11.7 | ---- | 30.8     | 15.5 | ---- |
| Sepsis.....                                | 8               | 0.0                 | 23.9 | ---- | 12.5    | 31.1 | ---- | 25.0     | 36.0 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 6               | 16.7                | 6.1  | ---- | 16.7    | 11.8 | ---- | 16.7     | 15.7 | ---- |
| Open Reduction of Hip Fracture.....        | 4               | 25.0                | 6.7  | ---- | 50.0    | 12.9 | ---- | 50.0     | 17.1 | ---- |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 16              | 6.3                 | 1.6  | ---- | 6.3     | 2.7  | ---- | 6.3      | 3.6  | ---- |
| Hysterectomy.....                          | 3               | 0.0                 | 1.8  | ---- | 0.0     | 4.1  | ---- | 0.0      | 6.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MITCHELL COUNTY HOSPITAL

Medicare Provider Number: 170015

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.3 years  
Proportion female..... 63.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 36.6 %  
Transferred from skilled nursing facility..... 0.4 %  
Admitted for elective procedure..... 5.7 %  
Admitted for emergency..... 12.3 %

### COMORBIDITIES:

Cancer..... 4.1 %  
Chronic cardiovascular disease..... 34.3 %  
Chronic liver disease..... 0.2 %  
Chronic renal disease..... 1.4 %  
Chronic pulmonary disease..... 12.5 %  
Cerebrovascular degeneration..... 1.4 %  
Diabetes mellitus..... 5.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 61.8%  
State..... 36.5%  
Outside State..... 1.7%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.4 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 89  
Occupancy Rate..... 68.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 62.0 %  
Case Mix Index (CMI)..... 1.0468

### STAFFING:

Total Number of Physicians..... 9  
Percent of Physicians Board  
Certified Specialists..... 88.9 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 29  
Licensed Practical Nurses..... 17

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... Yes  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MORRIS COUNTY HOSPITAL


600 N WASHINGTON ST  
COUNCIL GROVE, KS 66846  
Medicare Provider Number: 170070

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 191             | 7.3                 | 8.7  | 3.6  | 12.0    | 13.4 | 2.8  | 15.7     | 17.1 | 3.0  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 8               | 12.5                | 17.6 | ---- | 12.5    | 19.9 | ---- | 25.0     | 22.1 | ---- |
| Congestive Heart Failure.....              | 13              | 15.4                | 17.3 | ---- | 23.1    | 27.1 | ---- | 23.1     | 34.2 | ---- |
| Pneumonia/Influenza.....                   | 17              | 5.9                 | 12.9 | ---- | 17.6    | 18.0 | ---- | 23.5     | 21.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 6.6  | ---- | 0.0     | 10.8 | ---- | 0.0      | 14.5 | ---- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 0.8  | ---- | 0.0     | 2.1  | ---- | 0.0      | 4.0  | ---- |
| Stroke.....                                | 7               | 0.0                 | 13.0 | ---- | 14.3    | 19.3 | ---- | 14.3     | 23.8 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 4.7  | ---- | 0.0     | 10.0 | ---- | 0.0      | 14.0 | ---- |
| Sepsis.....                                | 3               | 33.3                | 25.8 | ---- | 33.3    | 38.4 | ---- | 66.7     | 44.7 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 2               | 0.0                 | 0.4  | ---- | 0.0     | 1.1  | ---- | 0.0      | 2.1  | ---- |
| Cholecystectomy.....                       | 1               | 0.0                 | 1.3  | ---- | 0.0     | 3.1  | ---- | 0.0      | 4.8  | ---- |
| Hysterectomy.....                          | 3               | 0.0                 | 0.1  | ---- | 0.0     | 0.3  | ---- | 0.0      | 0.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MORRIS COUNTY HOSPITAL

Medicare Provider Number: 170070

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.8 years  
Proportion female..... 51.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 95.8 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 7.3 %  
Chronic cardiovascular disease..... 40.3 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 0.5 %  
Chronic pulmonary disease..... 11.5 %  
Cerebrovascular degeneration..... 12.0 %  
Diabetes mellitus..... 5.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 75.9%  
State ..... 23.2%  
Outside State ..... 0.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 22  
Occupancy Rate ..... 31.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... (Not Available)  
Case Mix Index (CMI) ..... 0.9459

### STAFFING:

Total Number of Physicians..... (Not Available)  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# MORTON COUNTY HOSPITAL


445 HILLTOP, BOX 937  
ELKHART, KS 67950  
Medicare Provider Number: 170166

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 182             | 4.4                 | 9.9  | 3.3  | 8.2     | 15.0 | 4.1  | 12.6     | 18.7 | 4.1  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2               | 100.0               | 42.5 | ---- | 100.0   | 48.9 | ---- | 100.0    | 53.0 | ---- |
| Congestive Heart Failure.....              | 8               | 12.5                | 18.9 | ---- | 12.5    | 30.6 | ---- | 25.0     | 38.3 | ---- |
| Pneumonia/Influenza.....                   | 27              | 3.7                 | 15.0 | ---- | 7.4     | 21.5 | ---- | 7.4      | 25.3 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 12.7 | ---- | 0.0     | 21.1 | ---- | 0.0      | 27.1 | ---- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 2.8  | ---- | 0.0     | 7.0  | ---- | 0.0      | 12.7 | ---- |
| Stroke.....                                | 10              | 10.0                | 25.9 | ---- | 40.0    | 34.7 | ---- | 40.0     | 39.9 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 1               | 0.0                 | 20.3 | ---- | 0.0     | 24.5 | ---- | 100.0    | 29.2 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 4               | 0.0                 | 1.5  | ---- | 0.0     | 3.0  | ---- | 0.0      | 4.2  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MORTON COUNTY HOSPITAL

Medicare Provider Number: 170166

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.4 years  
Proportion female..... 54.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 37.9 %  
Transferred from skilled nursing facility..... 1.1 %  
Admitted for elective procedure..... 8.2 %  
Admitted for emergency..... 6.0 %

### COMORBIDITIES:

Cancer..... 4.4 %  
Chronic cardiovascular disease..... 39.6 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 0.5 %  
Chronic pulmonary disease..... 15.9 %  
Cerebrovascular degeneration..... 4.4 %  
Diabetes mellitus..... 9.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 56.6%  
State ..... 9.7%  
Outside State ..... 33.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 94  
Occupancy Rate ..... 69.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 42.5 %  
Case Mix Index (CMI) ..... 1.0151

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MT CARMEL MEDICAL CENTER


CENTENNIAL & ROUSE STS  
PITTSBURG, KS 66762  
Medicare Provider Number: 170006

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 1245            | 10.4                | 10.1 | 1.3  | 17.2    | 15.4 | 1.9  | 20.2     | 19.3 | 2.0  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 29              | 37.9                | 30.8 | ---- | 44.8    | 33.9 | ---- | 48.3     | 37.1 | ---- |
| Congestive Heart Failure.....              | 98              | 18.4                | 15.7 | 5.2  | 35.7    | 24.7 | 7.1  | 40.8     | 31.4 | 7.8  |
| Pneumonia/Influenza.....                   | 73              | 19.2                | 16.6 | 7.0  | 26.0    | 23.0 | 7.2  | 28.8     | 27.2 | 6.3  |
| Chronic Obstructive Pulmonary Disease..... | 28              | 7.1                 | 8.0  | ---- | 10.7    | 12.9 | ---- | 10.7     | 16.6 | ---- |
| Transient Cerebral Ischemia.....           | 25              | 0.0                 | 1.9  | ---- | 0.0     | 4.2  | ---- | 4.0      | 7.0  | ---- |
| Stroke.....                                | 53              | 24.5                | 20.2 | 9.3  | 32.1    | 26.6 | 11.5 | 37.7     | 30.4 | 12.7 |
| Hip Fracture.....                          | 45              | 6.7                 | 7.8  | ---- | 8.9     | 13.8 | ---- | 13.3     | 18.0 | ---- |
| Sepsis.....                                | 7               | 28.6                | 23.1 | ---- | 28.6    | 32.4 | ---- | 28.6     | 38.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 11              | 9.1                 | 6.2  | ---- | 18.2    | 10.4 | ---- | 18.2     | 13.3 | ---- |
| Carotid Endarterectomy.....                | 21              | 4.8                 | 1.3  | ---- | 4.8     | 2.5  | ---- | 9.5      | 3.7  | ---- |
| Hip Replacement/Reconstruction.....        | 26              | 7.7                 | 6.6  | ---- | 11.5    | 12.3 | ---- | 15.4     | 16.6 | ---- |
| Open Reduction of Hip Fracture.....        | 15              | 6.7                 | 8.5  | ---- | 6.7     | 15.1 | ---- | 13.3     | 19.6 | ---- |
| Prostatectomy.....                         | 40              | 0.0                 | 1.1  | ---- | 5.0     | 2.7  | ---- | 12.5     | 4.7  | ---- |
| Cholecystectomy.....                       | 27              | 0.0                 | 5.8  | ---- | 3.7     | 10.4 | ---- | 3.7      | 12.9 | ---- |
| Hysterectomy.....                          | 14              | 0.0                 | 1.1  | ---- | 0.0     | 2.4  | ---- | 0.0      | 3.7  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MT CARMEL MEDICAL CENTER

Medicare Provider Number: 170006

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.7 years  
Proportion female..... 61.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 57.9 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 89.0 %

### COMORBIDITIES:

Cancer..... 7.3 %  
Chronic cardiovascular disease..... 32.0 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 1.2 %  
Chronic pulmonary disease..... 11.6 %  
Cerebrovascular degeneration..... 6.7 %  
Diabetes mellitus..... 7.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 82.5%  
State ..... 11.9%  
Outside State ..... 5.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 163  
Occupancy Rate ..... 51.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 38.8 %  
Case Mix Index (CMI) ..... 1.1750

### STAFFING:

Total Number of Physicians..... 26  
Percent of Physicians Board  
Certified Specialists ..... 53.8 %  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NEMAHA VALLEY COMMUNITY HOSPITAL


1600 COMMUNITY DRIVE  
SENECA, KS 66538  
Medicare Provider Number: 170057

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 231             | 5.2                 | 11.1 | 2.9   | 10.0    | 16.2 | 3.1   | 12.1     | 20.0 | 3.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 5               | 0.0                 | 30.2 | ----- | 0.0     | 33.2 | ----- | 0.0      | 36.3 | ----- |
| Congestive Heart Failure.....              | 16              | 6.3                 | 21.0 | ----- | 6.3     | 27.3 | ----- | 18.8     | 33.2 | ----- |
| Pneumonia/Influenza.....                   | 14              | 0.0                 | 13.8 | ----- | 14.3    | 18.6 | ----- | 21.4     | 21.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 5.6  | ----- | 0.0     | 13.0 | ----- | 0.0      | 20.3 | ----- |
| Transient Cerebral Ischemia.....           | 9               | 0.0                 | 5.2  | ----- | 11.1    | 11.2 | ----- | 11.1     | 16.6 | ----- |
| Stroke.....                                | 16              | 31.3                | 23.5 | ----- | 31.3    | 30.7 | ----- | 37.5     | 35.4 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 3               | 0.0                 | 27.6 | ----- | 0.0     | 32.5 | ----- | 0.0      | 34.9 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 1               | 0.0                 | 0.6  | ----- | 0.0     | 1.2  | ----- | 0.0      | 2.1  | ----- |
| Cholecystectomy.....                       | 4               | 0.0                 | 4.2  | ----- | 0.0     | 7.1  | ----- | 0.0      | 8.8  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# NEMAHA VALLEY COMMUNITY HOSPITAL

Medicare Provider Number: 170057

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.2 years  
Proportion female..... 56.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 64.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 4.3 %  
Admitted for emergency..... 3.0 %

### COMORBIDITIES:

Cancer..... 6.9 %  
Chronic cardiovascular disease..... 44.6 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.3 %  
Chronic pulmonary disease..... 12.1 %  
Cerebrovascular degeneration..... 1.3 %  
Diabetes mellitus..... 4.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 75.7%  
State ..... 21.1%  
Outside State ..... 3.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 24  
Occupancy Rate ..... 37.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 22.4 %  
Case Mix Index (CMI) ..... 1.0244

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 15  
Licensed Practical Nurses..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NEOSHO MEMORIAL HOSPITAL


629 S PLUMMER  
CHANUTE, KS 66720  
Medicare Provider Number: 170143

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 579                | 11.6                | 9.6  | 2.0   | 17.1    | 14.7 | 2.1   | 19.9     | 18.4 | 2.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 16                 | 37.5                | 25.1 | ----- | 43.8    | 28.1 | ----- | 43.8     | 31.4 | ----- |
| Congestive Heart Failure.....              | 29                 | 24.1                | 15.8 | ----- | 37.9    | 24.9 | ----- | 41.4     | 31.5 | ----- |
| Pneumonia/Influenza.....                   | 45                 | 13.3                | 13.2 | ----- | 20.0    | 18.9 | ----- | 24.4     | 23.0 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 23                 | 4.3                 | 5.6  | ----- | 13.0    | 10.2 | ----- | 17.4     | 13.5 | ----- |
| Transient Cerebral Ischemia.....           | 9                  | 0.0                 | 3.5  | ----- | 0.0     | 8.1  | ----- | 0.0      | 13.8 | ----- |
| Stroke.....                                | 30                 | 20.0                | 18.1 | ----- | 30.0    | 23.9 | ----- | 33.3     | 28.0 | ----- |
| Hip Fracture.....                          | 17                 | 5.9                 | 5.5  | ----- | 11.8    | 9.7  | ----- | 17.6     | 12.8 | ----- |
| Sepsis.....                                | 10                 | 10.0                | 20.4 | ----- | 20.0    | 30.0 | ----- | 20.0     | 35.2 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 1                  | 0.0                 | 3.5  | ----- | 0.0     | 7.5  | ----- | 0.0      | 11.4 | ----- |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 10                 | 10.0                | 2.0  | ----- | 10.0    | 4.0  | ----- | 10.0     | 5.5  | ----- |
| Open Reduction of Hip Fracture.....        | 11                 | 0.0                 | 4.8  | ----- | 9.1     | 8.3  | ----- | 18.2     | 11.3 | ----- |
| Prostatectomy.....                         | 6                  | 0.0                 | 0.4  | ----- | 0.0     | 1.0  | ----- | 0.0      | 1.8  | ----- |
| Cholecystectomy.....                       | 11                 | 18.2                | 2.5  | ----- | 18.2    | 5.3  | ----- | 18.2     | 7.8  | ----- |
| Hysterectomy.....                          | 4                  | 25.0                | 2.2  | ----- | 25.0    | 4.4  | ----- | 50.0     | 6.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# NEOSHO MEMORIAL HOSPITAL

Medicare Provider Number: 170143

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.3 years  
Proportion female..... 59.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 62.9 %  
Transferred from skilled nursing facility..... 0.9 %  
Admitted for elective procedure..... 12.4 %  
Admitted for emergency..... 0.3 %

### COMORBIDITIES:

Cancer..... 7.9 %  
Chronic cardiovascular disease..... 33.9 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 16.6 %  
Cerebrovascular degeneration..... 5.2 %  
Diabetes mellitus..... 6.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 70.4%  
State ..... 26.8%  
Outside State ..... 2.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 60  
Occupancy Rate ..... 58.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 42.8 %  
Case Mix Index (CMI) ..... 1.1248

### STAFFING:

Total Number of Physicians..... 16  
Percent of Physicians Board  
Certified Specialists ..... 87.5 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 44  
Licensed Practical Nurses ..... 18

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NEWMAN MEMORIAL COUNTY HOSPITAL


12TH & CHESTNUT STS  
EMPORIA, KS 66801  
Medicare Provider Number: 170001

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1009            | 8.1                 | 9.0  | 1.4   | 13.1    | 13.6 | 1.5   | 15.8     | 17.0 | 1.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 44              | 18.2                | 33.6 | ----- | 29.5    | 36.9 | ----- | 31.8     | 40.0 | ----- |
| Congestive Heart Failure.....              | 63              | 14.3                | 16.0 | 4.9   | 27.0    | 25.7 | 6.2   | 33.3     | 32.4 | 6.0   |
| Pneumonia/Influenza.....                   | 86              | 14.0                | 16.2 | 5.0   | 20.9    | 22.4 | 4.6   | 24.4     | 26.7 | 5.3   |
| Chronic Obstructive Pulmonary Disease..... | 6               | 16.7                | 10.2 | ----- | 33.3    | 16.4 | ----- | 33.3     | 20.8 | ----- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.3  | ----- | 0.0     | 2.9  | ----- | 0.0      | 4.7  | ----- |
| Stroke.....                                | 39              | 20.5                | 21.5 | ----- | 30.8    | 27.5 | ----- | 38.5     | 31.4 | ----- |
| Hip Fracture.....                          | 50              | 4.0                 | 6.7  | ----- | 8.0     | 12.1 | ----- | 8.0      | 16.0 | ----- |
| Sepsis.....                                | 6               | 16.7                | 26.4 | ----- | 16.7    | 34.1 | ----- | 16.7     | 38.1 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 8               | 0.0                 | 4.1  | ----- | 0.0     | 6.4  | ----- | 0.0      | 8.6  | ----- |
| Carotid Endarterectomy.....                | 4               | 0.0                 | 2.0  | ----- | 0.0     | 3.3  | ----- | 0.0      | 4.7  | ----- |
| Hip Replacement/Reconstruction.....        | 35              | 0.0                 | 3.7  | ----- | 5.7     | 6.8  | ----- | 5.7      | 9.1  | ----- |
| Open Reduction of Hip Fracture.....        | 25              | 4.0                 | 6.2  | ----- | 4.0     | 11.7 | ----- | 4.0      | 15.7 | ----- |
| Prostatectomy.....                         | 48              | 2.1                 | 0.7  | ----- | 2.1     | 1.8  | ----- | 8.3      | 3.1  | ----- |
| Cholecystectomy.....                       | 18              | 5.6                 | 1.6  | ----- | 11.1    | 3.1  | ----- | 11.1     | 4.3  | ----- |
| Hysterectomy.....                          | 7               | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# NEWMAN MEMORIAL COUNTY HOSPITAL

Medicare Provider Number: 170001

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.2 years  
Proportion female..... 54.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 65.2 %  
Transferred from skilled nursing facility..... 0.4 %  
Admitted for elective procedure..... 14.9 %  
Admitted for emergency..... 42.2 %

### COMORBIDITIES:

Cancer..... 6.6 %  
Chronic cardiovascular disease..... 28.8 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 1.5 %  
Chronic pulmonary disease..... 16.6 %  
Cerebrovascular degeneration..... 6.0 %  
Diabetes mellitus..... 4.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 57.9%  
State ..... 39.7%  
Outside State ..... 2.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 141  
Occupancy Rate ..... 49.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 45.9 %  
Case Mix Index (CMI) ..... 1.1868

### STAFFING:

Total Number of Physicians..... 36  
Percent of Physicians Board  
Certified Specialists ..... 86.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 113  
Licensed Practical Nurses ..... 27

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# **NEWTON MEDICAL CENTER**


411 SE 2ND, BOX 308  
 NEWTON, KS 67114  
 Medicare Provider Number: 170103

## **FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1011            | 7.6                 | 8.1  | 1.2   | 10.5    | 12.2 | 1.6   | 13.8     | 15.4 | 1.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 31              | 19.4                | 28.5 | ----- | 22.6    | 32.1 | ----- | 22.6     | 34.9 | ----- |
| Congestive Heart Failure.....              | 36              | 22.2                | 17.2 | ----- | 27.8    | 26.3 | ----- | 36.1     | 32.6 | ----- |
| Pneumonia/Influenza.....                   | 63              | 20.6                | 14.7 | 7.9   | 20.6    | 20.4 | 6.8   | 25.4     | 24.2 | 6.2   |
| Chronic Obstructive Pulmonary Disease..... | 5               | 0.0                 | 10.7 | ----- | 0.0     | 20.1 | ----- | 20.0     | 26.3 | ----- |
| Transient Cerebral Ischemia.....           | 21              | 0.0                 | 2.5  | ----- | 9.5     | 5.9  | ----- | 9.5      | 10.0 | ----- |
| Stroke.....                                | 51              | 13.7                | 18.2 | 10.1  | 19.6    | 25.5 | 9.7   | 23.5     | 29.7 | 9.3   |
| Hip Fracture.....                          | 54              | 5.6                 | 5.9  | 3.2   | 9.3     | 10.8 | 4.4   | 13.0     | 14.3 | 5.3   |
| Sepsis.....                                | 15              | 6.7                 | 23.2 | ----- | 6.7     | 27.9 | ----- | 13.3     | 32.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 11              | 0.0                 | 3.8  | ----- | 0.0     | 7.9  | ----- | 9.1      | 11.9 | ----- |
| Carotid Endarterectomy.....                | 1               | 0.0                 | 2.5  | ----- | 0.0     | 4.8  | ----- | 0.0      | 6.6  | ----- |
| Hip Replacement/Reconstruction.....        | 42              | 2.4                 | 2.9  | ----- | 4.8     | 5.5  | ----- | 4.8      | 7.5  | ----- |
| Open Reduction of Hip Fracture.....        | 21              | 4.8                 | 6.0  | ----- | 9.5     | 11.3 | ----- | 9.5      | 15.3 | ----- |
| Prostatectomy.....                         | 90              | 1.1                 | 0.9  | 1.0   | 1.1     | 2.1  | 1.6   | 1.1      | 3.6  | 2.2   |
| Cholecystectomy.....                       | 17              | 0.0                 | 3.1  | ----- | 0.0     | 6.2  | ----- | 0.0      | 8.5  | ----- |
| Hysterectomy.....                          | 12              | 0.0                 | 0.5  | ----- | 0.0     | 1.2  | ----- | 0.0      | 2.0  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## **OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**





# NEWTON MEDICAL CENTER

Medicare Provider Number: 170103

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.7 years  
Proportion female..... 57.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 45.6 %  
Transferred from skilled nursing facility..... 0.4 %  
Admitted for elective procedure..... 1.0 %  
Admitted for emergency..... 3.0 %

### COMORBIDITIES:

Cancer..... 5.8 %  
Chronic cardiovascular disease..... 36.8 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 1.7 %  
Chronic pulmonary disease..... 12.1 %  
Cerebrovascular degeneration..... 6.2 %  
Diabetes mellitus..... 5.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 64.4%  
State ..... 33.2%  
Outside State ..... 2.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 84  
Occupancy Rate ..... 60.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 48.5 %  
Case Mix Index (CMI) ..... 1.1662

### STAFFING:

Total Number of Physicians..... 39  
Percent of Physicians Board  
Certified Specialists..... 79.5 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 81  
Licensed Practical Nurses ..... 12

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NORTHWEST KANSAS REGIONAL MEDICAL CENTER


1ST AND SHERMAN STS  
GOODLAND, KS 67735  
Medicare Provider Number: 170097

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 180                | 11.7                | 9.6  | 2.8  | 13.9    | 13.8 | 2.6  | 16.7     | 17.1 | 2.8  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 6                  | 50.0                | 30.1 | ---- | 50.0    | 33.5 | ---- | 50.0     | 36.7 | ---- |
| Congestive Heart Failure.....              | 9                  | 0.0                 | 21.2 | ---- | 11.1    | 32.9 | ---- | 22.2     | 41.4 | ---- |
| Pneumonia/Influenza.....                   | 24                 | 20.8                | 14.8 | ---- | 20.8    | 19.8 | ---- | 20.8     | 22.9 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 33.3                | 7.2  | ---- | 33.3    | 12.0 | ---- | 33.3     | 16.1 | ---- |
| Transient Cerebral Ischemia.....           | 4                  | 0.0                 | 1.5  | ---- | 0.0     | 3.5  | ---- | 0.0      | 6.1  | ---- |
| Stroke.....                                | 9                  | 11.1                | 19.7 | ---- | 22.2    | 22.9 | ---- | 33.3     | 25.9 | ---- |
| Hip Fracture.....                          | 2                  | 0.0                 | 7.3  | ---- | 0.0     | 12.6 | ---- | 0.0      | 16.3 | ---- |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 2                  | 0.0                 | 1.1  | ---- | 0.0     | 1.9  | ---- | 0.0      | 2.7  | ---- |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# NORTHWEST KANSAS REGIONAL MEDICAL CENTER

Medicare Provider Number: 170097

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.9 years  
Proportion female..... 55.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 78.9 %  
Transferred from skilled nursing facility..... 1.1 %  
Admitted for elective procedure..... 1.1 %  
Admitted for emergency..... 32.8 %

### COMORBIDITIES:

Cancer..... 2.2 %  
Chronic cardiovascular disease..... 57.2 %  
Chronic liver disease..... 1.7 %  
Chronic renal disease..... 3.9 %  
Chronic pulmonary disease..... 15.6 %  
Cerebrovascular degeneration..... 1.1 %  
Diabetes mellitus..... 7.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 85.6%  
State ..... 11.5%  
Outside State ..... 2.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 44.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 62.7 %  
Case Mix Index (CMI) ..... 0.8902

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 13  
Licensed Practical Nurses ..... 9

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NORTON COUNTY HOSPITAL


102 E HOLME  
NORTON, KS 67654  
Medicare Provider Number: 170084

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 220                | 13.6                | 9.3  | 3.0  | 18.2    | 13.7 | 3.3  | 21.4     | 17.2 | 3.5  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 11                 | 45.5                | 28.6 | ---- | 45.5    | 31.7 | ---- | 45.5     | 35.1 | ---- |
| Congestive Heart Failure.....              | 17                 | 11.8                | 14.8 | ---- | 29.4    | 22.9 | ---- | 35.3     | 28.8 | ---- |
| Pneumonia/Influenza.....                   | 31                 | 22.6                | 15.3 | ---- | 32.3    | 20.9 | ---- | 32.3     | 24.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 6                  | 33.3                | 6.0  | ---- | 33.3    | 10.9 | ---- | 33.3     | 15.5 | ---- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 2.5  | ---- | 0.0     | 5.8  | ---- | 50.0     | 9.3  | ---- |
| Stroke.....                                | 10                 | 10.0                | 14.4 | ---- | 10.0    | 17.7 | ---- | 20.0     | 20.5 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 2                  | 0.0                 | 0.3  | ---- | 0.0     | 0.6  | ---- | 0.0      | 1.1  | ---- |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 5                  | 0.0                 | 0.4  | ---- | 0.0     | 1.0  | ---- | 0.0      | 1.7  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# NORTON COUNTY HOSPITAL

Medicare Provider Number: 170084

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.2 years  
Proportion female..... 64.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 96.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 10.0 %  
Admitted for emergency..... 0.5 %

### COMORBIDITIES:

Cancer..... 6.8 %  
Chronic cardiovascular disease..... 36.4 %  
Chronic liver disease..... 0.9 %  
Chronic renal disease..... 0.5 %  
Chronic pulmonary disease..... 7.7 %  
Cerebrovascular degeneration..... 2.3 %  
Diabetes mellitus..... 2.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 78.1%  
State ..... 14.3%  
Outside State ..... 7.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 43  
Occupancy Rate ..... 27.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 40.8 %  
Case Mix Index (CMI) ..... 1.0251

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 25.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 13  
Licensed Practical Nurses ..... 10

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# OLATHE COMMUNITY HOSPITAL


300 S ROGERS RD  
OLATHE, KS 66061  
Medicare Provider Number: 170049

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1660               | 7.9                 | 8.4  | 1.0   | 12.3    | 13.0 | 0.9   | 16.3     | 16.5 | 1.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 38                 | 34.2                | 27.6 | ----- | 36.8    | 31.0 | ----- | 39.5     | 33.9 | ----- |
| Congestive Heart Failure.....              | 57                 | 17.5                | 13.2 | 7.4   | 24.6    | 21.1 | 8.8   | 29.8     | 27.0 | 10.9  |
| Pneumonia/Influenza.....                   | 84                 | 14.3                | 14.8 | 3.9   | 20.2    | 20.5 | 4.9   | 25.0     | 24.5 | 5.4   |
| Chronic Obstructive Pulmonary Disease..... | 24                 | 0.0                 | 8.2  | ----- | 12.5    | 15.0 | ----- | 25.0     | 20.4 | ----- |
| Transient Cerebral Ischemia.....           | 35                 | 0.0                 | 2.4  | ----- | 2.9     | 5.7  | ----- | 8.6      | 9.2  | ----- |
| Stroke.....                                | 46                 | 21.7                | 22.8 | ----- | 21.7    | 28.4 | ----- | 30.4     | 32.1 | ----- |
| Hip Fracture.....                          | 64                 | 6.3                 | 7.6  | 3.4   | 9.4     | 13.0 | 4.7   | 14.1     | 16.7 | 5.9   |
| Sepsis.....                                | 26                 | 15.4                | 24.8 | ----- | 26.9    | 32.4 | ----- | 34.6     | 38.1 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 9                  | 0.0                 | 3.6  | ----- | 11.1    | 7.1  | ----- | 11.1     | 10.2 | ----- |
| Carotid Endarterectomy.....                | 14                 | 0.0                 | 3.2  | ----- | 0.0     | 5.9  | ----- | 7.1      | 8.4  | ----- |
| Hip Replacement/Reconstruction.....        | 60                 | 3.3                 | 3.9  | 2.6   | 3.3     | 7.2  | 4.3   | 6.7      | 9.7  | 5.5   |
| Open Reduction of Hip Fracture.....        | 26                 | 7.7                 | 7.3  | ----- | 11.5    | 12.7 | ----- | 15.4     | 16.3 | ----- |
| Prostatectomy.....                         | 55                 | 0.0                 | 0.8  | 1.8   | 3.6     | 1.9  | 2.5   | 7.3      | 3.3  | 4.2   |
| Cholecystectomy.....                       | 34                 | 5.9                 | 2.2  | ----- | 8.8     | 3.8  | ----- | 11.8     | 4.9  | ----- |
| Hysterectomy.....                          | 10                 | 0.0                 | 1.6  | ----- | 0.0     | 3.8  | ----- | 0.0      | 5.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# OLATHE COMMUNITY HOSPITAL

Medicare Provider Number: 170049

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.1 years  
Proportion female..... 60.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 33.1 %  
Transferred from skilled nursing facility..... 1.3 %  
Admitted for elective procedure..... 12.9 %  
Admitted for emergency..... 2.1 %

### COMORBIDITIES:

Cancer..... 6.3 %  
Chronic cardiovascular disease..... 39.1 %  
Chronic liver disease..... 0.2 %  
Chronic renal disease..... 2.6 %  
Chronic pulmonary disease..... 20.3 %  
Cerebrovascular degeneration..... 6.1 %  
Diabetes mellitus..... 6.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 56.9%  
State ..... 35.3%  
Outside State ..... 7.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 130  
Occupancy Rate ..... 67.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 40.8 %  
Case Mix Index (CMI) ..... 1.2663

### STAFFING:

Total Number of Physicians..... 105  
Percent of Physicians Board  
Certified Specialists..... 82.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 150  
Licensed Practical Nurses..... 8

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# OSBORNE COUNTY MEMORIAL HOSPITAL


424 W NEW HAMPSHIRE ST  
OSBORNE, KS 67473  
Medicare Provider Number: 170041

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 111             | 14.4                | 11.3 | 5.9   | 24.3    | 16.9 | 5.8   | 27.0     | 21.3 | 5.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 4               | 50.0                | 30.0 | ----- | 50.0    | 34.2 | ----- | 50.0     | 38.6 | ----- |
| Congestive Heart Failure.....              | 14              | 14.3                | 16.6 | ----- | 21.4    | 25.3 | ----- | 35.7     | 31.9 | ----- |
| Pneumonia/Influenza.....                   | 14              | 21.4                | 15.9 | ----- | 35.7    | 21.7 | ----- | 35.7     | 25.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 4               | 25.0                | 17.1 | ----- | 25.0    | 24.0 | ----- | 25.0     | 28.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# OSBORNE COUNTY MEMORIAL HOSPITAL

Medicare Provider Number: 170041

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 81.5 years  
 Proportion female..... 62.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 86.5 %  
 Transferred from skilled nursing facility..... 0.0 %  
 Admitted for elective procedure..... 0.0 %  
 Admitted for emergency..... 0.9 %

### COMORBIDITIES:

Cancer..... 7.2 %  
 Chronic cardiovascular disease..... 41.4 %  
 Chronic liver disease..... 0.9 %  
 Chronic renal disease..... 1.8 %  
 Chronic pulmonary disease..... 10.8 %  
 Cerebrovascular degeneration..... 1.8 %  
 Diabetes mellitus..... 7.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 84.9 %  
 State ..... 11.2 %  
 Outside State ..... 3.9 %  
 Total ..... 100.0 %

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 3.2 Days  
 State ..... 7.3 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 29  
 Occupancy Rate ..... 27.0 %  
 Ownership/Control..... Local Government  
 Medicare Discharges ..... 81.4 %  
 Case Mix Index (CMI) ..... 0.9622

### STAFFING:

Total Number of Physicians..... 3  
 Percent of Physicians Board  
 Certified Specialists .....(Not Available)  
 Medical Residents/Interns ..... 0  
 Registered Nurses..... 8  
 Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care ..... No  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
 Rehabilitation..... No  
 Psychiatric ..... No  
 Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# OSWEGO MEMORIAL HOSPITAL


900 BARKER DRIVE  
OSWEGO, KS 67356  
Medicare Provider Number: 170159

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 89              | 10.1                | 11.1 | 3.4  | 16.9    | 16.0 | 3.9  | 19.1     | 19.5 | 5.4  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2               | 50.0                | 23.8 | ---- | 50.0    | 26.4 | ---- | 50.0     | 29.9 | ---- |
| Congestive Heart Failure.....              | 4               | 25.0                | 29.9 | ---- | 25.0    | 40.5 | ---- | 25.0     | 45.3 | ---- |
| Pneumonia/Influenza.....                   | 19              | 10.5                | 16.8 | ---- | 21.1    | 23.4 | ---- | 21.1     | 27.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 5.7  | ---- | 0.0     | 11.7 | ---- | 0.0      | 16.2 | ---- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 7               | 28.6                | 20.8 | ---- | 28.6    | 28.0 | ---- | 28.6     | 33.3 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 1               | 0.0                 | 19.3 | ---- | 0.0     | 26.9 | ---- | 0.0      | 31.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 2               | 0.0                 | 3.0  | ---- | 0.0     | 5.7  | ---- | 0.0      | 8.9  | ---- |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 1               | 0.0                 | 0.4  | ---- | 0.0     | 1.0  | ---- | 0.0      | 1.7  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# OSWEGO MEMORIAL HOSPITAL

Medicare Provider Number: 170159

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.1 years  
Proportion female..... 67.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 23.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 2.2 %  
Chronic cardiovascular disease..... 21.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.1 %  
Chronic pulmonary disease..... 16.9 %  
Cerebrovascular degeneration..... 9.0 %  
Diabetes mellitus..... 7.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 86.0%  
State ..... 8.4%  
Outside State ..... 5.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 18  
Occupancy Rate ..... 27.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... (Not Available)  
Case Mix Index (CMI) ..... 0.9831

### STAFFING:

Total Number of Physicians..... 10  
Percent of Physicians Board  
Certified Specialists..... 20.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 8  
Licensed Practical Nurses..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# OTTAWA COUNTY HOSPITAL


215 EAST EIGHTH  
MINNEAPOLIS, KS 67467  
Medicare Provider Number: 170126

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 149                | 8.1                 | 10.2 | 3.1  | 11.4    | 15.9 | 4.8  | 16.8     | 20.3 | 4.5  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 9                  | 11.1                | 24.5 | ---- | 11.1    | 27.7 | ---- | 11.1     | 31.4 | ---- |
| Congestive Heart Failure.....              | 5                  | 0.0                 | 15.6 | ---- | 0.0     | 24.4 | ---- | 0.0      | 30.1 | ---- |
| Pneumonia/Influenza.....                   | 16                 | 6.3                 | 13.7 | ---- | 12.5    | 19.1 | ---- | 18.8     | 22.6 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 5.9  | ---- | 0.0     | 12.4 | ---- | 0.0      | 18.6 | ---- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 11                 | 36.4                | 16.6 | ---- | 36.4    | 26.0 | ---- | 36.4     | 31.3 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 14.7 | ---- | 0.0     | 26.9 | ---- | 100.0    | 32.9 | ---- |
| Sepsis.....                                | 2                  | 0.0                 | 10.4 | ---- | 0.0     | 13.7 | ---- | 0.0      | 16.9 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# OTTAWA COUNTY HOSPITAL

Medicare Provider Number: 170126

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.2 years  
Proportion female..... 65.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.0 %  
Transferred from skilled nursing facility..... 3.4 %  
Admitted for elective procedure..... 98.7 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 6.7 %  
Chronic cardiovascular disease..... 49.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.7 %  
Chronic pulmonary disease..... 14.8 %  
Cerebrovascular degeneration..... 8.7 %  
Diabetes mellitus..... 3.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 75.4%  
State..... 24.2%  
Outside State..... 0.4%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.7 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 43  
Occupancy Rate..... 88.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 72.4 %  
Case Mix Index (CMI)..... 0.9974

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# PHILLIPS COUNTY HOSPITAL


1150 STATE ST  
PHILLIPSBURG, KS 67661  
Medicare Provider Number: 170061

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 271             | 11.8                | 12.3 | 2.1   | 17.7    | 17.9 | 2.8   | 21.0     | 21.9 | 3.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 12              | 16.7                | 25.1 | ----- | 16.7    | 27.8 | ----- | 16.7     | 30.2 | ----- |
| Congestive Heart Failure.....              | 22              | 4.5                 | 14.0 | ----- | 13.6    | 21.6 | ----- | 22.7     | 28.1 | ----- |
| Pneumonia/Influenza.....                   | 34              | 29.4                | 19.2 | ----- | 29.4    | 26.0 | ----- | 35.3     | 30.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 6               | 0.0                 | 9.4  | ----- | 0.0     | 16.0 | ----- | 0.0      | 21.1 | ----- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.2  | ----- | 0.0     | 2.9  | ----- | 0.0      | 4.9  | ----- |
| Stroke.....                                | 6               | 16.7                | 23.7 | ----- | 33.3    | 30.3 | ----- | 33.3     | 34.7 | ----- |
| Hip Fracture.....                          | 1               | 100.0               | 4.8  | ----- | 100.0   | 7.6  | ----- | 100.0    | 9.2  | ----- |
| Sepsis.....                                | 6               | 33.3                | 37.4 | ----- | 33.3    | 44.1 | ----- | 33.3     | 48.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 5               | 0.0                 | 4.7  | ----- | 40.0    | 9.6  | ----- | 60.0     | 13.8 | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 1               | 100.0               | 4.5  | ----- | 100.0   | 7.3  | ----- | 100.0    | 9.0  | ----- |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 1               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.6  | ----- |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.7  | ----- | 0.0     | 1.1  | ----- | 0.0      | 1.5  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# PHILLIPS COUNTY HOSPITAL

Medicare Provider Number: 170061

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.9 years  
Proportion female..... 62.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 21.8 %  
Transferred from skilled nursing facility..... 1.5 %  
Admitted for elective procedure..... 4.8 %  
Admitted for emergency..... 74.5 %

### COMORBIDITIES:

Cancer..... 4.4 %  
Chronic cardiovascular disease..... 35.1 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 9.6 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 10.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.9%  
State ..... 14.4%  
Outside State ..... 4.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.2 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 62  
Occupancy Rate ..... 72.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 60.8 %  
Case Mix Index (CMI) ..... 1.0317

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# PLAINVILLE RURAL HOSPITAL


304 S COLORADO ST  
PLAINVILLE, KS 67663  
Medicare Provider Number: 170092

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 92              | 7.6                 | 12.3 | 5.0   | 13.0    | 17.0 | 5.8   | 16.3     | 20.3 | 6.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 4               | 50.0                | 25.6 | ----- | 50.0    | 28.1 | ----- | 50.0     | 30.4 | ----- |
| Congestive Heart Failure.....              | 7               | 28.6                | 16.0 | ----- | 42.9    | 24.1 | ----- | 57.1     | 29.3 | ----- |
| Pneumonia/Influenza.....                   | 10              | 10.0                | 23.4 | ----- | 30.0    | 31.6 | ----- | 40.0     | 37.0 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 7.2  | ----- | 0.0     | 12.2 | ----- | 100.0    | 15.6 | ----- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 0.9  | ----- | 0.0     | 2.2  | ----- | 0.0      | 3.7  | ----- |
| Stroke.....                                | 6               | 0.0                 | 26.5 | ----- | 16.7    | 32.5 | ----- | 16.7     | 36.1 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# PLAINVILLE RURAL HOSPITAL

Medicare Provider Number: 170092

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.2 years  
Proportion female..... 63.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 41.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 8.7 %  
Admitted for emergency..... 69.6 %

### COMORBIDITIES:

Cancer..... 2.2 %  
Chronic cardiovascular disease..... 51.1 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 5.4 %  
Chronic pulmonary disease..... 15.2 %  
Cerebrovascular degeneration..... 1.1 %  
Diabetes mellitus..... 3.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 86.0%  
State ..... 13.3%  
Outside State ..... 0.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.0 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 27  
Occupancy Rate ..... 18.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges ..... 47.0 %  
Case Mix Index (CMI) ..... 0.8458

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 7

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# PRATT REGIONAL MEDICAL CENTER


200 COMMODORE  
PRATT, KS 67124  
Medicare Provider Number: 170027

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 437             | 9.4                 | 8.9  | 1.4   | 13.5    | 14.0 | 1.7   | 15.8     | 17.8 | 2.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11              | 45.5                | 23.1 | ----- | 45.5    | 26.2 | ----- | 45.5     | 28.9 | ----- |
| Congestive Heart Failure.....              | 19              | 10.5                | 13.8 | ----- | 26.3    | 22.1 | ----- | 26.3     | 28.4 | ----- |
| Pneumonia/Influenza.....                   | 23              | 26.1                | 13.2 | ----- | 30.4    | 18.3 | ----- | 30.4     | 21.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 18              | 0.0                 | 6.6  | ----- | 0.0     | 12.9 | ----- | 0.0      | 17.8 | ----- |
| Transient Cerebral Ischemia.....           | 9               | 0.0                 | 2.7  | ----- | 0.0     | 6.3  | ----- | 11.1     | 10.4 | ----- |
| Stroke.....                                | 12              | 58.3                | 18.3 | ----- | 58.3    | 23.6 | ----- | 58.3     | 26.8 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 10.3 | ----- | 0.0     | 23.5 | ----- | 0.0      | 34.3 | ----- |
| Sepsis.....                                | 7               | 14.3                | 23.4 | ----- | 14.3    | 31.2 | ----- | 14.3     | 36.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 4               | 0.0                 | 5.9  | ----- | 0.0     | 9.1  | ----- | 0.0      | 11.8 | ----- |
| Carotid Endarterectomy.....                | 4               | 25.0                | 2.6  | ----- | 25.0    | 5.0  | ----- | 25.0     | 7.0  | ----- |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 12              | 0.0                 | 1.4  | ----- | 0.0     | 3.4  | ----- | 0.0      | 5.9  | ----- |
| Cholecystectomy.....                       | 12              | 0.0                 | 2.7  | ----- | 8.3     | 4.9  | ----- | 8.3      | 6.7  | ----- |
| Hysterectomy.....                          | 4               | 0.0                 | 3.1  | ----- | 0.0     | 4.6  | ----- | 0.0      | 5.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



**PRATT REGIONAL MEDICAL CENTER**  
Medicare Provider Number: 170027

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 77.6 years  
Proportion female..... 58.8 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 51.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 18.3 %

**COMORBIDITIES:**

Cancer..... 8.2 %  
Chronic cardiovascular disease..... 39.6 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 1.6 %  
Chronic pulmonary disease..... 17.2 %  
Cerebrovascular degeneration..... 2.3 %  
Diabetes mellitus..... 6.2 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 70.7%  
State ..... 27.2%  
Outside State ..... 2.1%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 5.7 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 84  
Occupancy Rate ..... 26.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 54.2 %  
Case Mix Index (CMI) ..... 1.1684

**STAFFING:**

Total Number of Physicians..... 10  
Percent of Physicians Board  
Certified Specialists..... 90.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 39  
Licensed Practical Nurses ..... 10

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# PROVIDENCE ST MARGARET HEALTH CENTER


8929 PARALLEL PARKWAY  
KANSAS CITY, KS 66112  
Medicare Provider Number: 170146

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1993            | 9.8                 | 8.7  | 0.8   | 14.9    | 13.3 | 1.0   | 18.0     | 16.7 | 1.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 66              | 19.7                | 22.8 | 5.7   | 19.7    | 24.9 | 6.2   | 19.7     | 27.1 | 7.0   |
| Congestive Heart Failure.....              | 108             | 15.7                | 15.1 | 3.7   | 21.3    | 23.5 | 5.1   | 27.8     | 29.7 | 4.6   |
| Pneumonia/Influenza.....                   | 101             | 21.8                | 16.8 | 6.7   | 29.7    | 23.3 | 8.2   | 33.7     | 27.4 | 8.0   |
| Chronic Obstructive Pulmonary Disease..... | 35              | 11.4                | 5.3  | ----- | 14.3    | 9.9  | ----- | 20.0     | 14.0 | ----- |
| Transient Cerebral Ischemia.....           | 24              | 4.2                 | 1.9  | ----- | 4.2     | 4.3  | ----- | 4.2      | 7.0  | ----- |
| Stroke.....                                | 69              | 18.8                | 19.2 | 4.9   | 24.6    | 26.0 | 5.5   | 27.5     | 29.9 | 5.7   |
| Hip Fracture.....                          | 61              | 3.3                 | 6.3  | 4.3   | 13.1    | 11.4 | 4.4   | 18.0     | 15.0 | 5.3   |
| Sepsis.....                                | 36              | 47.2                | 30.3 | ----- | 55.6    | 38.4 | ----- | 55.6     | 42.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 45              | 6.7                 | 5.3  | ----- | 6.7     | 6.4  | ----- | 6.7      | 7.5  | ----- |
| Coronary Artery Bypass Graft.....          | 23              | 13.0                | 6.1  | ----- | 13.0    | 7.9  | ----- | 13.0     | 8.7  | ----- |
| Initial Pacemaker Insertion.....           | 24              | 8.3                 | 2.2  | ----- | 8.3     | 4.5  | ----- | 8.3      | 6.7  | ----- |
| Carotid Endarterectomy.....                | 5               | 0.0                 | 1.0  | ----- | 0.0     | 1.9  | ----- | 0.0      | 3.0  | ----- |
| Hip Replacement/Reconstruction.....        | 34              | 2.9                 | 3.9  | ----- | 8.8     | 7.0  | ----- | 8.8      | 9.1  | ----- |
| Open Reduction of Hip Fracture.....        | 35              | 0.0                 | 5.0  | ----- | 11.4    | 9.6  | ----- | 20.0     | 13.1 | ----- |
| Prostatectomy.....                         | 64              | 1.6                 | 0.9  | 1.4   | 1.6     | 2.3  | 2.0   | 3.1      | 4.0  | 2.7   |
| Cholecystectomy.....                       | 36              | 8.3                 | 3.0  | ----- | 13.9    | 4.3  | ----- | 13.9     | 5.2  | ----- |
| Hysterectomy.....                          | 19              | 5.3                 | 0.4  | ----- | 5.3     | 1.1  | ----- | 5.3      | 1.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# PROVIDENCE ST MARGARET HEALTH CENTER

Medicare Provider Number: 170146

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

| DEMOGRAPHICS:                                  |            | COMORBIDITIES:                      |        |
|------------------------------------------------|------------|-------------------------------------|--------|
| Average age at admission.....                  | 75.6 years | Cancer.....                         | 7.2 %  |
| Proportion female.....                         | 61.4 %     | Chronic cardiovascular disease..... | 41.6 % |
| ADMISSION SOURCES/TYPES:                       |            | Chronic liver disease.....          | 0.5 %  |
| Referred by personal or HMO physician.....     | 37.3 %     | Chronic renal disease.....          | 2.6 %  |
| Transferred from skilled nursing facility..... | 0.4 %      | Chronic pulmonary disease.....      | 15.5 % |
| Admitted for elective procedure.....           | 37.7 %     | Cerebrovascular degeneration.....   | 5.7 %  |
| Admitted for emergency.....                    | 26.2 %     | Diabetes mellitus.....              | 6.7 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

| ORIGIN OF MEDICARE PATIENT ADMISSION: |        | MEDICARE AVERAGE LENGTH OF STAY: |          |
|---------------------------------------|--------|----------------------------------|----------|
| County/City.....                      | 77.5%  | Hospital .....                   | 9.6 Days |
| State .....                           | 17.3%  | State .....                      | 7.3 Days |
| Outside State .....                   | 5.2%   | National .....                   | 8.6 Days |
| Total .....                           | 100.0% |                                  |          |

## HOSPITAL CHARACTERISTICS\*

| SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990 |        |                                          |     |
|-------------------------------------------------------------|--------|------------------------------------------|-----|
| PROFILE:                                                    |        | SPECIALTY SERVICES:                      |     |
| Total Beds .....                                            | 276    | Burn Unit .....                          | No  |
| Occupancy Rate .....                                        | 51.0 % | Cardiac Intensive Care .....             | No  |
| Ownership/Control.....                                      | Church | Comprehensive Geriatric .....            | No  |
| Medicare Discharges .....                                   | 38.7 % | Hospice Care .....                       | No  |
| Case Mix Index (CMI) .....                                  | 1.2988 | Medical/Surgical Intensive Care .....    | Yes |
| STAFFING:                                                   |        | Organ/Tissue Transplant .....            | No  |
| Total Number of Physicians.....                             | 194    | Other Intensive Care .....               | No  |
| Percent of Physicians Board<br>Certified Specialists.....   | 66.0 % | Trauma Center .....                      | No  |
| Medical Residents/Interns .....                             | 0      | OTHER SPECIALTY/HOSPITAL-BASED SERVICES: |     |
| Registered Nurses.....                                      | 242    | Alcohol/Drug .....                       | No  |
| Licensed Practical Nurses .....                             | 36     | Rehabilitation.....                      | No  |
|                                                             |        | Psychiatric .....                        | Yes |
|                                                             |        | Medicare Swing Beds .....                | No  |

\*\* Except for CMI

\* Not used in calculating mortality rates

# RANSOM MEMORIAL HOSPITAL


13TH & S MAIN  
OTTAWA, KS 66067  
Medicare Provider Number: 170014

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 490             | 9.6                 | 9.7  | 1.6  | 14.7    | 14.6 | 1.7  | 18.6     | 18.1 | 1.8  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 22              | 22.7                | 21.1 | ---- | 22.7    | 25.9 | ---- | 22.7     | 29.8 | ---- |
| Congestive Heart Failure.....              | 15              | 20.0                | 16.0 | ---- | 26.7    | 24.4 | ---- | 40.0     | 30.9 | ---- |
| Pneumonia/Influenza.....                   | 35              | 17.1                | 15.5 | ---- | 20.0    | 21.5 | ---- | 22.9     | 25.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 21              | 0.0                 | 4.0  | ---- | 0.0     | 7.8  | ---- | 0.0      | 11.2 | ---- |
| Transient Cerebral Ischemia.....           | 10              | 0.0                 | 1.8  | ---- | 0.0     | 4.2  | ---- | 10.0     | 7.1  | ---- |
| Stroke.....                                | 20              | 25.0                | 21.2 | ---- | 30.0    | 29.1 | ---- | 35.0     | 33.4 | ---- |
| Hip Fracture.....                          | 16              | 25.0                | 7.4  | ---- | 25.0    | 13.3 | ---- | 25.0     | 17.5 | ---- |
| Sepsis.....                                | 6               | 33.3                | 34.0 | ---- | 50.0    | 47.1 | ---- | 50.0     | 52.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 6               | 33.3                | 6.1  | ---- | 33.3    | 11.0 | ---- | 33.3     | 14.9 | ---- |
| Open Reduction of Hip Fracture.....        | 7               | 14.3                | 8.1  | ---- | 14.3    | 15.2 | ---- | 14.3     | 20.3 | ---- |
| Prostatectomy.....                         | 16              | 0.0                 | 0.9  | ---- | 0.0     | 2.0  | ---- | 12.5     | 3.4  | ---- |
| Cholecystectomy.....                       | 11              | 0.0                 | 4.1  | ---- | 9.1     | 6.6  | ---- | 9.1      | 8.4  | ---- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.0  | ---- | 0.0     | 0.1  | ---- | 0.0      | 0.2  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# RANSOM MEMORIAL HOSPITAL

Medicare Provider Number: 170014

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.2 years  
Proportion female..... 59.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 27.6 %  
Transferred from skilled nursing facility..... 0.4 %  
Admitted for elective procedure..... 10.4 %  
Admitted for emergency..... 15.9 %

### COMORBIDITIES:

Cancer..... 6.7 %  
Chronic cardiovascular disease..... 38.6 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 3.9 %  
Chronic pulmonary disease..... 17.3 %  
Cerebrovascular degeneration..... 6.5 %  
Diabetes mellitus..... 6.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 86.9%  
State..... 10.2%  
Outside State..... 2.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.4 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 45  
Occupancy Rate..... 44.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 44.7 %  
Case Mix Index (CMI)..... 1.0522

### STAFFING:

Total Number of Physicians..... 9  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 28  
Licensed Practical Nurses..... 19

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... Yes  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# RAWLINS COUNTY HOSPITAL


707 GRANT ST  
ATWOOD, KS 67730  
Medicare Provider Number: 170069

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 90              | 8.9                 | 9.2  | 3.4   | 13.3    | 14.3 | 3.8   | 17.8     | 18.0 | 4.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2               | 50.0                | 30.9 | ----- | 50.0    | 33.6 | ----- | 50.0     | 36.8 | ----- |
| Congestive Heart Failure.....              | 7               | 14.3                | 18.2 | ----- | 28.6    | 28.8 | ----- | 28.6     | 36.5 | ----- |
| Pneumonia/Influenza.....                   | 10              | 0.0                 | 11.6 | ----- | 0.0     | 15.9 | ----- | 10.0     | 18.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 2               | 0.0                 | 10.2 | ----- | 0.0     | 17.6 | ----- | 0.0      | 21.8 | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 1.6  | ----- | 0.0     | 3.7  | ----- | 0.0      | 6.5  | ----- |
| Stroke.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 1               | 0.0                 | 0.1  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# RAWLINS COUNTY HOSPITAL

Medicare Provider Number: 170069

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.7 years  
Proportion female..... 66.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 70.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 5.6 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 5.6 %  
Chronic cardiovascular disease..... 35.6 %  
Chronic liver disease..... 2.2 %  
Chronic renal disease..... 1.1 %  
Chronic pulmonary disease..... 3.3 %  
Cerebrovascular degeneration..... 2.2 %  
Diabetes mellitus..... 8.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 70.9%  
State ..... 13.9%  
Outside State ..... 15.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1991

### PROFILE:

Total Beds ..... 24  
Ownership/Control..... Private, Non-Profit  
Case Mix Index (CMI) ..... 0.8930

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 7  
Licensed Practical Nurses ..... 5

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... No  
Hospice Care ..... No  
Intensive Care Unit ..... No  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# REPUBLIC COUNTY HOSPITAL


24TH & G STREET  
BELLEVILLE, KS 66935  
Medicare Provider Number: 170024

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 314             | 12.1                | 8.7  | 2.2  | 16.2    | 13.5 | 2.4  | 21.3     | 17.0 | 2.9  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 12              | 50.0                | 31.9 | ---- | 50.0    | 35.1 | ---- | 50.0     | 37.7 | ---- |
| Congestive Heart Failure.....              | 14              | 21.4                | 18.6 | ---- | 21.4    | 28.7 | ---- | 35.7     | 35.0 | ---- |
| Pneumonia/Influenza.....                   | 28              | 25.0                | 15.1 | ---- | 35.7    | 21.1 | ---- | 42.9     | 24.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 2.8  | ---- | 0.0     | 5.4  | ---- | 0.0      | 7.9  | ---- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 12              | 25.0                | 17.1 | ---- | 25.0    | 23.2 | ---- | 50.0     | 26.7 | ---- |
| Hip Fracture.....                          | 7               | 0.0                 | 4.8  | ---- | 0.0     | 9.1  | ---- | 0.0      | 12.4 | ---- |
| Sepsis.....                                | 3               | 66.7                | 19.7 | ---- | 66.7    | 29.0 | ---- | 66.7     | 34.3 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 4               | 25.0                | 7.0  | ---- | 50.0    | 14.0 | ---- | 50.0     | 19.0 | ---- |
| Carotid Endarterectomy.....                | 1               | 100.0               | 0.8  | ---- | 100.0   | 1.3  | ---- | 100.0    | 2.1  | ---- |
| Hip Replacement/Reconstruction.....        | 5               | 0.0                 | 3.8  | ---- | 0.0     | 7.4  | ---- | 0.0      | 10.3 | ---- |
| Open Reduction of Hip Fracture.....        | 1               | 0.0                 | 3.3  | ---- | 0.0     | 6.2  | ---- | 0.0      | 9.4  | ---- |
| Prostatectomy.....                         | 13              | 0.0                 | 0.6  | ---- | 0.0     | 1.3  | ---- | 0.0      | 2.2  | ---- |
| Cholecystectomy.....                       | 5               | 0.0                 | 0.7  | ---- | 0.0     | 1.2  | ---- | 0.0      | 1.7  | ---- |
| Hysterectomy.....                          | 4               | 0.0                 | 1.2  | ---- | 0.0     | 2.8  | ---- | 0.0      | 4.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# REPUBLIC COUNTY HOSPITAL

Medicare Provider Number: 170024

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.5 years  
Proportion female..... 56.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 53.2 %  
Transferred from skilled nursing facility..... 1.0 %  
Admitted for elective procedure..... 78.3 %  
Admitted for emergency..... 9.2 %

### COMORBIDITIES:

Cancer..... 8.9 %  
Chronic cardiovascular disease..... 39.8 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 0.3 %  
Chronic pulmonary disease..... 9.2 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 7.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 68.1%  
State..... 21.5%  
Outside State..... 10.4%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.8 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 86  
Occupancy Rate..... 58.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 57.6 %  
Case Mix Index (CMI)..... 1.1911

### STAFFING:

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists..... 85.7 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses..... 6

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# RIVERSIDE HOSPITAL


2622 W CENTRAL ST  
WICHITA, KS 67203  
Medicare Provider Number: 170147

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 587             | 9.7                 | 8.5  | 2.2   | 13.8    | 13.3 | 2.5   | 18.2     | 16.9 | 2.3   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11              | 36.4                | 27.4 | ----- | 45.5    | 31.8 | ----- | 45.5     | 35.0 | ----- |
| Congestive Heart Failure.....              | 31              | 16.1                | 15.2 | ----- | 19.4    | 24.1 | ----- | 25.8     | 29.8 | ----- |
| Pneumonia/Influenza.....                   | 45              | 26.7                | 15.1 | ----- | 33.3    | 20.9 | ----- | 42.2     | 24.9 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 14              | 0.0                 | 5.7  | ----- | 14.3    | 10.7 | ----- | 14.3     | 15.2 | ----- |
| Transient Cerebral Ischemia.....           | 5               | 20.0                | 5.0  | ----- | 20.0    | 11.4 | ----- | 20.0     | 17.5 | ----- |
| Stroke.....                                | 12              | 25.0                | 16.7 | ----- | 25.0    | 22.7 | ----- | 25.0     | 26.0 | ----- |
| Hip Fracture.....                          | 19              | 15.8                | 7.2  | ----- | 15.8    | 13.6 | ----- | 26.3     | 18.4 | ----- |
| Sepsis.....                                | 3               | 33.3                | 22.5 | ----- | 33.3    | 34.1 | ----- | 33.3     | 39.3 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 7               | 0.0                 | 1.2  | ----- | 14.3    | 2.9  | ----- | 14.3     | 4.9  | ----- |
| Carotid Endarterectomy.....                | 3               | 0.0                 | 1.7  | ----- | 0.0     | 3.3  | ----- | 0.0      | 4.9  | ----- |
| Hip Replacement/Reconstruction.....        | 7               | 0.0                 | 3.9  | ----- | 0.0     | 8.0  | ----- | 14.3     | 11.3 | ----- |
| Open Reduction of Hip Fracture.....        | 9               | 22.2                | 8.2  | ----- | 22.2    | 15.9 | ----- | 22.2     | 22.0 | ----- |
| Prostatectomy.....                         | 7               | 0.0                 | 0.4  | ----- | 0.0     | 1.0  | ----- | 0.0      | 1.7  | ----- |
| Cholecystectomy.....                       | 7               | 0.0                 | 1.1  | ----- | 0.0     | 2.3  | ----- | 0.0      | 3.4  | ----- |
| Hysterectomy.....                          | 5               | 0.0                 | 0.4  | ----- | 0.0     | 1.1  | ----- | 0.0      | 1.9  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# RIVERSIDE HOSPITAL

Medicare Provider Number: 170147

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.9 years  
 Proportion female..... 58.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 43.4 %  
 Transferred from skilled nursing facility..... 0.3 %  
 Admitted for elective procedure..... 17.7 %  
 Admitted for emergency..... 0.7 %

### COMORBIDITIES:

Cancer..... 5.1 %  
 Chronic cardiovascular disease..... 30.8 %  
 Chronic liver disease..... 1.0 %  
 Chronic renal disease..... 4.1 %  
 Chronic pulmonary disease..... 26.9 %  
 Cerebrovascular degeneration..... 8.5 %  
 Diabetes mellitus..... 7.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 83.0%  
 State ..... 13.3%  
 Outside State ..... 3.7%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.3 Days  
 State ..... 7.3 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 125  
 Occupancy Rate ..... 51.0 %  
 Ownership/Control..... Private, Non-Profit  
 Medicare Discharges ..... 40.8 %  
 Case Mix Index (CMI) ..... 1.1518

### STAFFING:

Total Number of Physicians..... 40  
 Percent of Physicians Board  
 Certified Specialists..... 42.5 %  
 Medical Residents/Interns ..... 9  
 Registered Nurses..... 69  
 Licensed Practical Nurses ..... 18

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care..... Yes  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
 Rehabilitation..... No  
 Psychiatric ..... No  
 Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# RUSH COUNTY MEMORIAL HOSPITAL


8TH & LOCUST STS  
LA CROSSE, KS 67548  
Medicare Provider Number: 170119

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 144                | 11.1                | 11.9 | 4.5  | 18.8    | 17.5 | 4.1  | 20.8     | 21.3 | 3.7  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2                  | 100.0               | 45.6 | ---- | 100.0   | 48.7 | ---- | 100.0    | 52.6 | ---- |
| Congestive Heart Failure.....              | 10                 | 10.0                | 15.8 | ---- | 10.0    | 24.0 | ---- | 20.0     | 29.7 | ---- |
| Pneumonia/Influenza.....                   | 35                 | 20.0                | 17.7 | ---- | 25.7    | 24.5 | ---- | 31.4     | 28.6 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 4                  | 0.0                 | 1.4  | ---- | 0.0     | 3.2  | ---- | 0.0      | 5.5  | ---- |
| Stroke.....                                | 5                  | 20.0                | 25.7 | ---- | 60.0    | 35.1 | ---- | 60.0     | 40.7 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 6.2  | ---- | 0.0     | 10.7 | ---- | 0.0      | 13.1 | ---- |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 2                  | 0.0                 | 0.1  | ---- | 0.0     | 0.1  | ---- | 0.0      | 0.3  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# RUSH COUNTY MEMORIAL HOSPITAL

Medicare Provider Number: 170119

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.4 years  
 Proportion female..... 68.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 43.8 %  
 Transferred from skilled nursing facility..... 0.0 %  
 Admitted for elective procedure..... 4.2 %  
 Admitted for emergency..... 5.6 %

### COMORBIDITIES:

Cancer..... 4.9 %  
 Chronic cardiovascular disease..... 68.1 %  
 Chronic liver disease..... 0.0 %  
 Chronic renal disease..... 1.4 %  
 Chronic pulmonary disease..... 13.9 %  
 Cerebrovascular degeneration..... 6.3 %  
 Diabetes mellitus..... 6.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.0%  
 State ..... 18.2%  
 Outside State ..... 1.8%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.4 Days  
 State ..... 7.3 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 74  
 Occupancy Rate ..... 39.0 %  
 Ownership/Control..... Local Government  
 Medicare Discharges .....(Not Available)  
 Case Mix Index (CMI) ..... 1.0046

### STAFFING:

Total Number of Physicians..... (Not Available)  
 Percent of Physicians Board  
 Certified Specialists .....(Not Available)  
 Medical Residents/Interns ..... (Not Available)  
 Registered Nurses..... (Not Available)  
 Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care..... No  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
 Rehabilitation..... No  
 Psychiatric ..... No  
 Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# RUSSELL REGIONAL HOSPITAL


200 S MAIN  
RUSSELL, KS 67665  
Medicare Provider Number: 170030

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 250             | 6.0                 | 10.3 | 3.0   | 12.4    | 15.7 | 3.9   | 15.6     | 19.8 | 3.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 13              | 30.8                | 28.6 | ----- | 46.2    | 31.6 | ----- | 46.2     | 34.2 | ----- |
| Congestive Heart Failure.....              | 23              | 4.3                 | 16.7 | ----- | 13.0    | 26.3 | ----- | 17.4     | 33.0 | ----- |
| Pneumonia/Influenza.....                   | 20              | 10.0                | 17.3 | ----- | 15.0    | 23.2 | ----- | 20.0     | 27.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5               | 0.0                 | 4.7  | ----- | 0.0     | 10.1 | ----- | 20.0     | 14.9 | ----- |
| Transient Cerebral Ischemia.....           | 5               | 0.0                 | 2.1  | ----- | 0.0     | 4.6  | ----- | 0.0      | 7.4  | ----- |
| Stroke.....                                | 7               | 0.0                 | 25.8 | ----- | 14.3    | 33.5 | ----- | 28.6     | 38.4 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 2               | 0.0                 | 0.4  | ----- | 0.0     | 0.9  | ----- | 0.0      | 1.6  | ----- |
| Cholecystectomy.....                       | 5               | 0.0                 | 1.0  | ----- | 0.0     | 1.8  | ----- | 0.0      | 2.3  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.1  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# RUSSELL REGIONAL HOSPITAL

Medicare Provider Number: 170030

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.3 years  
Proportion female..... 59.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 54.8 %  
Transferred from skilled nursing facility..... 0.8 %  
Admitted for elective procedure..... 5.6 %  
Admitted for emergency..... 1.2 %

### COMORBIDITIES:

Cancer..... 8.8 %  
Chronic cardiovascular disease..... 50.4 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 3.2 %  
Chronic pulmonary disease..... 20.8 %  
Cerebrovascular degeneration..... 2.0 %  
Diabetes mellitus..... 7.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 87.4%  
State..... 10.8%  
Outside State..... 1.8%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.5 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 37  
Occupancy Rate..... 32.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 63.2 %  
Case Mix Index (CMI)..... 1.0118

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 20  
Licensed Practical Nurses..... 4

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SABETHA COMMUNITY HOSPITAL


14TH & OREGON  
SABETHA, KS 66534  
Medicare Provider Number: 170164

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 181             | 14.4                | 12.3 | 3.6  | 17.7    | 17.4 | 4.4  | 22.1     | 21.2 | 3.4  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 19              | 42.1                | 32.9 | ---- | 47.4    | 37.2 | ---- | 47.4     | 40.7 | ---- |
| Congestive Heart Failure.....              | 13              | 15.4                | 13.2 | ---- | 15.4    | 20.9 | ---- | 23.1     | 26.7 | ---- |
| Pneumonia/Influenza.....                   | 11              | 27.3                | 20.4 | ---- | 27.3    | 27.3 | ---- | 36.4     | 31.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 4.1  | ---- | 0.0     | 7.3  | ---- | 100.0    | 10.5 | ---- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 6               | 33.3                | 22.8 | ---- | 33.3    | 27.9 | ---- | 33.3     | 32.5 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 3               | 33.3                | 23.3 | ---- | 100.0   | 32.7 | ---- | 100.0    | 36.9 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 6               | 0.0                 | 0.5  | ---- | 0.0     | 1.1  | ---- | 0.0      | 2.0  | ---- |
| Cholecystectomy.....                       | 1               | 0.0                 | 1.0  | ---- | 0.0     | 1.8  | ---- | 0.0      | 2.4  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SABETHA COMMUNITY HOSPITAL

Medicare Provider Number: 170164

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.9 years  
Proportion female..... 55.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 60.2 %  
Transferred from skilled nursing facility..... 0.6 %  
Admitted for elective procedure..... 22.7 %  
Admitted for emergency..... 12.7 %

### COMORBIDITIES:

Cancer..... 7.7 %  
Chronic cardiovascular disease..... 39.2 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 5.0 %  
Chronic pulmonary disease..... 9.9 %  
Cerebrovascular degeneration..... 1.1 %  
Diabetes mellitus..... 8.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 78.4%  
State..... 19.6%  
Outside State..... 2.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.4 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds..... 27  
Occupancy Rate..... 25.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 66.9 %  
Case Mix Index (CMI)..... 1.0782

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses..... 6

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SALEM HOSPITAL INC


701 S MAIN ST  
HILLSBORO, KS 67063  
Medicare Provider Number: 170026

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 155             | 14.8                | 12.6 | 3.1  | 18.7    | 18.6 | 3.1  | 22.6     | 23.1 | 3.4  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 5               | 20.0                | 37.0 | ---- | 40.0    | 41.4 | ---- | 60.0     | 45.7 | ---- |
| Congestive Heart Failure.....              | 22              | 22.7                | 15.2 | ---- | 31.8    | 24.2 | ---- | 36.4     | 31.3 | ---- |
| Pneumonia/Influenza.....                   | 7               | 28.6                | 19.1 | ---- | 28.6    | 26.1 | ---- | 28.6     | 30.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 3.9  | ---- | 0.0     | 8.0  | ---- | 0.0      | 11.2 | ---- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.6  | ---- | 16.7    | 3.8  | ---- | 16.7     | 6.3  | ---- |
| Stroke.....                                | 9               | 33.3                | 24.1 | ---- | 33.3    | 29.9 | ---- | 44.4     | 33.6 | ---- |
| Hip Fracture.....                          | 7               | 0.0                 | 7.2  | ---- | 0.0     | 12.8 | ---- | 0.0      | 16.5 | ---- |
| Sepsis.....                                | 1               | 0.0                 | 45.1 | ---- | 0.0     | 49.3 | ---- | 0.0      | 54.3 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 3               | 0.0                 | 4.5  | ---- | 0.0     | 8.5  | ---- | 0.0      | 11.9 | ---- |
| Open Reduction of Hip Fracture.....        | 6               | 0.0                 | 6.7  | ---- | 0.0     | 12.0 | ---- | 0.0      | 15.7 | ---- |
| Prostatectomy.....                         | 1               | 0.0                 | 1.9  | ---- | 0.0     | 5.4  | ---- | 0.0      | 9.9  | ---- |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.8  | ---- | 0.0     | 1.6  | ---- | 0.0      | 2.2  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# SALEM HOSPITAL INC

Medicare Provider Number: 170026

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.9 years  
Proportion female..... 56.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 31.0 %  
Transferred from skilled nursing facility..... 1.3 %  
Admitted for elective procedure..... 0.6 %  
Admitted for emergency..... 64.5 %

### COMORBIDITIES:

Cancer..... 5.2 %  
Chronic cardiovascular disease..... 49.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.3 %  
Chronic pulmonary disease..... 9.7 %  
Cerebrovascular degeneration..... 10.3 %  
Diabetes mellitus..... 5.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 84.9%  
State ..... 13.4%  
Outside State ..... 1.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 100  
Occupancy Rate ..... 75.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 66.1 %  
Case Mix Index (CMI) ..... 1.0706

### STAFFING:

Total Number of Physicians..... 15  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SATANTA DISTRICT HOSPITAL


CHEYENNE AND APACHE  
SATANTA, KS 67870  
Medicare Provider Number: 170139

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 59                 | 3.4                 | 9.6  | 6.7  | 8.5     | 13.7 | 7.8  | 10.2     | 17.1 | 7.7  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 1                  | 0.0                 | 15.1 | ---- | 0.0     | 16.2 | ---- | 0.0      | 17.9 | ---- |
| Congestive Heart Failure.....              | 11                 | 18.2                | 16.8 | ---- | 18.2    | 24.6 | ---- | 27.3     | 31.6 | ---- |
| Pneumonia/Influenza.....                   | 11                 | 0.0                 | 13.0 | ---- | 0.0     | 17.2 | ---- | 0.0      | 20.3 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 10.7 | ---- | 0.0     | 15.1 | ---- | 0.0      | 17.5 | ---- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 2                  | 0.0                 | 22.8 | ---- | 0.0     | 26.4 | ---- | 0.0      | 29.7 | ---- |
| Hip Fracture.....                          | 1                  | 0.0                 | 2.8  | ---- | 0.0     | 5.4  | ---- | 0.0      | 7.4  | ---- |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SATANTA DISTRICT HOSPITAL

Medicare Provider Number: 170139

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.3 years  
Proportion female..... 66.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 45.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 3.4 %  
Admitted for emergency..... 6.8 %

### COMORBIDITIES:

Cancer..... 0.0 %  
Chronic cardiovascular disease..... 59.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.4 %  
Chronic pulmonary disease..... 8.5 %  
Cerebrovascular degeneration..... 1.7 %  
Diabetes mellitus..... 5.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 74.6%  
State..... 22.6%  
Outside State..... 2.8%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.6 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds..... 42  
Occupancy Rate..... 73.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges..... 36.2 %  
Case Mix Index (CMI)..... 0.9539

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 2

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SCOTT COUNTY HOSPITAL


310 EAST THIRD  
SCOTT CITY, KS 67871  
Medicare Provider Number: 170085

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 196                | 7.7                 | 9.0  | 3.2   | 12.8    | 14.1 | 4.9   | 13.8     | 17.9 | 5.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 5                  | 0.0                 | 13.2 | ----- | 20.0    | 20.7 | ----- | 20.0     | 26.6 | ----- |
| Pneumonia/Influenza.....                   | 18                 | 16.7                | 13.8 | ----- | 22.2    | 19.0 | ----- | 22.2     | 22.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 0.0                 | 7.4  | ----- | 0.0     | 12.9 | ----- | 0.0      | 18.2 | ----- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 2.2  | ----- | 0.0     | 4.9  | ----- | 0.0      | 8.0  | ----- |
| Stroke.....                                | 5                  | 20.0                | 22.3 | ----- | 40.0    | 31.2 | ----- | 40.0     | 37.4 | ----- |
| Hip Fracture.....                          | 1                  | 0.0                 | 5.4  | ----- | 0.0     | 12.4 | ----- | 0.0      | 18.2 | ----- |
| Sepsis.....                                | 3                  | 33.3                | 30.1 | ----- | 66.7    | 41.9 | ----- | 66.7     | 49.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 1                  | 0.0                 | 4.8  | ----- | 0.0     | 11.3 | ----- | 0.0      | 17.0 | ----- |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 5                  | 0.0                 | 1.0  | ----- | 0.0     | 1.7  | ----- | 0.0      | 2.2  | ----- |
| Hysterectomy.....                          | 4                  | 0.0                 | 0.2  | ----- | 0.0     | 0.5  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# SCOTT COUNTY HOSPITAL

Medicare Provider Number: 170085

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.8 years  
Proportion female..... 58.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 86.2 %  
Transferred from skilled nursing facility..... 2.6 %  
Admitted for elective procedure..... 10.7 %  
Admitted for emergency..... 14.3 %

### COMORBIDITIES:

Cancer..... 6.6 %  
Chronic cardiovascular disease..... 40.8 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 2.6 %  
Chronic pulmonary disease..... 20.9 %  
Cerebrovascular degeneration..... 1.5 %  
Diabetes mellitus..... 7.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 82.2%  
State ..... 15.7%  
Outside State ..... 2.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.7 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 27  
Occupancy Rate ..... 44.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 58.8 %  
Case Mix Index (CMI) ..... 0.9705

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... (Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 13  
Licensed Practical Nurses ..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SEDAN CITY HOSPITAL


300 NORTH STREET  
SEDAN, KS 67361  
Medicare Provider Number: 170106

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 105             | 15.2                | 9.2  | 4.7  | 20.0    | 13.9 | 5.4  | 23.8     | 17.4 | 5.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2               | 50.0                | 14.4 | ---- | 50.0    | 16.6 | ---- | 50.0     | 18.6 | ---- |
| Congestive Heart Failure.....              | 4               | 0.0                 | 16.7 | ---- | 0.0     | 25.6 | ---- | 0.0      | 31.0 | ---- |
| Pneumonia/Influenza.....                   | 16              | 31.3                | 14.5 | ---- | 50.0    | 19.8 | ---- | 50.0     | 23.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 50.0                | 12.1 | ---- | 50.0    | 19.0 | ---- | 50.0     | 24.1 | ---- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 1.3  | ---- | 25.0    | 3.2  | ---- | 25.0     | 5.6  | ---- |
| Stroke.....                                | 2               | 50.0                | 16.0 | ---- | 50.0    | 19.5 | ---- | 50.0     | 22.4 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SEDAN CITY HOSPITAL

Medicare Provider Number: 170106

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.3 years  
Proportion female..... 60.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 38.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 12.4 %  
Admitted for emergency..... 6.7 %

### COMORBIDITIES:

Cancer..... 4.8 %  
Chronic cardiovascular disease..... 25.7 %  
Chronic liver disease..... 1.9 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 7.6 %  
Cerebrovascular degeneration..... 0.0 %  
Diabetes mellitus..... 1.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 70.9%  
State..... 25.2%  
Outside State..... 3.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.3 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 38  
Occupancy Rate..... 42.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... (Not Available)  
Case Mix Index (CMI)..... 0.8811

### STAFFING:

Total Number of Physicians..... (Not Available)  
Percent of Physicians Board  
Certified Specialists..... (Not Available)  
Medical Residents/Interns..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# SHAWNEE MISSION MEDICAL CENTER


9100 WEST 74TH  
SHAWNEE MISSION, KS 66201  
Medicare Provider Number: 170104

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 2851            | 7.5                 | 7.8  | 0.7   | 11.6    | 12.0 | 1.1   | 14.6     | 15.2 | 1.2   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 81              | 24.7                | 27.9 | 5.6   | 27.2    | 30.7 | 6.1   | 30.9     | 33.4 | 6.7   |
| Congestive Heart Failure.....              | 124             | 15.3                | 14.0 | 4.1   | 24.2    | 22.5 | 4.7   | 32.3     | 28.4 | 6.2   |
| Pneumonia/Influenza.....                   | 116             | 11.2                | 15.2 | 4.6   | 19.0    | 21.2 | 5.1   | 26.7     | 25.2 | 5.1   |
| Chronic Obstructive Pulmonary Disease..... | 62              | 8.1                 | 5.0  | 4.2   | 11.3    | 9.4  | 4.6   | 17.7     | 13.2 | 5.7   |
| Transient Cerebral Ischemia.....           | 33              | 0.0                 | 1.6  | ----- | 0.0     | 3.4  | ----- | 3.0      | 5.6  | ----- |
| Stroke.....                                | 116             | 19.8                | 19.2 | 5.2   | 20.7    | 25.6 | 6.8   | 26.7     | 29.3 | 7.9   |
| Hip Fracture.....                          | 76              | 5.3                 | 5.7  | 2.7   | 9.2     | 10.5 | 4.0   | 10.5     | 14.0 | 5.5   |
| Sepsis.....                                | 41              | 22.0                | 27.1 | ----- | 31.7    | 34.5 | ----- | 34.1     | 39.1 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 79              | 10.1                | 5.1  | 3.3   | 10.1    | 6.1  | 3.4   | 11.4     | 7.2  | 3.5   |
| Coronary Artery Bypass Graft.....          | 62              | 11.3                | 5.6  | 5.5   | 12.9    | 7.8  | 5.1   | 14.5     | 8.8  | 5.5   |
| Initial Pacemaker Insertion.....           | 14              | 0.0                 | 2.8  | ----- | 0.0     | 5.4  | ----- | 0.0      | 7.7  | ----- |
| Carotid Endarterectomy.....                | 28              | 0.0                 | 1.5  | ----- | 0.0     | 2.8  | ----- | 0.0      | 4.1  | ----- |
| Hip Replacement/Reconstruction.....        | 63              | 4.8                 | 2.5  | 3.3   | 6.3     | 4.8  | 3.3   | 6.3      | 6.6  | 3.3   |
| Open Reduction of Hip Fracture.....        | 36              | 2.8                 | 6.0  | ----- | 8.3     | 11.1 | ----- | 11.1     | 14.8 | ----- |
| Prostatectomy.....                         | 129             | 0.0                 | 0.8  | 1.0   | 0.8     | 1.8  | 1.5   | 1.6      | 3.1  | 2.0   |
| Cholecystectomy.....                       | 58              | 3.4                 | 1.7  | 2.4   | 3.4     | 3.2  | 3.2   | 5.2      | 4.5  | 3.5   |
| Hysterectomy.....                          | 34              | 0.0                 | 0.2  | ----- | 0.0     | 0.6  | ----- | 0.0      | 0.9  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# SHAWNEE MISSION MEDICAL CENTER

Medicare Provider Number: 170104

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.3 years  
Proportion female..... 56.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 74.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 23.6 %  
Admitted for emergency..... 57.9 %

### COMORBIDITIES:

Cancer..... 7.0 %  
Chronic cardiovascular disease..... 31.3 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 2.7 %  
Chronic pulmonary disease..... 16.6 %  
Cerebrovascular degeneration..... 4.5 %  
Diabetes mellitus..... 6.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 67.3%  
State ..... 22.2%  
Outside State ..... 10.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 333  
Occupancy Rate ..... 68.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 33.1 %  
Case Mix Index (CMI) ..... 1.3946

### STAFFING:

Total Number of Physicians..... 235  
Percent of Physicians Board  
Certified Specialists ..... 82.6 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 437  
Licensed Practical Nurses ..... 28

\*\* Except for CMI

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\* Not used in calculating mortality rates

# SHERIDAN COUNTY HOSPITAL


826-EIGHTEENTH STREET  
HOXIE, KS 67740  
Medicare Provider Number: 170063

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 87              | 13.8                | 7.5  | 3.7  | 17.2    | 11.6 | 4.0  | 21.8     | 14.8 | 4.8  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3               | 33.3                | 19.2 | ---- | 33.3    | 22.2 | ---- | 66.7     | 24.4 | ---- |
| Congestive Heart Failure.....              | 6               | 33.3                | 19.2 | ---- | 50.0    | 31.1 | ---- | 66.7     | 40.4 | ---- |
| Pneumonia/Influenza.....                   | 7               | 14.3                | 12.6 | ---- | 14.3    | 16.5 | ---- | 14.3     | 19.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 4               | 25.0                | 1.4  | ---- | 25.0    | 3.6  | ---- | 25.0     | 6.4  | ---- |
| Stroke.....                                | 2               | 50.0                | 22.2 | ---- | 100.0   | 34.0 | ---- | 100.0    | 40.4 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 2               | 0.0                 | 0.4  | ---- | 0.0     | 0.8  | ---- | 0.0      | 1.1  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SHERIDAN COUNTY HOSPITAL

Medicare Provider Number: 170063

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.4 years  
Proportion female..... 63.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 65.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 65.5 %  
Admitted for emergency..... 12.6 %

### COMORBIDITIES:

Cancer..... 5.7 %  
Chronic cardiovascular disease..... 31.0 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 4.6 %  
Chronic pulmonary disease..... 9.2 %  
Cerebrovascular degeneration..... 2.3 %  
Diabetes mellitus..... 5.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 78.4%  
State..... 18.9%  
Outside State..... 2.7%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.4 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 59  
Occupancy Rate..... 72.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 39.8 %  
Case Mix Index (CMI)..... 0.8559

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 7  
Licensed Practical Nurses..... 5

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SMITH COUNTY MEMORIAL HOSPITAL


614 S MAIN ST  
SMITH CENTER, KS 66967  
Medicare Provider Number: 170093

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 221                | 8.6                 | 7.5  | 2.1  | 12.2    | 11.5 | 2.2  | 14.5     | 14.7 | 2.4  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 7                  | 71.4                | 20.2 | ---- | 71.4    | 25.3 | ---- | 85.7     | 28.6 | ---- |
| Congestive Heart Failure.....              | 13                 | 15.4                | 13.1 | ---- | 15.4    | 21.2 | ---- | 30.8     | 27.3 | ---- |
| Pneumonia/Influenza.....                   | 15                 | 0.0                 | 12.3 | ---- | 20.0    | 17.3 | ---- | 20.0     | 21.2 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 7                  | 0.0                 | 4.7  | ---- | 0.0     | 8.8  | ---- | 0.0      | 12.6 | ---- |
| Transient Cerebral Ischemia.....           | 7                  | 0.0                 | 1.4  | ---- | 0.0     | 3.3  | ---- | 0.0      | 5.6  | ---- |
| Stroke.....                                | 14                 | 21.4                | 15.6 | ---- | 21.4    | 20.7 | ---- | 21.4     | 24.2 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 3                  | 33.3                | 26.8 | ---- | 33.3    | 39.4 | ---- | 66.7     | 46.4 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 5                  | 20.0                | 3.2  | ---- | 20.0    | 6.5  | ---- | 20.0     | 9.3  | ---- |
| Hysterectomy.....                          | 2                  | 0.0                 | 0.9  | ---- | 0.0     | 2.1  | ---- | 0.0      | 3.5  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# SMITH COUNTY MEMORIAL HOSPITAL

Medicare Provider Number: 170093

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.1 years  
Proportion female..... 59.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 58.4 %  
Transferred from skilled nursing facility..... 0.5 %  
Admitted for elective procedure..... 10.9 %  
Admitted for emergency..... 0.9 %

### COMORBIDITIES:

Cancer..... 5.4 %  
Chronic cardiovascular disease..... 25.3 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 0.5 %  
Chronic pulmonary disease..... 11.3 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 4.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.9%  
State ..... 18.0%  
Outside State ..... 2.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 3.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 52  
Occupancy Rate ..... 61.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 60.6 %  
Case Mix Index (CMI) ..... 0.9972

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists ..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SOUTHWEST MEDICAL CENTER


WEST 15TH BOX 1340  
LIBERAL, KS 67905  
Medicare Provider Number: 170068

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 597             | 10.6                | 9.4  | 1.3   | 13.9    | 14.0 | 1.4   | 16.4     | 17.3 | 1.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 18              | 27.8                | 22.8 | ----- | 27.8    | 25.5 | ----- | 27.8     | 28.1 | ----- |
| Congestive Heart Failure.....              | 34              | 14.7                | 13.6 | ----- | 20.6    | 21.7 | ----- | 20.6     | 27.4 | ----- |
| Pneumonia/Influenza.....                   | 48              | 25.0                | 14.1 | ----- | 25.0    | 19.0 | ----- | 25.0     | 22.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 10              | 30.0                | 9.5  | ----- | 30.0    | 15.3 | ----- | 30.0     | 19.8 | ----- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.8  | ----- | 0.0     | 4.0  | ----- | 16.7     | 6.3  | ----- |
| Stroke.....                                | 26              | 15.4                | 17.0 | ----- | 19.2    | 23.0 | ----- | 19.2     | 26.5 | ----- |
| Hip Fracture.....                          | 10              | 10.0                | 5.1  | ----- | 10.0    | 8.9  | ----- | 10.0     | 11.9 | ----- |
| Sepsis.....                                | 8               | 12.5                | 20.7 | ----- | 12.5    | 26.4 | ----- | 25.0     | 30.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 5               | 0.0                 | 1.7  | ----- | 0.0     | 3.6  | ----- | 20.0     | 5.5  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 2               | 50.0                | 8.1  | ----- | 50.0    | 13.2 | ----- | 50.0     | 18.4 | ----- |
| Prostatectomy.....                         | 21              | 0.0                 | 0.8  | ----- | 0.0     | 1.8  | ----- | 4.8      | 3.3  | ----- |
| Cholecystectomy.....                       | 12              | 0.0                 | 1.5  | ----- | 0.0     | 2.6  | ----- | 0.0      | 3.3  | ----- |
| Hysterectomy.....                          | 20              | 0.0                 | 0.3  | ----- | 0.0     | 0.8  | ----- | 0.0      | 1.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SOUTHWEST MEDICAL CENTER

Medicare Provider Number: 170068

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.5 years  
Proportion female..... 59.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 57.6 %  
Transferred from skilled nursing facility..... 1.7 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 96.8 %

### COMORBIDITIES:

Cancer..... 6.7 %  
Chronic cardiovascular disease..... 30.8 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 1.5 %  
Chronic pulmonary disease..... 15.9 %  
Cerebrovascular degeneration..... 1.5 %  
Diabetes mellitus..... 5.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 51.1 %  
State ..... 16.2 %  
Outside State ..... 32.7 %  
Total ..... 100.0 %

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.3 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 86  
Occupancy Rate ..... 48.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 33.6 %  
Case Mix Index (CMI) ..... 1.1334

### STAFFING:

Total Number of Physicians..... 20  
Percent of Physicians Board  
Certified Specialists ..... 80.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 50  
Licensed Practical Nurses ..... 22

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SPEARVILLE DISTRICT HOSPITAL

HALL & DORSETT STS  
SPEARVILLE, KS 67876  
Medicare Provider Number: 170173

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 25                 | 20.0                | 15.5 | ---- | 20.0    | 22.7 | ---- | 24.0     | 27.6 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 0                  |                     |      |      |         |      |      |          |      |      |
| Pneumonia/Influenza.....                   | 1                  | 0.0                 | 5.8  | ---- | 0.0     | 8.2  | ---- | 0.0      | 10.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 1                  | 0.0                 | 14.6 | ---- | 0.0     | 19.8 | ---- | 0.0      | 23.3 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# SPEARVILLE DISTRICT HOSPITAL

Medicare Provider Number: 170173

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 81.8 years  
Proportion female..... 56.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 52.0 %  
Transferred from skilled nursing facility..... 16.0 %  
Admitted for elective procedure..... 52.0 %  
Admitted for emergency..... 12.0 %

### COMORBIDITIES:

Cancer..... 8.0 %  
Chronic cardiovascular disease..... 32.0 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 8.0 %  
Cerebrovascular degeneration..... 16.0 %  
Diabetes mellitus..... 8.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 98.0%  
State..... 2.0%  
Outside State..... 0.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.6 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 16  
Occupancy Rate..... 50.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges..... 26.2 %  
Case Mix Index (CMI)..... 1.0099

### STAFFING:

Total Number of Physicians..... 8  
Percent of Physicians Board  
Certified Specialists..... 87.5 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 5  
Licensed Practical Nurses..... 1

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST ANTHONY HOSPITAL


2220 CANTERBURY RD  
HAYS, KS 67601  
Medicare Provider Number: 170003

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 786             | 6.4                 | 6.9  | 1.0   | 9.8     | 11.2 | 1.5   | 12.7     | 14.5 | 1.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 16              | 18.8                | 25.8 | ----- | 18.8    | 29.4 | ----- | 18.8     | 32.5 | ----- |
| Congestive Heart Failure.....              | 33              | 9.1                 | 14.0 | ----- | 27.3    | 22.2 | ----- | 39.4     | 28.0 | ----- |
| Pneumonia/Influenza.....                   | 33              | 6.1                 | 15.7 | ----- | 9.1     | 21.1 | ----- | 15.2     | 24.9 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 17              | 5.9                 | 7.8  | ----- | 5.9     | 14.3 | ----- | 11.8     | 19.3 | ----- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.1  | ----- | 0.0     | 2.6  | ----- | 0.0      | 4.4  | ----- |
| Stroke.....                                | 23              | 21.7                | 14.6 | ----- | 26.1    | 20.7 | ----- | 26.1     | 24.4 | ----- |
| Hip Fracture.....                          | 29              | 6.9                 | 6.4  | ----- | 6.9     | 11.9 | ----- | 10.3     | 16.0 | ----- |
| Sepsis.....                                | 5               | 40.0                | 22.4 | ----- | 40.0    | 26.3 | ----- | 40.0     | 30.0 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 3               | 0.0                 | 2.1  | ----- | 0.0     | 3.8  | ----- | 0.0      | 5.2  | ----- |
| Carotid Endarterectomy.....                | 12              | 8.3                 | 0.8  | ----- | 8.3     | 1.6  | ----- | 8.3      | 2.5  | ----- |
| Hip Replacement/Reconstruction.....        | 17              | 0.0                 | 3.7  | ----- | 0.0     | 7.4  | ----- | 5.9      | 10.4 | ----- |
| Open Reduction of Hip Fracture.....        | 12              | 0.0                 | 6.8  | ----- | 0.0     | 13.2 | ----- | 0.0      | 18.5 | ----- |
| Prostatectomy.....                         | 57              | 1.8                 | 1.2  | 1.5   | 3.5     | 2.3  | 2.2   | 3.5      | 3.8  | 2.9   |
| Cholecystectomy.....                       | 17              | 0.0                 | 2.4  | ----- | 0.0     | 3.5  | ----- | 0.0      | 4.2  | ----- |
| Hysterectomy.....                          | 6               | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ST ANTHONY HOSPITAL

Medicare Provider Number: 170003

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.5 years  
Proportion female..... 51.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 52.7 %  
Transferred from skilled nursing facility..... 2.5 %  
Admitted for elective procedure..... 71.2 %  
Admitted for emergency..... 9.0 %

### COMORBIDITIES:

Cancer..... 8.0 %  
Chronic cardiovascular disease..... 38.3 %  
Chronic liver disease..... 1.3 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 12.7 %  
Cerebrovascular degeneration..... 2.3 %  
Diabetes mellitus..... 6.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 54.2%  
State ..... 44.2%  
Outside State ..... 1.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1991

### PROFILE:

Total Beds ..... 99  
Ownership/Control..... Church  
Case Mix Index (CMI) ..... 1.1837

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 81  
Licensed Practical Nurses ..... 28

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... Yes  
Hospice Care ..... Yes  
Intensive Care Unit ..... Yes  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST CATHERINE HOSPITAL


4TH & WALNUT  
GARDEN CITY, KS 67846  
Medicare Provider Number: 170023

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 720             | 9.0                 | 8.9  | 1.2  | 13.5    | 13.8 | 1.4  | 18.5     | 17.5 | 1.8  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 18              | 27.8                | 30.7 | ---- | 33.3    | 33.9 | ---- | 33.3     | 36.7 | ---- |
| Congestive Heart Failure.....              | 40              | 20.0                | 14.9 | ---- | 25.0    | 23.4 | ---- | 32.5     | 29.7 | ---- |
| Pneumonia/Influenza.....                   | 30              | 3.3                 | 9.2  | ---- | 6.7     | 13.2 | ---- | 6.7      | 16.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 17              | 5.9                 | 9.2  | ---- | 11.8    | 15.5 | ---- | 17.6     | 20.4 | ---- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 22              | 31.8                | 22.4 | ---- | 40.9    | 31.8 | ---- | 45.5     | 36.2 | ---- |
| Hip Fracture.....                          | 46              | 4.3                 | 7.7  | ---- | 8.7     | 13.7 | ---- | 17.4     | 17.7 | ---- |
| Sepsis.....                                | 9               | 33.3                | 28.4 | ---- | 33.3    | 37.2 | ---- | 33.3     | 41.6 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 6               | 0.0                 | 2.6  | ---- | 0.0     | 5.7  | ---- | 16.7     | 9.2  | ---- |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 21              | 0.0                 | 5.7  | ---- | 0.0     | 10.6 | ---- | 9.5      | 14.1 | ---- |
| Open Reduction of Hip Fracture.....        | 26              | 7.7                 | 6.0  | ---- | 11.5    | 10.9 | ---- | 15.4     | 14.5 | ---- |
| Prostatectomy.....                         | 45              | 0.0                 | 0.6  | ---- | 2.2     | 1.6  | ---- | 2.2      | 2.9  | ---- |
| Cholecystectomy.....                       | 17              | 0.0                 | 2.0  | ---- | 0.0     | 3.7  | ---- | 0.0      | 5.1  | ---- |
| Hysterectomy.....                          | 9               | 0.0                 | 0.4  | ---- | 0.0     | 0.9  | ---- | 0.0      | 1.6  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# ST CATHERINE HOSPITAL

Medicare Provider Number: 170023

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.4 years  
Proportion female..... 51.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 38.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 41.8 %  
Admitted for emergency..... 18.5 %

### COMORBIDITIES:

Cancer..... 9.3 %  
Chronic cardiovascular disease..... 37.4 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 37.8 %  
Cerebrovascular degeneration..... 2.5 %  
Diabetes mellitus..... 7.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 49.2%  
State..... 45.7%  
Outside State..... 5.1%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.3 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 99  
Occupancy Rate..... 57.0 %  
Ownership/Control..... Church  
Medicare Discharges..... 26.3 %  
Case Mix Index (CMI)..... 1.3017

### STAFFING:

Total Number of Physicians..... 35  
Percent of Physicians Board  
Certified Specialists..... 77.1 %  
Medical Residents/Interns..... 1  
Registered Nurses..... 122  
Licensed Practical Nurses..... 6

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... Yes  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... Yes  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST FRANCIS HOSPITAL & MEDICAL CENTER


1700 W 7TH ST  
TOPEKA, KS 66606  
Medicare Provider Number: 170016

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 3356            | 9.8                 | 9.2  | 0.5   | 14.5    | 14.1 | 0.7   | 17.5     | 17.6 | 0.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 101             | 29.7                | 26.4 | 5.9   | 30.7    | 29.3 | 5.2   | 33.7     | 31.8 | 4.9   |
| Congestive Heart Failure.....              | 111             | 14.4                | 13.8 | 3.3   | 21.6    | 21.6 | 3.9   | 24.3     | 27.7 | 5.2   |
| Pneumonia/Influenza.....                   | 63              | 17.5                | 12.5 | 8.5   | 23.8    | 17.5 | 7.8   | 25.4     | 21.1 | 6.9   |
| Chronic Obstructive Pulmonary Disease..... | 35              | 2.9                 | 5.0  | ----- | 5.7     | 8.8  | ----- | 11.4     | 12.3 | ----- |
| Transient Cerebral Ischemia.....           | 32              | 3.1                 | 2.0  | ----- | 9.4     | 4.4  | ----- | 15.6     | 6.9  | ----- |
| Stroke.....                                | 99              | 24.2                | 22.0 | 4.6   | 30.3    | 28.3 | 4.8   | 32.3     | 32.1 | 5.1   |
| Hip Fracture.....                          | 137             | 4.4                 | 6.8  | 2.6   | 13.1    | 12.0 | 3.2   | 19.0     | 15.4 | 3.9   |
| Sepsis.....                                | 28              | 25.0                | 23.1 | ----- | 28.6    | 31.1 | ----- | 32.1     | 35.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 117             | 6.0                 | 3.4  | 3.2   | 6.8     | 4.3  | 3.9   | 7.7      | 5.2  | 4.5   |
| Coronary Artery Bypass Graft.....          | 83              | 7.2                 | 6.5  | 2.9   | 12.0    | 9.0  | 5.0   | 12.0     | 10.1 | 4.9   |
| Initial Pacemaker Insertion.....           | 32              | 9.4                 | 4.7  | ----- | 12.5    | 8.3  | ----- | 12.5     | 11.1 | ----- |
| Carotid Endarterectomy.....                | 31              | 0.0                 | 1.8  | ----- | 3.2     | 3.2  | ----- | 3.2      | 4.6  | ----- |
| Hip Replacement/Reconstruction.....        | 112             | 2.7                 | 3.2  | 1.8   | 7.1     | 5.8  | 2.5   | 9.8      | 7.6  | 3.1   |
| Open Reduction of Hip Fracture.....        | 76              | 1.3                 | 6.1  | 3.6   | 7.9     | 11.2 | 4.4   | 14.5     | 14.6 | 4.6   |
| Prostatectomy.....                         | 129             | 3.9                 | 1.0  | 2.0   | 5.4     | 2.3  | 2.4   | 6.2      | 3.9  | 2.2   |
| Cholecystectomy.....                       | 83              | 3.6                 | 2.3  | 2.0   | 4.8     | 4.2  | 2.3   | 7.2      | 5.7  | 3.1   |
| Hysterectomy.....                          | 37              | 0.0                 | 1.5  | ----- | 0.0     | 3.3  | ----- | 2.7      | 5.0  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ST FRANCIS HOSPITAL & MEDICAL CENTER

Medicare Provider Number: 170016

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.6 years  
Proportion female..... 56.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 46.1 %  
Transferred from skilled nursing facility..... 1.3 %  
Admitted for elective procedure..... 2.0 %  
Admitted for emergency..... 5.1 %

### COMORBIDITIES:

Cancer..... 9.0 %  
Chronic cardiovascular disease..... 38.7 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 3.0 %  
Chronic pulmonary disease..... 17.0 %  
Cerebrovascular degeneration..... 2.9 %  
Diabetes mellitus..... 7.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 62.0%  
State..... 36.1%  
Outside State..... 1.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 8.3 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 311  
Occupancy Rate..... 68.0 %  
Ownership/Control..... Church  
Medicare Discharges..... 44.7 %  
Case Mix Index (CMI)..... 1.5472

### STAFFING:

Total Number of Physicians..... 263  
Percent of Physicians Board  
Certified Specialists..... 75.7 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 356  
Licensed Practical Nurses..... 66

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... Yes  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... Yes  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST FRANCIS REGIONAL MEDICAL CENTER


929 N ST FRANCIS AVE  
WICHITA, KS 67214  
Medicare Provider Number: 170122

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 5117            | 8.4                 | 8.3  | 0.4   | 12.7    | 12.7 | 0.5   | 15.7     | 15.9 | 0.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 231             | 22.5                | 22.5 | 2.7   | 25.1    | 25.8 | 3.0   | 27.3     | 28.5 | 3.4   |
| Congestive Heart Failure.....              | 237             | 16.9                | 14.0 | 2.8   | 23.6    | 22.7 | 3.1   | 28.7     | 29.1 | 3.0   |
| Pneumonia/Influenza.....                   | 162             | 14.2                | 15.5 | 3.0   | 21.0    | 21.7 | 4.3   | 25.9     | 25.6 | 3.6   |
| Chronic Obstructive Pulmonary Disease..... | 45              | 13.3                | 6.9  | ----- | 17.8    | 12.4 | ----- | 31.1     | 16.6 | ----- |
| Transient Cerebral Ischemia.....           | 38              | 0.0                 | 1.6  | ----- | 5.3     | 3.6  | ----- | 5.3      | 5.8  | ----- |
| Stroke.....                                | 143             | 25.9                | 20.3 | 4.4   | 36.4    | 26.9 | 6.1   | 39.2     | 30.7 | 5.8   |
| Hip Fracture.....                          | 131             | 10.7                | 6.9  | 3.5   | 13.7    | 12.3 | 5.3   | 20.6     | 16.1 | 5.7   |
| Sepsis.....                                | 72              | 26.4                | 25.5 | 5.2   | 34.7    | 34.0 | 7.3   | 38.9     | 39.1 | 8.1   |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 254             | 3.9                 | 3.1  | 1.4   | 4.3     | 4.1  | 1.5   | 5.1      | 5.1  | 1.7   |
| Coronary Artery Bypass Graft.....          | 312             | 3.5                 | 5.4  | 1.9   | 5.8     | 7.8  | 2.7   | 6.4      | 8.8  | 2.6   |
| Initial Pacemaker Insertion.....           | 127             | 2.4                 | 2.7  | 1.5   | 6.3     | 5.6  | 2.1   | 9.4      | 8.3  | 2.6   |
| Carotid Endarterectomy.....                | 76              | 0.0                 | 1.7  | 2.3   | 0.0     | 3.2  | 3.9   | 2.6      | 4.7  | 3.3   |
| Hip Replacement/Reconstruction.....        | 143             | 4.9                 | 2.8  | 2.6   | 7.0     | 5.3  | 3.5   | 9.1      | 7.1  | 3.9   |
| Open Reduction of Hip Fracture.....        | 67              | 10.4                | 6.3  | 3.8   | 14.9    | 11.5 | 5.7   | 22.4     | 15.0 | 6.5   |
| Prostatectomy.....                         | 113             | 2.7                 | 1.2  | 1.9   | 4.4     | 2.7  | 2.5   | 5.3      | 4.4  | 2.3   |
| Cholecystectomy.....                       | 75              | 1.3                 | 3.1  | 3.2   | 5.3     | 5.9  | 3.9   | 9.3      | 8.1  | 4.3   |
| Hysterectomy.....                          | 36              | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# ST FRANCIS REGIONAL MEDICAL CENTER

Medicare Provider Number: 170122

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.7 years  
Proportion female..... 52.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 56.5 %  
Transferred from skilled nursing facility..... 1.4 %  
Admitted for elective procedure..... 37.1 %  
Admitted for emergency..... 27.5 %

### COMORBIDITIES:

Cancer..... 7.1 %  
Chronic cardiovascular disease..... 41.0 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 7.0 %  
Chronic pulmonary disease..... 10.3 %  
Cerebrovascular degeneration..... 3.5 %  
Diabetes mellitus..... 9.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 52.2%  
State..... 44.4%  
Outside State..... 3.4%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 9.0 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 640  
Occupancy Rate..... 72.0 %  
Ownership/Control..... Church  
Medicare Discharges..... 34.7 %  
Case Mix Index (CMI)..... 1.8134

### STAFFING:

Total Number of Physicians..... 344  
Percent of Physicians Board  
Certified Specialists..... 74.7 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 628  
Licensed Practical Nurses..... 133

### SPECIALTY SERVICES:

Burn Unit..... Yes  
Cardiac Intensive Care..... Yes  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... Yes  
Other Intensive Care..... No  
Trauma Center..... Yes

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric..... Yes  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates


**ST JOHN HOSPITAL**  
 3500 S 4TH  
 LEAVENWORTH, KS 66048  
 Medicare Provider Number: 170009

**FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 475                | 9.1                 | 9.9  | 1.6  | 14.9    | 15.3 | 1.8  | 20.2     | 19.1 | 2.1  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 10                 | 10.0                | 12.6 | ---- | 20.0    | 14.9 | ---- | 20.0     | 17.5 | ---- |
| Congestive Heart Failure.....              | 20                 | 5.0                 | 16.3 | ---- | 15.0    | 25.0 | ---- | 30.0     | 30.9 | ---- |
| Pneumonia/Influenza.....                   | 48                 | 12.5                | 16.8 | ---- | 18.8    | 23.9 | ---- | 27.1     | 27.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 11                 | 0.0                 | 6.8  | ---- | 0.0     | 12.2 | ---- | 9.1      | 16.8 | ---- |
| Transient Cerebral Ischemia.....           | 4                  | 0.0                 | 3.6  | ---- | 0.0     | 8.8  | ---- | 0.0      | 15.2 | ---- |
| Stroke.....                                | 18                 | 11.1                | 17.5 | ---- | 16.7    | 23.4 | ---- | 27.8     | 27.5 | ---- |
| Hip Fracture.....                          | 10                 | 10.0                | 5.2  | ---- | 20.0    | 9.7  | ---- | 20.0     | 13.0 | ---- |
| Sepsis.....                                | 5                  | 20.0                | 19.1 | ---- | 40.0    | 27.0 | ---- | 40.0     | 31.7 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 1                  | 0.0                 | 10.4 | ---- | 0.0     | 23.7 | ---- | 0.0      | 35.4 | ---- |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 7                  | 0.0                 | 3.7  | ---- | 14.3    | 7.0  | ---- | 14.3     | 9.7  | ---- |
| Open Reduction of Hip Fracture.....        | 6                  | 16.7                | 5.2  | ---- | 16.7    | 10.3 | ---- | 16.7     | 14.1 | ---- |
| Prostatectomy.....                         | 25                 | 0.0                 | 1.1  | ---- | 4.0     | 2.5  | ---- | 4.0      | 4.3  | ---- |
| Cholecystectomy.....                       | 8                  | 0.0                 | 7.4  | ---- | 0.0     | 13.2 | ---- | 12.5     | 16.6 | ---- |
| Hysterectomy.....                          | 5                  | 0.0                 | 0.8  | ---- | 0.0     | 1.4  | ---- | 0.0      | 2.2  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

**OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD)  
 FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**



**ST JOHN HOSPITAL**  
Medicare Provider Number: 170009

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 76.3 years  
Proportion female..... 63.6 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 49.5 %  
Transferred from skilled nursing facility..... 4.0 %  
Admitted for elective procedure..... 7.4 %  
Admitted for emergency..... 28.4 %

**COMORBIDITIES:**

Cancer..... 6.3 %  
Chronic cardiovascular disease..... 26.9 %  
Chronic liver disease..... 1.5 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 16.4 %  
Cerebrovascular degeneration..... 3.2 %  
Diabetes mellitus..... 5.9 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 81.6%  
State ..... 8.8%  
Outside State ..... 9.6%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 6.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 76  
Occupancy Rate ..... 42.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 34.5 %  
Case Mix Index (CMI) ..... 1.1682

**STAFFING:**

Total Number of Physicians..... 47  
Percent of Physicians Board  
Certified Specialists ..... 80.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 66  
Licensed Practical Nurses ..... 2

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST JOHN PRIMARY CARE HOSPITAL

609 E 1ST ST  
SAINT JOHN, KS 67576  
Medicare Provider Number: 170125

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 28                 | 7.1                 | 9.4  | ----- | 10.7    | 14.2 | ----- | 10.7     | 17.7 | ----- |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 1                  | 0.0                 | 9.6  | ----- | 0.0     | 15.2 | ----- | 0.0      | 20.1 | ----- |
| Pneumonia/Influenza.....                   | 4                  | 25.0                | 10.2 | ----- | 25.0    | 14.1 | ----- | 25.0     | 17.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 2.6  | ----- | 0.0     | 5.2  | ----- | 0.0      | 8.1  | ----- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Fracture.....                          | 1                  | 0.0                 | 3.9  | ----- | 0.0     | 8.5  | ----- | 0.0      | 12.4 | ----- |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# ST JOHN PRIMARY CARE HOSPITAL

Medicare Provider Number: 170125

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.3 years  
Proportion female..... 67.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 50.0 %  
Transferred from skilled nursing facility..... 7.1 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 3.6 %

### COMORBIDITIES:

Cancer..... 0.0 %  
Chronic cardiovascular disease..... 14.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 7.1 %  
Cerebrovascular degeneration..... 7.1 %  
Diabetes mellitus..... 0.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 85.7%  
State..... 14.3%  
Outside State..... 0.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.2 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 34  
Occupancy Rate..... 38.0 %  
Ownership/Control..... District/Authority  
Medicare Discharges..... 47.4 %  
Case Mix Index (CMI)..... 0.9109

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... (Not Available)  
Medical Residents/Interns..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST JOHNS HOSPITAL


139 N PENN ST  
SALINA, KS 67401  
Medicare Provider Number: 170011

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 949             | 9.4                 | 7.8  | 1.1  | 13.2    | 12.2 | 1.1  | 16.3     | 15.6 | 1.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 26              | 30.8                | 28.3 | ---- | 34.6    | 31.0 | ---- | 34.6     | 33.5 | ---- |
| Congestive Heart Failure.....              | 37              | 21.6                | 16.9 | ---- | 29.7    | 26.9 | ---- | 37.8     | 33.5 | ---- |
| Pneumonia/Influenza.....                   | 33              | 15.2                | 17.7 | ---- | 18.2    | 24.3 | ---- | 24.2     | 28.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 18              | 22.2                | 5.5  | ---- | 22.2    | 10.4 | ---- | 22.2     | 14.5 | ---- |
| Transient Cerebral Ischemia.....           | 14              | 0.0                 | 1.5  | ---- | 0.0     | 3.2  | ---- | 0.0      | 5.0  | ---- |
| Stroke.....                                | 25              | 16.0                | 18.7 | ---- | 24.0    | 23.9 | ---- | 28.0     | 27.4 | ---- |
| Hip Fracture.....                          | 58              | 5.2                 | 6.0  | 3.2  | 8.6     | 10.6 | 4.3  | 8.6      | 14.0 | 5.9  |
| Sepsis.....                                | 3               | 33.3                | 39.5 | ---- | 33.3    | 51.4 | ---- | 33.3     | 56.8 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 5               | 0.0                 | 3.3  | ---- | 0.0     | 6.8  | ---- | 0.0      | 10.0 | ---- |
| Carotid Endarterectomy.....                | 2               | 0.0                 | 1.4  | ---- | 0.0     | 2.6  | ---- | 50.0     | 3.8  | ---- |
| Hip Replacement/Reconstruction.....        | 43              | 2.3                 | 3.4  | ---- | 9.3     | 6.1  | ---- | 9.3      | 8.1  | ---- |
| Open Reduction of Hip Fracture.....        | 31              | 3.2                 | 5.3  | ---- | 3.2     | 9.8  | ---- | 3.2      | 13.3 | ---- |
| Prostatectomy.....                         | 53              | 0.0                 | 0.9  | 1.5  | 0.0     | 2.0  | 2.5  | 1.9      | 3.5  | 2.9  |
| Cholecystectomy.....                       | 42              | 9.5                 | 2.5  | ---- | 11.9    | 5.2  | ---- | 14.3     | 7.5  | ---- |
| Hysterectomy.....                          | 4               | 0.0                 | 0.1  | ---- | 0.0     | 0.3  | ---- | 0.0      | 0.6  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



**ST JOHNS HOSPITAL**  
Medicare Provider Number: 170011

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

|                                                |            |                                     |        |
|------------------------------------------------|------------|-------------------------------------|--------|
| <b>DEMOGRAPHICS:</b>                           |            | <b>COMORBIDITIES:</b>               |        |
| Average age at admission.....                  | 75.4 years | Cancer.....                         | 11.3 % |
| Proportion female.....                         | 56.2 %     | Chronic cardiovascular disease..... | 31.5 % |
| <b>ADMISSION SOURCES/TYPES:</b>                |            | Chronic liver disease.....          | 1.2 %  |
| Referred by personal or HMO physician.....     | 67.5 %     | Chronic renal disease.....          | 1.5 %  |
| Transferred from skilled nursing facility..... | 0.0 %      | Chronic pulmonary disease.....      | 14.9 % |
| Admitted for elective procedure.....           | 32.9 %     | Cerebrovascular degeneration.....   | 3.2 %  |
| Admitted for emergency.....                    | 33.5 %     | Diabetes mellitus.....              | 5.3 %  |

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

|                                              |        |                                         |          |
|----------------------------------------------|--------|-----------------------------------------|----------|
| <b>ORIGIN OF MEDICARE PATIENT ADMISSION:</b> |        | <b>MEDICARE AVERAGE LENGTH OF STAY:</b> |          |
| County/City.....                             | 55.3%  | Hospital .....                          | 7.4 Days |
| State .....                                  | 42.9%  | State .....                             | 7.3 Days |
| Outside State .....                          | 1.8%   | National .....                          | 8.6 Days |
| Total .....                                  | 100.0% |                                         |          |

**HOSPITAL CHARACTERISTICS\***

|                                                                    |        |                                                 |     |
|--------------------------------------------------------------------|--------|-------------------------------------------------|-----|
| <b>SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990</b> |        |                                                 |     |
| <b>PROFILE:</b>                                                    |        | <b>SPECIALTY SERVICES:</b>                      |     |
| Total Beds .....                                                   | 169    | Burn Unit .....                                 | No  |
| Occupancy Rate .....                                               | 47.0 % | Cardiac Intensive Care .....                    | No  |
| Ownership/Control.....                                             | Church | Comprehensive Geriatric .....                   | No  |
| Medicare Discharges .....                                          | 45.7 % | Hospice Care .....                              | Yes |
| Case Mix Index (CMI) .....                                         | 1.3185 | Medical/Surgical Intensive Care .....           | Yes |
| <b>STAFFING:</b>                                                   |        | Organ/Tissue Transplant .....                   | No  |
| Total Number of Physicians.....                                    | 98     | Other Intensive Care .....                      | No  |
| Percent of Physicians Board<br>Certified Specialists.....          | 79.6 % | Trauma Center .....                             | No  |
| Medical Residents/Interns .....                                    | 0      | <b>OTHER SPECIALTY/HOSPITAL-BASED SERVICES:</b> |     |
| Registered Nurses.....                                             | 110    | Alcohol/Drug.....                               | Yes |
| Licensed Practical Nurses .....                                    | 17     | Rehabilitation.....                             | No  |
|                                                                    |        | Psychiatric .....                               | No  |
|                                                                    |        | Medicare Swing Beds .....                       | Yes |

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST JOSEPH HOSPITAL


1100 HIGHLAND DR  
CONCORDIA, KS 66901  
Medicare Provider Number: 170095

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 494             | 11.7                | 11.8 | 1.5   | 18.2    | 17.2 | 2.0   | 21.3     | 20.9 | 1.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 14              | 28.6                | 37.2 | ----- | 42.9    | 40.7 | ----- | 57.1     | 43.6 | ----- |
| Congestive Heart Failure.....              | 27              | 22.2                | 17.0 | ----- | 25.9    | 25.9 | ----- | 29.6     | 32.5 | ----- |
| Pneumonia/Influenza.....                   | 46              | 21.7                | 17.8 | ----- | 30.4    | 23.5 | ----- | 37.0     | 27.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 14              | 0.0                 | 6.6  | ----- | 14.3    | 13.1 | ----- | 14.3     | 18.7 | ----- |
| Transient Cerebral Ischemia.....           | 12              | 0.0                 | 2.1  | ----- | 0.0     | 5.0  | ----- | 0.0      | 8.3  | ----- |
| Stroke.....                                | 20              | 15.0                | 24.0 | ----- | 15.0    | 30.1 | ----- | 25.0     | 34.3 | ----- |
| Hip Fracture.....                          | 17              | 23.5                | 10.0 | ----- | 35.3    | 16.9 | ----- | 35.3     | 21.1 | ----- |
| Sepsis.....                                | 6               | 0.0                 | 29.4 | ----- | 0.0     | 35.8 | ----- | 0.0      | 39.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 6               | 0.0                 | 4.1  | ----- | 0.0     | 7.2  | ----- | 16.7     | 9.9  | ----- |
| Carotid Endarterectomy.....                | 1               | 0.0                 | 1.1  | ----- | 0.0     | 2.2  | ----- | 0.0      | 3.7  | ----- |
| Hip Replacement/Reconstruction.....        | 5               | 20.0                | 8.4  | ----- | 20.0    | 14.5 | ----- | 20.0     | 18.3 | ----- |
| Open Reduction of Hip Fracture.....        | 10              | 30.0                | 9.2  | ----- | 30.0    | 15.8 | ----- | 30.0     | 19.7 | ----- |
| Prostatectomy.....                         | 19              | 0.0                 | 0.7  | ----- | 0.0     | 1.5  | ----- | 0.0      | 2.6  | ----- |
| Cholecystectomy.....                       | 9               | 22.2                | 7.6  | ----- | 22.2    | 14.0 | ----- | 22.2     | 17.9 | ----- |
| Hysterectomy.....                          | 5               | 0.0                 | 0.6  | ----- | 0.0     | 1.4  | ----- | 0.0      | 2.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





**ST JOSEPH HOSPITAL**  
Medicare Provider Number: 170095

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 78.7 years  
Proportion female..... 64.0 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 27.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 12.1 %  
Admitted for emergency..... 18.8 %

**COMORBIDITIES:**

Cancer..... 6.5 %  
Chronic cardiovascular disease..... 44.5 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 4.9 %  
Chronic pulmonary disease..... 16.2 %  
Cerebrovascular degeneration..... 5.7 %  
Diabetes mellitus..... 4.0 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 76.7%  
State ..... 20.6%  
Outside State ..... 2.7%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 6.4 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 53  
Occupancy Rate ..... 56.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 61.2 %  
Case Mix Index (CMI) ..... 1.1532

**STAFFING:**

Total Number of Physicians..... 14  
Percent of Physicians Board  
Certified Specialists..... 57.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 60  
Licensed Practical Nurses..... 11

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... Yes  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST JOSEPH MEDICAL CENTER


3600 E HARRY  
WICHITA, KS 67218  
Medicare Provider Number: 170087

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 3160            | 8.4                 | 8.1  | 0.5   | 12.5    | 12.3 | 0.6   | 15.2     | 15.5 | 0.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 113             | 26.5                | 26.1 | 4.2   | 30.1    | 28.8 | 4.5   | 31.9     | 31.3 | 4.4   |
| Congestive Heart Failure.....              | 169             | 18.3                | 14.5 | 4.8   | 28.4    | 23.1 | 4.1   | 33.1     | 29.4 | 4.2   |
| Pneumonia/Influenza.....                   | 115             | 9.6                 | 13.4 | 6.5   | 13.9    | 18.3 | 6.3   | 19.1     | 21.5 | 6.4   |
| Chronic Obstructive Pulmonary Disease..... | 61              | 11.5                | 7.4  | 5.3   | 14.8    | 12.8 | 5.0   | 14.8     | 17.1 | 6.2   |
| Transient Cerebral Ischemia.....           | 51              | 2.0                 | 1.7  | 2.2   | 2.0     | 3.8  | 3.3   | 2.0      | 6.3  | 4.9   |
| Stroke.....                                | 92              | 14.1                | 18.4 | 5.4   | 22.8    | 24.6 | 4.8   | 27.2     | 28.4 | 4.8   |
| Hip Fracture.....                          | 75              | 8.0                 | 6.9  | 3.7   | 12.0    | 12.2 | 3.8   | 13.3     | 15.8 | 4.5   |
| Sepsis.....                                | 26              | 15.4                | 23.5 | ----- | 26.9    | 30.5 | ----- | 34.6     | 34.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 45              | 0.0                 | 3.3  | ----- | 2.2     | 4.2  | ----- | 4.4      | 5.2  | ----- |
| Coronary Artery Bypass Graft.....          | 75              | 6.7                 | 6.4  | 3.0   | 10.7    | 8.8  | 3.8   | 10.7     | 9.8  | 3.9   |
| Initial Pacemaker Insertion.....           | 24              | 0.0                 | 4.6  | ----- | 4.2     | 8.4  | ----- | 12.5     | 11.3 | ----- |
| Carotid Endarterectomy.....                | 52              | 0.0                 | 1.4  | 2.3   | 1.9     | 2.7  | 2.6   | 1.9      | 4.1  | 4.2   |
| Hip Replacement/Reconstruction.....        | 53              | 1.9                 | 3.0  | 2.8   | 3.8     | 5.6  | 3.5   | 3.8      | 7.5  | 4.8   |
| Open Reduction of Hip Fracture.....        | 46              | 6.5                 | 6.3  | ----- | 10.9    | 11.5 | ----- | 13.0     | 15.1 | ----- |
| Prostatectomy.....                         | 116             | 1.7                 | 0.8  | 1.1   | 4.3     | 1.9  | 2.4   | 5.2      | 3.3  | 2.3   |
| Cholecystectomy.....                       | 72              | 8.3                 | 3.3  | 3.8   | 9.7     | 5.5  | 4.8   | 12.5     | 7.1  | 5.0   |
| Hysterectomy.....                          | 19              | 5.3                 | 2.1  | ----- | 5.3     | 4.5  | ----- | 10.5     | 6.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ST JOSEPH MEDICAL CENTER

Medicare Provider Number: 170087

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.7 years  
Proportion female..... 56.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 49.3 %  
Transferred from skilled nursing facility..... 0.2 %  
Admitted for elective procedure..... 22.7 %  
Admitted for emergency..... 40.3 %

### COMORBIDITIES:

Cancer..... 5.9 %  
Chronic cardiovascular disease..... 37.2 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 2.6 %  
Chronic pulmonary disease..... 18.3 %  
Cerebrovascular degeneration..... 5.1 %  
Diabetes mellitus..... 10.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 72.5%  
State ..... 24.2%  
Outside State ..... 3.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.1 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 506  
Occupancy Rate ..... 68.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 33.5 %  
Case Mix Index (CMI) ..... 1.3900

### STAFFING:

Total Number of Physicians..... 287  
Percent of Physicians Board  
Certified Specialists ..... 77.4 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 559  
Licensed Practical Nurses ..... 81

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... Yes

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates


**ST LUKE HOSPITAL**  
1014 E MELVIN  
MARION, KS 66861  
Medicare Provider Number: 170025

**FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 218             | 11.0                | 9.6  | 2.8   | 15.6    | 14.5 | 2.6   | 20.2     | 18.1 | 3.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 5               | 40.0                | 24.8 | ----- | 40.0    | 27.3 | ----- | 40.0     | 29.8 | ----- |
| Congestive Heart Failure.....              | 15              | 26.7                | 14.7 | ----- | 33.3    | 22.5 | ----- | 46.7     | 29.4 | ----- |
| Pneumonia/Influenza.....                   | 19              | 15.8                | 12.5 | ----- | 21.1    | 17.7 | ----- | 21.1     | 21.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 6               | 16.7                | 6.3  | ----- | 16.7    | 11.8 | ----- | 16.7     | 15.7 | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 1.3  | ----- | 0.0     | 2.8  | ----- | 0.0      | 4.2  | ----- |
| Stroke.....                                | 14              | 21.4                | 20.0 | ----- | 28.6    | 27.6 | ----- | 35.7     | 31.4 | ----- |
| Hip Fracture.....                          | 7               | 0.0                 | 4.8  | ----- | 0.0     | 9.0  | ----- | 0.0      | 12.7 | ----- |
| Sepsis.....                                | 4               | 0.0                 | 32.3 | ----- | 0.0     | 37.0 | ----- | 0.0      | 41.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 2               | 0.0                 | 1.9  | ----- | 0.0     | 3.6  | ----- | 50.0     | 5.5  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 4               | 0.0                 | 3.7  | ----- | 0.0     | 6.5  | ----- | 0.0      | 9.0  | ----- |
| Open Reduction of Hip Fracture.....        | 3               | 0.0                 | 4.2  | ----- | 0.0     | 8.6  | ----- | 0.0      | 12.8 | ----- |
| Prostatectomy.....                         | 3               | 0.0                 | 0.5  | ----- | 0.0     | 1.4  | ----- | 0.0      | 2.7  | ----- |
| Cholecystectomy.....                       | 6               | 0.0                 | 2.1  | ----- | 0.0     | 3.3  | ----- | 0.0      | 4.2  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

**OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$  SD)  
FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**





**ST LUKE HOSPITAL**  
Medicare Provider Number: 170025

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 77.6 years  
Proportion female..... 55.0 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 40.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 10.1 %  
Admitted for emergency..... 3.2 %

**COMORBIDITIES:**

Cancer..... 3.7 %  
Chronic cardiovascular disease..... 30.3 %  
Chronic liver disease..... 0.9 %  
Chronic renal disease..... 2.8 %  
Chronic pulmonary disease..... 14.7 %  
Cerebrovascular degeneration..... 9.2 %  
Diabetes mellitus..... 7.3 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 81.4%  
State ..... 16.1%  
Outside State ..... 2.5%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 4.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 25  
Occupancy Rate ..... 32.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 61.5 %  
Case Mix Index (CMI) ..... 1.1704

**STAFFING:**

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 75.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses ..... 5

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates


**ST LUKES HOSPITAL**  
 1323 NORTH A STREET  
 WELLINGTON, KS 67152  
 Medicare Provider Number: 170039

**FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 302             | 9.6                 | 8.0  | 2.6   | 14.2    | 12.7 | 2.7   | 18.5     | 16.1 | 3.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 20.0                | 23.8 | ----- | 20.0    | 27.2 | ----- | 30.0     | 30.5 | ----- |
| Congestive Heart Failure.....              | 15              | 13.3                | 12.5 | ----- | 20.0    | 20.6 | ----- | 26.7     | 27.2 | ----- |
| Pneumonia/Influenza.....                   | 5               | 20.0                | 10.0 | ----- | 20.0    | 14.1 | ----- | 20.0     | 17.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 4.8  | ----- | 0.0     | 10.0 | ----- | 0.0      | 14.0 | ----- |
| Transient Cerebral Ischemia.....           | 9               | 11.1                | 1.5  | ----- | 22.2    | 3.8  | ----- | 22.2     | 6.9  | ----- |
| Stroke.....                                | 19              | 26.3                | 15.6 | ----- | 31.6    | 21.2 | ----- | 36.8     | 25.2 | ----- |
| Hip Fracture.....                          | 6               | 0.0                 | 5.7  | ----- | 0.0     | 10.1 | ----- | 33.3     | 13.1 | ----- |
| Sepsis.....                                | 4               | 0.0                 | 20.1 | ----- | 50.0    | 29.2 | ----- | 50.0     | 35.3 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 5               | 0.0                 | 2.0  | ----- | 0.0     | 3.6  | ----- | 0.0      | 5.0  | ----- |
| Open Reduction of Hip Fracture.....        | 3               | 0.0                 | 6.5  | ----- | 0.0     | 11.9 | ----- | 33.3     | 15.5 | ----- |
| Prostatectomy.....                         | 10              | 0.0                 | 0.9  | ----- | 0.0     | 2.0  | ----- | 0.0      | 3.4  | ----- |
| Cholecystectomy.....                       | 2               | 0.0                 | 0.6  | ----- | 0.0     | 1.1  | ----- | 0.0      | 1.5  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

**OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$  SD)  
 FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**



**ST LUKES HOSPITAL**  
Medicare Provider Number: 170039

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 78.4 years  
Proportion female..... 59.3 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 45.4 %  
Transferred from skilled nursing facility..... 0.3 %  
Admitted for elective procedure..... 67.9 %  
Admitted for emergency..... 2.3 %

**COMORBIDITIES:**

Cancer..... 5.6 %  
Chronic cardiovascular disease..... 31.1 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 3.0 %  
Chronic pulmonary disease..... 13.2 %  
Cerebrovascular degeneration..... 3.0 %  
Diabetes mellitus..... 6.0 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City..... 82.0%  
State..... 14.1%  
Outside State..... 3.9%  
Total..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital..... 4.6 Days  
State..... 7.3 Days  
National..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds..... 80  
Occupancy Rate..... 40.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 48.3 %  
Case Mix Index (CMI)..... 1.0629

**STAFFING:**

Total Number of Physicians..... 10  
Percent of Physicians Board  
Certified Specialists..... 70.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 17  
Licensed Practical Nurses..... 7

**SPECIALTY SERVICES:**

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST MARYS HEALTH CENTER OF EMPORIA


15TH & STATE STS  
EMPORIA, KS 66801  
Medicare Provider Number: 170007

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 284             | 9.2                 | 7.6  | 1.9   | 15.1    | 11.8 | 2.4   | 19.4     | 15.1 | 2.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11              | 36.4                | 28.1 | ----- | 45.5    | 31.3 | ----- | 54.5     | 34.7 | ----- |
| Congestive Heart Failure.....              | 10              | 10.0                | 16.9 | ----- | 20.0    | 26.8 | ----- | 40.0     | 33.9 | ----- |
| Pneumonia/Influenza.....                   | 28              | 14.3                | 13.9 | ----- | 21.4    | 19.2 | ----- | 32.1     | 23.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 13.3 | ----- | 0.0     | 22.4 | ----- | 0.0      | 28.6 | ----- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 4.5  | ----- | 0.0     | 11.2 | ----- | 0.0      | 18.6 | ----- |
| Stroke.....                                | 5               | 0.0                 | 15.6 | ----- | 0.0     | 22.2 | ----- | 20.0     | 26.5 | ----- |
| Hip Fracture.....                          | 13              | 7.7                 | 4.3  | ----- | 15.4    | 8.0  | ----- | 15.4     | 10.9 | ----- |
| Sepsis.....                                | 1               | 100.0               | 28.0 | ----- | 100.0   | 45.5 | ----- | 100.0    | 53.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 1               | 0.0                 | 1.8  | ----- | 0.0     | 3.1  | ----- | 0.0      | 4.4  | ----- |
| Carotid Endarterectomy.....                | 2               | 0.0                 | 1.3  | ----- | 0.0     | 2.6  | ----- | 0.0      | 3.7  | ----- |
| Hip Replacement/Reconstruction.....        | 10              | 10.0                | 3.4  | ----- | 20.0    | 6.8  | ----- | 20.0     | 9.8  | ----- |
| Open Reduction of Hip Fracture.....        | 5               | 20.0                | 3.9  | ----- | 20.0    | 7.4  | ----- | 20.0     | 10.0 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 4               | 0.0                 | 1.2  | ----- | 0.0     | 2.1  | ----- | 0.0      | 2.7  | ----- |
| Hysterectomy.....                          | 2               | 0.0                 | 0.0  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# ST MARYS HEALTH CENTER OF EMPORIA

Medicare Provider Number: 170007

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 78.3 years |
| Proportion female.....        | 64.8 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 86.6 % |
| Transferred from skilled nursing facility..... | 1.4 %  |
| Admitted for elective procedure.....           | 58.5 % |
| Admitted for emergency.....                    | 32.7 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 4.6 %  |
| Chronic cardiovascular disease..... | 34.2 % |
| Chronic liver disease.....          | 0.4 %  |
| Chronic renal disease.....          | 1.8 %  |
| Chronic pulmonary disease.....      | 11.6 % |
| Cerebrovascular degeneration.....   | 8.1 %  |
| Diabetes mellitus.....              | 4.2 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 69.2%  |
| State .....         | 30.1%  |
| Outside State ..... | 0.7%   |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 7.4 Days |
| State .....    | 7.3 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |        |
|----------------------------|--------|
| Total Beds .....           | 50     |
| Occupancy Rate .....       | 29.0 % |
| Ownership/Control.....     | Church |
| Medicare Discharges .....  | 58.2 % |
| Case Mix Index (CMI) ..... | 1.2084 |

### STAFFING:

|                                                            |        |
|------------------------------------------------------------|--------|
| Total Number of Physicians.....                            | 27     |
| Percent of Physicians Board<br>Certified Specialists ..... | 81.5 % |
| Medical Residents/Interns .....                            | 0      |
| Registered Nurses.....                                     | 38     |
| Licensed Practical Nurses .....                            | 17     |

### SPECIALTY SERVICES:

|                                       |     |
|---------------------------------------|-----|
| Burn Unit .....                       | No  |
| Cardiac Intensive Care .....          | No  |
| Comprehensive Geriatric .....         | No  |
| Hospice Care .....                    | No  |
| Medical/Surgical Intensive Care ..... | Yes |
| Organ/Tissue Transplant .....         | No  |
| Other Intensive Care .....            | No  |
| Trauma Center .....                   | No  |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |     |
|---------------------------|-----|
| Alcohol/Drug .....        | Yes |
| Rehabilitation.....       | No  |
| Psychiatric .....         | No  |
| Medicare Swing Beds ..... | Yes |

\*\* Except for CMI

\* Not used in calculating mortality rates


**ST MARYS HOSPITAL**  
1823 COLLEGE AVE  
MANHATTAN, KS 66502  
Medicare Provider Number: 170142

**FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 806                | 6.9                 | 7.1  | 1.0   | 10.2    | 10.9 | 1.4   | 13.0     | 13.8 | 1.3   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 21                 | 19.0                | 24.2 | ----- | 19.0    | 28.2 | ----- | 28.6     | 31.1 | ----- |
| Congestive Heart Failure.....              | 22                 | 22.7                | 14.6 | ----- | 40.9    | 23.6 | ----- | 45.5     | 30.5 | ----- |
| Pneumonia/Influenza.....                   | 48                 | 10.4                | 16.6 | ----- | 12.5    | 22.6 | ----- | 16.7     | 26.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 20.0                | 5.4  | ----- | 40.0    | 11.3 | ----- | 60.0     | 16.7 | ----- |
| Transient Cerebral Ischemia.....           | 14                 | 0.0                 | 2.1  | ----- | 0.0     | 4.8  | ----- | 0.0      | 7.5  | ----- |
| Stroke.....                                | 29                 | 13.8                | 19.0 | ----- | 17.2    | 26.1 | ----- | 24.1     | 30.1 | ----- |
| Hip Fracture.....                          | 47                 | 4.3                 | 6.1  | ----- | 4.3     | 10.9 | ----- | 8.5      | 14.2 | ----- |
| Sepsis.....                                | 4                  | 25.0                | 6.1  | ----- | 25.0    | 9.7  | ----- | 25.0     | 12.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 9                  | 0.0                 | 1.2  | ----- | 0.0     | 2.4  | ----- | 11.1     | 3.7  | ----- |
| Hip Replacement/Reconstruction.....        | 37                 | 2.7                 | 2.5  | ----- | 2.7     | 4.5  | ----- | 2.7      | 6.1  | ----- |
| Open Reduction of Hip Fracture.....        | 4                  | 0.0                 | 5.3  | ----- | 0.0     | 8.6  | ----- | 25.0     | 10.9 | ----- |
| Prostatectomy.....                         | 68                 | 0.0                 | 0.7  | 1.2   | 0.0     | 1.6  | 2.1   | 1.5      | 2.8  | 2.3   |
| Cholecystectomy.....                       | 19                 | 0.0                 | 2.0  | ----- | 0.0     | 3.5  | ----- | 0.0      | 4.8  | ----- |
| Hysterectomy.....                          | 11                 | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

**OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD)  
FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**



**ST MARYS HOSPITAL**  
Medicare Provider Number: 170142

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 76.0 years  
Proportion female..... 56.7 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 57.9 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 49.3 %  
Admitted for emergency..... 35.7 %

**COMORBIDITIES:**

Cancer..... 7.3 %  
Chronic cardiovascular disease..... 33.6 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 0.5 %  
Chronic pulmonary disease..... 11.9 %  
Cerebrovascular degeneration..... 4.5 %  
Diabetes mellitus..... 6.9 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 66.0%  
State ..... 30.4%  
Outside State ..... 3.6%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 7.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 85  
Occupancy Rate ..... 51.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 40.0 %  
Case Mix Index (CMI) ..... 1.2086

**STAFFING:**

Total Number of Physicians..... 58  
Percent of Physicians Board  
Certified Specialists ..... 75.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 125  
Licensed Practical Nurses ..... 14

\*\* Except for CMI

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... Yes

\* Not used in calculating mortality rates

# STANTON COUNTY HOSPITAL

404 NORTH CHESTNUT  
JOHNSON, KS 67855  
Medicare Provider Number: 170117

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 48                 | 12.5                | 10.5 | ---- | 20.8    | 16.2 | ---- | 20.8     | 20.3 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 1                  | 100.0               | 14.0 | ---- | 100.0   | 19.8 | ---- | 100.0    | 23.7 | ---- |
| Congestive Heart Failure.....              | 0                  |                     |      |      |         |      |      |          |      |      |
| Pneumonia/Influenza.....                   | 11                 | 18.2                | 21.6 | ---- | 27.3    | 30.2 | ---- | 27.3     | 35.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 2.3  | ---- | 0.0     | 5.0  | ---- | 0.0      | 8.0  | ---- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 2                  | 50.0                | 13.4 | ---- | 50.0    | 18.7 | ---- | 50.0     | 22.7 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# STANTON COUNTY HOSPITAL

Medicare Provider Number: 170117

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 78.1 years |
| Proportion female.....        | 64.6 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 70.8 % |
| Transferred from skilled nursing facility..... | 0.0 %  |
| Admitted for elective procedure.....           | 93.8 % |
| Admitted for emergency.....                    | 0.0 %  |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 10.4 % |
| Chronic cardiovascular disease..... | 35.4 % |
| Chronic liver disease.....          | 0.0 %  |
| Chronic renal disease.....          | 8.3 %  |
| Chronic pulmonary disease.....      | 31.3 % |
| Cerebrovascular degeneration.....   | 2.1 %  |
| Diabetes mellitus.....              | 10.4 % |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 66.3%  |
| State .....         | 7.0%   |
| Outside State ..... | 26.7%  |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 5.5 Days |
| State .....    | 7.3 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |                  |
|----------------------------|------------------|
| Total Beds .....           | 46               |
| Occupancy Rate .....       | 58.0 %           |
| Ownership/Control.....     | Local Government |
| Medicare Discharges .....  | 27.6 %           |
| Case Mix Index (CMI) ..... | 0.9845           |

### STAFFING:

|                                                            |                 |
|------------------------------------------------------------|-----------------|
| Total Number of Physicians.....                            | 3               |
| Percent of Physicians Board<br>Certified Specialists ..... | (Not Available) |
| Medical Residents/Interns .....                            | 0               |
| Registered Nurses.....                                     | 7               |
| Licensed Practical Nurses .....                            | 3               |

### SPECIALTY SERVICES:

|                                       |     |
|---------------------------------------|-----|
| Burn Unit .....                       | No  |
| Cardiac Intensive Care .....          | No  |
| Comprehensive Geriatric .....         | Yes |
| Hospice Care .....                    | No  |
| Medical/Surgical Intensive Care ..... | No  |
| Organ/Tissue Transplant .....         | No  |
| Other Intensive Care .....            | No  |
| Trauma Center .....                   | No  |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |     |
|---------------------------|-----|
| Alcohol/Drug .....        | No  |
| Rehabilitation.....       | No  |
| Psychiatric .....         | No  |
| Medicare Swing Beds ..... | Yes |

\*\* Except for CMI

\* Not used in calculating mortality rates

# STEVENS COUNTY HOSPITAL


1006 S JACKSON  
HUGOTON, KS 67951  
Medicare Provider Number: 170089

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 76              | 13.2                | 7.8  | 4.8  | 19.7    | 11.8 | 5.4  | 25.0     | 15.0 | 6.2  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2               | 100.0               | 37.3 | ---- | 100.0   | 43.9 | ---- | 100.0    | 46.9 | ---- |
| Congestive Heart Failure.....              | 2               | 50.0                | 11.8 | ---- | 50.0    | 17.3 | ---- | 50.0     | 21.7 | ---- |
| Pneumonia/Influenza.....                   | 14              | 21.4                | 11.9 | ---- | 28.6    | 16.3 | ---- | 28.6     | 19.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 2.9  | ---- | 0.0     | 6.1  | ---- | 0.0      | 9.1  | ---- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 7.6  | ---- | 0.0     | 19.9 | ---- | 100.0    | 34.9 | ---- |
| Stroke.....                                | 5               | 20.0                | 12.1 | ---- | 40.0    | 16.2 | ---- | 60.0     | 19.2 | ---- |
| Hip Fracture.....                          | 2               | 0.0                 | 7.3  | ---- | 0.0     | 12.9 | ---- | 0.0      | 16.8 | ---- |
| Sepsis.....                                | 1               | 0.0                 | 14.4 | ---- | 0.0     | 22.8 | ---- | 100.0    | 29.0 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 1               | 0.0                 | 1.7  | ---- | 0.0     | 2.8  | ---- | 0.0      | 3.8  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# STEVENS COUNTY HOSPITAL

Medicare Provider Number: 170089

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
Proportion female..... 50.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 50.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 64.5 %  
Admitted for emergency..... 32.9 %

### COMORBIDITIES:

Cancer..... 5.3 %  
Chronic cardiovascular disease..... 27.6 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.9 %  
Chronic pulmonary disease..... 27.6 %  
Cerebrovascular degeneration..... 1.3 %  
Diabetes mellitus..... 0.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 79.7%  
State..... 15.2%  
Outside State..... 5.1%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.8 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 17  
Occupancy Rate..... 23.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 47.7 %  
Case Mix Index (CMI)..... 0.9872

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses..... 3

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# STORMONT VAIL REGIONAL MEDICAL CENTER


1500 SW 10TH ST  
TOPEKA, KS 66604  
Medicare Provider Number: 170086

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 2759            | 8.6                 | 8.1  | 0.7  | 12.6    | 12.3 | 0.7  | 15.4     | 15.2 | 0.7  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 105             | 19.0                | 26.5 | 6.7  | 23.8    | 29.4 | 6.5  | 24.8     | 31.8 | 6.5  |
| Congestive Heart Failure.....              | 126             | 19.8                | 14.4 | 5.1  | 27.0    | 22.5 | 5.4  | 35.7     | 28.4 | 5.7  |
| Pneumonia/Influenza.....                   | 91              | 16.5                | 15.0 | 4.1  | 25.3    | 20.6 | 6.6  | 29.7     | 24.4 | 7.7  |
| Chronic Obstructive Pulmonary Disease..... | 18              | 5.6                 | 7.9  | ---- | 22.2    | 13.4 | ---- | 27.8     | 17.6 | ---- |
| Transient Cerebral Ischemia.....           | 26              | 3.8                 | 1.6  | ---- | 15.4    | 3.7  | ---- | 15.4     | 6.2  | ---- |
| Stroke.....                                | 104             | 21.2                | 20.7 | 4.8  | 24.0    | 28.2 | 7.0  | 29.8     | 32.3 | 7.3  |
| Hip Fracture.....                          | 120             | 5.8                 | 6.3  | 2.3  | 10.8    | 11.5 | 3.2  | 15.8     | 15.2 | 3.7  |
| Sepsis.....                                | 22              | 18.2                | 20.0 | ---- | 22.7    | 26.4 | ---- | 22.7     | 30.8 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 92              | 3.3                 | 3.5  | 2.0  | 4.3     | 4.6  | 2.5  | 5.4      | 5.7  | 2.9  |
| Coronary Artery Bypass Graft.....          | 82              | 7.3                 | 6.4  | 3.0  | 9.8     | 8.7  | 3.2  | 11.0     | 9.6  | 3.5  |
| Initial Pacemaker Insertion.....           | 29              | 6.9                 | 3.2  | ---- | 10.3    | 6.0  | ---- | 10.3     | 8.5  | ---- |
| Carotid Endarterectomy.....                | 38              | 2.6                 | 1.9  | ---- | 2.6     | 3.5  | ---- | 2.6      | 5.1  | ---- |
| Hip Replacement/Reconstruction.....        | 123             | 2.4                 | 2.5  | 1.5  | 3.3     | 4.7  | 2.2  | 6.5      | 6.4  | 2.5  |
| Open Reduction of Hip Fracture.....        | 69              | 4.3                 | 5.9  | 3.2  | 8.7     | 11.1 | 4.3  | 13.0     | 14.7 | 4.6  |
| Prostatectomy.....                         | 137             | 0.7                 | 1.0  | 0.9  | 2.2     | 2.4  | 1.6  | 2.2      | 4.1  | 2.2  |
| Cholecystectomy.....                       | 55              | 0.0                 | 2.4  | ---- | 0.0     | 4.3  | ---- | 0.0      | 5.5  | ---- |
| Hysterectomy.....                          | 28              | 0.0                 | 0.5  | ---- | 0.0     | 1.1  | ---- | 7.1      | 1.8  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# STORMONT VAIL REGIONAL MEDICAL CENTER

Medicare Provider Number: 170086

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.0 years  
Proportion female..... 56.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 19.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 19.8 %  
Admitted for emergency..... 24.8 %

### COMORBIDITIES:

Cancer..... 6.3 %  
Chronic cardiovascular disease..... 37.9 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 1.1 %  
Chronic pulmonary disease..... 14.0 %  
Cerebrovascular degeneration..... 5.3 %  
Diabetes mellitus..... 5.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 61.3%  
State ..... 36.5%  
Outside State ..... 2.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 350  
Occupancy Rate ..... 61.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 32.9 %  
Case Mix Index (CMI) ..... 1.5737

### STAFFING:

Total Number of Physicians..... 214  
Percent of Physicians Board  
Certified Specialists..... 84.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 413  
Licensed Practical Nurses ..... 55

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# SUSAN B ALLEN MEMORIAL HOSPITAL


720 W CENTRAL ST  
EL DORADO, KS 67042  
Medicare Provider Number: 170017

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 523                | 9.6                 | 8.4  | 1.8   | 15.1    | 12.5 | 2.7   | 18.0     | 15.5 | 3.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 19                 | 10.5                | 27.8 | ----- | 15.8    | 31.0 | ----- | 21.1     | 33.5 | ----- |
| Congestive Heart Failure.....              | 33                 | 21.2                | 15.7 | ----- | 36.4    | 24.6 | ----- | 42.4     | 31.4 | ----- |
| Pneumonia/Influenza.....                   | 29                 | 31.0                | 15.0 | ----- | 34.5    | 20.6 | ----- | 37.9     | 24.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 6                  | 0.0                 | 6.5  | ----- | 0.0     | 11.3 | ----- | 0.0      | 15.1 | ----- |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 1.8  | ----- | 0.0     | 4.2  | ----- | 0.0      | 6.7  | ----- |
| Stroke.....                                | 22                 | 18.2                | 18.7 | ----- | 27.3    | 24.5 | ----- | 27.3     | 28.3 | ----- |
| Hip Fracture.....                          | 17                 | 11.8                | 6.7  | ----- | 11.8    | 11.7 | ----- | 11.8     | 15.2 | ----- |
| Sepsis.....                                | 8                  | 25.0                | 30.0 | ----- | 37.5    | 38.1 | ----- | 37.5     | 43.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 22                 | 9.1                 | 3.1  | ----- | 9.1     | 5.5  | ----- | 9.1      | 7.2  | ----- |
| Open Reduction of Hip Fracture.....        | 8                  | 0.0                 | 4.8  | ----- | 0.0     | 8.9  | ----- | 0.0      | 12.1 | ----- |
| Prostatectomy.....                         | 12                 | 0.0                 | 0.6  | ----- | 0.0     | 1.4  | ----- | 0.0      | 2.5  | ----- |
| Cholecystectomy.....                       | 12                 | 0.0                 | 2.1  | ----- | 0.0     | 3.9  | ----- | 0.0      | 4.9  | ----- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.4  | ----- | 0.0     | 0.8  | ----- | 0.0      | 1.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SUSAN B ALLEN MEMORIAL HOSPITAL

Medicare Provider Number: 170017

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
Proportion female..... 62.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 46.3 %  
Transferred from skilled nursing facility..... 0.6 %  
Admitted for elective procedure..... 18.7 %  
Admitted for emergency..... 2.1 %

### COMORBIDITIES:

Cancer..... 3.4 %  
Chronic cardiovascular disease..... 35.9 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 14.7 %  
Cerebrovascular degeneration..... 3.8 %  
Diabetes mellitus..... 4.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 88.5%  
State..... 10.3%  
Outside State..... 1.2%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.2 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 76  
Occupancy Rate..... 36.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 53.2 %  
Case Mix Index (CMI)..... 1.1560

### STAFFING:

Total Number of Physicians..... 15  
Percent of Physicians Board  
Certified Specialists..... 53.3 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 41  
Licensed Practical Nurses..... 11

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# TREGO COUNTY-LEMKE MEMORIAL HOSPITAL


320 N 13TH ST  
WAKEENEY, KS 67672  
Medicare Provider Number: 170077

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 228             | 3.1                 | 9.9  | 3.0   | 8.8     | 14.9 | 3.7   | 11.0     | 18.7 | 3.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 8               | 12.5                | 26.2 | ----- | 37.5    | 29.3 | ----- | 37.5     | 32.8 | ----- |
| Congestive Heart Failure.....              | 5               | 0.0                 | 16.1 | ----- | 0.0     | 25.4 | ----- | 0.0      | 31.4 | ----- |
| Pneumonia/Influenza.....                   | 29              | 3.4                 | 15.1 | ----- | 6.9     | 21.7 | ----- | 10.3     | 26.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 7.3  | ----- | 0.0     | 13.1 | ----- | 0.0      | 17.7 | ----- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 0.9  | ----- | 0.0     | 2.4  | ----- | 0.0      | 4.1  | ----- |
| Stroke.....                                | 7               | 0.0                 | 14.1 | ----- | 14.3    | 18.9 | ----- | 14.3     | 22.5 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1               | 0.0                 | 18.3 | ----- | 0.0     | 21.4 | ----- | 0.0      | 24.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 3               | 0.0                 | 0.6  | ----- | 0.0     | 1.3  | ----- | 0.0      | 1.9  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# TREGO COUNTY-LEMKE MEMORIAL HOSPITAL

Medicare Provider Number: 170077

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.5 years  
Proportion female..... 62.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 91.2 %  
Transferred from skilled nursing facility..... 0.4 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 7.5 %  
Chronic cardiovascular disease..... 36.4 %  
Chronic liver disease..... 0.9 %  
Chronic renal disease..... 1.3 %  
Chronic pulmonary disease..... 8.3 %  
Cerebrovascular degeneration..... 4.8 %  
Diabetes mellitus..... 9.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 72.0%  
State ..... 25.7%  
Outside State ..... 2.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.9 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 72  
Occupancy Rate ..... 72.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 60.7 %  
Case Mix Index (CMI) ..... 1.0334

### STAFFING:

Total Number of Physicians..... 8  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# UNIVERSITY OF KANSAS MEDICAL CENTER


39TH & RAINBOW BLVD  
KANSAS CITY, KS 66103  
Medicare Provider Number: 170040

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 2013            | 6.2                 | 6.7  | 0.6   | 12.1    | 11.1 | 0.9   | 15.0     | 14.5 | 0.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 23              | 26.1                | 24.7 | ----- | 30.4    | 27.7 | ----- | 30.4     | 30.3 | ----- |
| Congestive Heart Failure.....              | 72              | 11.1                | 12.9 | 6.2   | 20.8    | 21.3 | 5.2   | 25.0     | 27.1 | 5.7   |
| Pneumonia/Influenza.....                   | 45              | 8.9                 | 12.8 | ----- | 15.6    | 18.0 | ----- | 26.7     | 21.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 23              | 4.3                 | 5.7  | ----- | 21.7    | 10.9 | ----- | 26.1     | 15.0 | ----- |
| Transient Cerebral Ischemia.....           | 13              | 0.0                 | 1.2  | ----- | 7.7     | 2.6  | ----- | 7.7      | 4.1  | ----- |
| Stroke.....                                | 47              | 29.8                | 22.9 | ----- | 36.2    | 28.7 | ----- | 42.6     | 32.4 | ----- |
| Hip Fracture.....                          | 17              | 11.8                | 5.2  | ----- | 23.5    | 9.7  | ----- | 23.5     | 13.2 | ----- |
| Sepsis.....                                | 11              | 18.2                | 33.5 | ----- | 45.5    | 43.2 | ----- | 63.6     | 48.3 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 9               | 0.0                 | 1.1  | ----- | 0.0     | 2.0  | ----- | 0.0      | 3.1  | ----- |
| Coronary Artery Bypass Graft.....          | 27              | 0.0                 | 3.3  | ----- | 3.7     | 4.7  | ----- | 7.4      | 5.4  | ----- |
| Initial Pacemaker Insertion.....           | 6               | 0.0                 | 1.7  | ----- | 0.0     | 3.5  | ----- | 0.0      | 5.1  | ----- |
| Carotid Endarterectomy.....                | 5               | 0.0                 | 1.6  | ----- | 0.0     | 3.0  | ----- | 0.0      | 4.5  | ----- |
| Hip Replacement/Reconstruction.....        | 36              | 0.0                 | 1.3  | ----- | 5.6     | 2.4  | ----- | 5.6      | 3.4  | ----- |
| Open Reduction of Hip Fracture.....        | 7               | 14.3                | 4.9  | ----- | 14.3    | 9.5  | ----- | 14.3     | 12.9 | ----- |
| Prostatectomy.....                         | 83              | 0.0                 | 0.5  | 1.1   | 1.2     | 1.3  | 1.5   | 3.6      | 2.4  | 2.0   |
| Cholecystectomy.....                       | 24              | 0.0                 | 2.2  | ----- | 4.2     | 4.7  | ----- | 12.5     | 6.9  | ----- |
| Hysterectomy.....                          | 15              | 6.7                 | 0.5  | ----- | 6.7     | 1.3  | ----- | 6.7      | 2.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# UNIVERSITY OF KANSAS MEDICAL CENTER

Medicare Provider Number: 170040

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 68.4 years |
| Proportion female.....        | 49.9 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 53.7 % |
| Transferred from skilled nursing facility..... | 0.0 %  |
| Admitted for elective procedure.....           | 58.3 % |
| Admitted for emergency.....                    | 23.7 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 11.8 % |
| Chronic cardiovascular disease..... | 23.3 % |
| Chronic liver disease.....          | 1.2 %  |
| Chronic renal disease.....          | 5.3 %  |
| Chronic pulmonary disease.....      | 10.6 % |
| Cerebrovascular degeneration.....   | 4.3 %  |
| Diabetes mellitus.....              | 6.5 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 25.4%  |
| State .....         | 40.8%  |
| Outside State ..... | 33.8%  |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 8.4 Days |
| State .....    | 7.3 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |                  |
|----------------------------|------------------|
| Total Beds .....           | 464              |
| Occupancy Rate .....       | 70.0 %           |
| Ownership/Control.....     | State Government |
| Medicare Discharges .....  | 24.0 %           |
| Case Mix Index (CMI) ..... | 1.3994           |

### STAFFING:

|                                                            |        |
|------------------------------------------------------------|--------|
| Total Number of Physicians.....                            | 350    |
| Percent of Physicians Board<br>Certified Specialists ..... | 76.3 % |
| Medical Residents/Interns .....                            | 283    |
| Registered Nurses.....                                     | 484    |
| Licensed Practical Nurses .....                            | 149    |

### SPECIALTY SERVICES:

|                                       |     |
|---------------------------------------|-----|
| Burn Unit .....                       | Yes |
| Cardiac Intensive Care .....          | Yes |
| Comprehensive Geriatric .....         | Yes |
| Hospice Care .....                    | No  |
| Medical/Surgical Intensive Care ..... | Yes |
| Organ/Tissue Transplant .....         | Yes |
| Other Intensive Care .....            | No  |
| Trauma Center .....                   | Yes |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |     |
|---------------------------|-----|
| Alcohol/Drug .....        | No  |
| Rehabilitation.....       | Yes |
| Psychiatric .....         | Yes |
| Medicare Swing Beds ..... | No  |

\*\* Except for CMI

\* Not used in calculating mortality rates

# WAMEGO CITY HOSPITAL


711 GENN DR  
WAMEGO, KS 66547  
Medicare Provider Number: 170128

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 104             | 7.7                 | 9.3  | 3.2  | 14.4    | 14.6 | 3.7  | 16.3     | 18.3 | 4.1  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 1               | 0.0                 | 21.3 | ---- | 0.0     | 24.5 | ---- | 0.0      | 28.6 | ---- |
| Congestive Heart Failure.....              | 3               | 0.0                 | 13.0 | ---- | 0.0     | 20.5 | ---- | 0.0      | 25.4 | ---- |
| Pneumonia/Influenza.....                   | 17              | 17.6                | 13.0 | ---- | 23.5    | 18.5 | ---- | 23.5     | 22.2 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 5.8  | ---- | 33.3    | 10.8 | ---- | 33.3     | 14.1 | ---- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 1.1  | ---- | 0.0     | 2.6  | ---- | 0.0      | 4.4  | ---- |
| Stroke.....                                | 7               | 0.0                 | 17.9 | ---- | 14.3    | 24.2 | ---- | 14.3     | 27.8 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 8.6  | ---- | 0.0     | 14.7 | ---- | 0.0      | 18.0 | ---- |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





**WAMEGO CITY HOSPITAL**  
Medicare Provider Number: 170128

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 77.8 years  
Proportion female..... 62.9 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 81.0 %  
Transferred from skilled nursing facility..... 1.0 %  
Admitted for elective procedure..... 1.9 %  
Admitted for emergency..... 8.6 %

**COMORBIDITIES:**

Cancer..... 5.7 %  
Chronic cardiovascular disease..... 29.5 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 1.0 %  
Chronic pulmonary disease..... 27.6 %  
Cerebrovascular degeneration..... 1.9 %  
Diabetes mellitus..... 9.5 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 81.8%  
State ..... 18.2%  
Outside State ..... 0.0%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 4.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 26  
Occupancy Rate ..... 23.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 66.7 %  
Case Mix Index (CMI) ..... 0.9692

**STAFFING:**

Total Number of Physicians..... 12  
Percent of Physicians Board  
Certified Specialists ..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 4  
Licensed Practical Nurses..... 2

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# WASHINGTON COUNTY HOSPITAL


304 EAST 3RD ST  
WASHINGTON, KS 66968  
Medicare Provider Number: 170076

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 124             | 10.5                | 11.5 | 3.2   | 17.7    | 17.0 | 5.1   | 21.8     | 21.0 | 6.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3               | 0.0                 | 20.7 | ----- | 0.0     | 24.5 | ----- | 0.0      | 27.6 | ----- |
| Congestive Heart Failure.....              | 3               | 0.0                 | 12.7 | ----- | 33.3    | 20.5 | ----- | 33.3     | 27.8 | ----- |
| Pneumonia/Influenza.....                   | 35              | 5.7                 | 15.3 | ----- | 14.3    | 21.2 | ----- | 22.9     | 25.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 0.7  | ----- | 0.0     | 1.8  | ----- | 0.0      | 3.1  | ----- |
| Stroke.....                                | 8               | 12.5                | 14.0 | ----- | 25.0    | 19.0 | ----- | 37.5     | 22.4 | ----- |
| Hip Fracture.....                          | 5               | 0.0                 | 4.4  | ----- | 0.0     | 8.9  | ----- | 0.0      | 12.4 | ----- |
| Sepsis.....                                | 1               | 0.0                 | 11.7 | ----- | 0.0     | 17.2 | ----- | 0.0      | 21.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 4               | 0.0                 | 4.0  | ----- | 0.0     | 8.4  | ----- | 0.0      | 12.1 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 3               | 0.0                 | 0.8  | ----- | 0.0     | 1.8  | ----- | 0.0      | 2.8  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# WASHINGTON COUNTY HOSPITAL

Medicare Provider Number: 170076

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 82.4 years  
Proportion female..... 68.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 93.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 3.2 %  
Admitted for emergency..... 0.8 %

### COMORBIDITIES:

Cancer..... 8.9 %  
Chronic cardiovascular disease..... 29.0 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.8 %  
Chronic pulmonary disease..... 8.1 %  
Cerebrovascular degeneration..... 12.1 %  
Diabetes mellitus..... 3.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 97.1%  
State ..... 2.3%  
Outside State ..... 0.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.5 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 27  
Occupancy Rate ..... 37.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 58.3 %  
Case Mix Index (CMI) ..... 1.1513

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# WELLINGTON HOSPITAL


924 S WASHINGTON AVE  
WELLINGTON, KS 67152  
Medicare Provider Number: 170140

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 130                | 27.7                | 14.8 | 3.3   | 36.2    | 20.6 | 3.8   | 40.0     | 24.6 | 4.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 7                  | 57.1                | 26.3 | ----- | 71.4    | 29.7 | ----- | 71.4     | 33.0 | ----- |
| Congestive Heart Failure.....              | 7                  | 14.3                | 16.1 | ----- | 28.6    | 26.6 | ----- | 42.9     | 34.8 | ----- |
| Pneumonia/Influenza.....                   | 19                 | 36.8                | 18.5 | ----- | 42.1    | 25.7 | ----- | 52.6     | 29.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 9.5  | ----- | 50.0    | 17.5 | ----- | 50.0     | 24.0 | ----- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 9                  | 77.8                | 20.5 | ----- | 88.9    | 27.1 | ----- | 88.9     | 31.3 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 4                  | 50.0                | 40.2 | ----- | 50.0    | 49.8 | ----- | 50.0     | 55.8 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 3                  | 0.0                 | 1.4  | ----- | 0.0     | 2.7  | ----- | 0.0      | 3.5  | ----- |
| Hysterectomy.....                          | 2                  | 0.0                 | 1.7  | ----- | 0.0     | 3.0  | ----- | 0.0      | 4.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





**WELLINGTON HOSPITAL**  
Medicare Provider Number: 170140

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

|                                                |            |                                     |        |
|------------------------------------------------|------------|-------------------------------------|--------|
| <b>DEMOGRAPHICS:</b>                           |            | <b>COMORBIDITIES:</b>               |        |
| Average age at admission.....                  | 78.3 years | Cancer.....                         | 7.7 %  |
| Proportion female.....                         | 54.6 %     | Chronic cardiovascular disease..... | 30.8 % |
| <b>ADMISSION SOURCES/TYPES:</b>                |            | Chronic liver disease.....          | 0.8 %  |
| Referred by personal or HMO physician.....     | 73.1 %     | Chronic renal disease.....          | 3.8 %  |
| Transferred from skilled nursing facility..... | 1.5 %      | Chronic pulmonary disease.....      | 16.2 % |
| Admitted for elective procedure.....           | 11.5 %     | Cerebrovascular degeneration.....   | 1.5 %  |
| Admitted for emergency.....                    | 1.5 %      | Diabetes mellitus.....              | 9.2 %  |

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

|                                              |        |                                         |          |
|----------------------------------------------|--------|-----------------------------------------|----------|
| <b>ORIGIN OF MEDICARE PATIENT ADMISSION:</b> |        | <b>MEDICARE AVERAGE LENGTH OF STAY:</b> |          |
| County/City .....                            | 83.4%  | Hospital .....                          | 6.3 Days |
| State .....                                  | 10.0%  | State .....                             | 7.3 Days |
| Outside State .....                          | 6.6%   | National .....                          | 8.6 Days |
| Total .....                                  | 100.0% |                                         |          |

**HOSPITAL CHARACTERISTICS\***

|                                                             |                     |                                          |     |
|-------------------------------------------------------------|---------------------|------------------------------------------|-----|
| SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990 |                     |                                          |     |
| PROFILE:                                                    |                     | SPECIALTY SERVICES:                      |     |
| Total Beds .....                                            | 37                  | Burn Unit .....                          | No  |
| Occupancy Rate .....                                        | 35.0 %              | Cardiac Intensive Care .....             | No  |
| Ownership/Control.....                                      | Private, For Profit | Comprehensive Geriatric .....            | No  |
| Medicare Discharges .....                                   | (Not Available)     | Hospice Care .....                       | No  |
| Case Mix Index (CMI) .....                                  | 1.0254              | Medical/Surgical Intensive Care .....    | Yes |
| STAFFING:                                                   |                     | Organ/Tissue Transplant .....            | No  |
| Total Number of Physicians.....                             | (Not Available)     | Other Intensive Care .....               | No  |
| Percent of Physicians Board<br>Certified Specialists .....  | (Not Available)     | Trauma Center .....                      | No  |
| Medical Residents/Interns .....                             | (Not Available)     | OTHER SPECIALTY/HOSPITAL-BASED SERVICES: |     |
| Registered Nurses.....                                      | (Not Available)     | Alcohol/Drug .....                       | No  |
| Licensed Practical Nurses .....                             | (Not Available)     | Rehabilitation.....                      | No  |
|                                                             |                     | Psychiatric .....                        | No  |
|                                                             |                     | Medicare Swing Beds .....                | Yes |
| ** Except for CMI                                           |                     |                                          |     |

\*\* Except for CMI

\* Not used in calculating mortality rates

# WESLEY MEDICAL CENTER


550 N HILLSIDE  
WICHITA, KS 67214  
Medicare Provider Number: 170123

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 4702            | 8.0                 | 7.8  | 0.7   | 11.7    | 12.1 | 0.8   | 14.4     | 15.2 | 0.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 136             | 19.9                | 24.3 | 4.4   | 22.1    | 27.1 | 5.0   | 22.1     | 29.6 | 5.4   |
| Congestive Heart Failure.....              | 141             | 13.5                | 14.7 | 3.8   | 20.6    | 23.3 | 4.6   | 29.8     | 29.8 | 5.2   |
| Pneumonia/Influenza.....                   | 127             | 15.7                | 17.5 | 4.4   | 23.6    | 24.5 | 5.4   | 26.8     | 29.0 | 5.2   |
| Chronic Obstructive Pulmonary Disease..... | 57              | 15.8                | 8.7  | 4.9   | 29.8    | 15.2 | 8.2   | 35.1     | 20.0 | 8.7   |
| Transient Cerebral Ischemia.....           | 54              | 1.9                 | 2.1  | 2.0   | 1.9     | 4.8  | 4.5   | 7.4      | 7.7  | 4.3   |
| Stroke.....                                | 106             | 20.8                | 24.4 | 5.5   | 31.1    | 31.1 | 6.5   | 34.9     | 34.8 | 6.3   |
| Hip Fracture.....                          | 117             | 11.1                | 6.7  | 5.0   | 12.8    | 12.1 | 3.6   | 17.1     | 16.0 | 3.8   |
| Sepsis.....                                | 60              | 26.7                | 30.3 | 8.4   | 33.3    | 41.7 | 9.7   | 36.7     | 47.8 | 9.7   |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 162             | 1.2                 | 2.2  | 1.4   | 2.5     | 3.0  | 1.6   | 3.7      | 3.7  | 1.8   |
| Coronary Artery Bypass Graft.....          | 180             | 4.4                 | 5.3  | 1.9   | 4.4     | 7.3  | 2.4   | 5.0      | 8.1  | 2.7   |
| Initial Pacemaker Insertion.....           | 53              | 0.0                 | 1.8  | 2.2   | 0.0     | 3.8  | 3.5   | 1.9      | 5.8  | 4.3   |
| Carotid Endarterectomy.....                | 73              | 4.1                 | 1.6  | 1.9   | 5.5     | 3.0  | 2.5   | 5.5      | 4.5  | 2.6   |
| Hip Replacement/Reconstruction.....        | 129             | 3.9                 | 2.6  | 1.9   | 7.0     | 5.0  | 3.0   | 7.8      | 6.9  | 3.7   |
| Open Reduction of Hip Fracture.....        | 66              | 10.6                | 5.2  | 5.2   | 10.6    | 9.8  | 4.8   | 13.6     | 13.2 | 5.1   |
| Prostatectomy.....                         | 133             | 2.3                 | 1.1  | 1.2   | 3.8     | 2.7  | 1.6   | 3.8      | 4.6  | 2.1   |
| Cholecystectomy.....                       | 77              | 3.9                 | 2.2  | 2.3   | 3.9     | 4.4  | 3.1   | 6.5      | 6.1  | 3.3   |
| Hysterectomy.....                          | 47              | 0.0                 | 0.8  | ----- | 0.0     | 1.9  | ----- | 2.1      | 3.0  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



## WESLEY MEDICAL CENTER

Medicare Provider Number: 170123

### FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

#### DEMOGRAPHICS:

Average age at admission..... 73.7 years  
Proportion female..... 56.4 %

#### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 56.0 %  
Transferred from skilled nursing facility..... 3.4 %  
Admitted for elective procedure..... 31.2 %  
Admitted for emergency..... 37.3 %

#### COMORBIDITIES:

Cancer..... 9.2 %  
Chronic cardiovascular disease..... 29.6 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 10.4 %  
Cerebrovascular degeneration..... 4.2 %  
Diabetes mellitus..... 5.1 %

### ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

#### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 54.9%  
State..... 41.8%  
Outside State..... 3.3%  
Total..... 100.0%

#### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.9 Days  
State..... 7.3 Days  
National..... 8.6 Days

### HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

#### PROFILE:

Total Beds..... 587  
Occupancy Rate..... 70.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges..... 28.8 %  
Case Mix Index (CMI)..... 1.5824

#### STAFFING:

Total Number of Physicians..... 427  
Percent of Physicians Board  
Certified Specialists..... 51.8 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 657  
Licensed Practical Nurses..... 109

#### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... Yes  
Comprehensive Geriatric..... Yes  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... Yes  
Other Intensive Care..... No  
Trauma Center..... Yes

#### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... Yes  
Psychiatric..... Yes  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# WICHITA COUNTY HOSPITAL

211 EAST EARL  
LEOTI, KS 67861  
Medicare Provider Number: 170174

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 39                 | 10.3                | 8.7  | ---- | 15.4    | 14.6 | ---- | 20.5     | 19.1 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 0                  |                     |      |      |         |      |      |          |      |      |
| Pneumonia/Influenza.....                   | 3                  | 33.3                | 14.4 | ---- | 33.3    | 21.1 | ---- | 33.3     | 25.2 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 9.7  | ---- | 0.0     | 17.7 | ---- | 0.0      | 25.2 | ---- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 1.3  | ---- | 0.0     | 3.5  | ---- | 0.0      | 6.4  | ---- |
| Stroke.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 2                  | 0.0                 | 1.6  | ---- | 0.0     | 2.8  | ---- | 0.0      | 4.1  | ---- |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# WICHITA COUNTY HOSPITAL

Medicare Provider Number: 170174

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 80.5 years  
Proportion female..... 59.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 94.9 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 5.1 %  
Admitted for emergency..... 87.2 %

### COMORBIDITIES:

Cancer..... 12.8 %  
Chronic cardiovascular disease..... 35.9 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 7.7 %  
Cerebrovascular degeneration..... 15.4 %  
Diabetes mellitus..... 10.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.5%  
State ..... 12.5%  
Outside State ..... 0.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.8 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 43  
Occupancy Rate ..... 83.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 43.2 %  
Case Mix Index (CMI) ..... 0.8644

### STAFFING:

Total Number of Physicians..... 1  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses ..... 0

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# WILLIAM NEWTON MEMORIAL HOSPITAL


1300 E 5TH AVE  
WINFIELD, KS 67156  
Medicare Provider Number: 170019

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 491             | 10.8                | 9.6  | 1.5  | 14.5    | 14.0 | 1.8  | 20.0     | 17.2 | 2.0  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 14              | 42.9                | 27.6 | ---- | 50.0    | 30.5 | ---- | 50.0     | 33.2 | ---- |
| Congestive Heart Failure.....              | 19              | 15.8                | 17.4 | ---- | 21.1    | 26.3 | ---- | 31.6     | 32.0 | ---- |
| Pneumonia/Influenza.....                   | 40              | 10.0                | 13.4 | ---- | 10.0    | 18.5 | ---- | 20.0     | 22.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 33.3                | 13.0 | ---- | 33.3    | 20.7 | ---- | 33.3     | 25.0 | ---- |
| Transient Cerebral Ischemia.....           | 5               | 0.0                 | 2.6  | ---- | 0.0     | 5.3  | ---- | 0.0      | 8.4  | ---- |
| Stroke.....                                | 19              | 36.8                | 21.3 | ---- | 42.1    | 28.5 | ---- | 52.6     | 32.4 | ---- |
| Hip Fracture.....                          | 20              | 5.0                 | 10.3 | ---- | 5.0     | 17.3 | ---- | 15.0     | 21.7 | ---- |
| Sepsis.....                                | 2               | 0.0                 | 30.0 | ---- | 0.0     | 37.3 | ---- | 50.0     | 44.9 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 2               | 0.0                 | 3.7  | ---- | 0.0     | 7.3  | ---- | 0.0      | 10.4 | ---- |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 10              | 0.0                 | 10.0 | ---- | 0.0     | 17.4 | ---- | 0.0      | 21.9 | ---- |
| Open Reduction of Hip Fracture.....        | 12              | 8.3                 | 7.6  | ---- | 8.3     | 13.0 | ---- | 25.0     | 16.8 | ---- |
| Prostatectomy.....                         | 25              | 0.0                 | 0.7  | ---- | 0.0     | 1.7  | ---- | 0.0      | 2.9  | ---- |
| Cholecystectomy.....                       | 12              | 0.0                 | 2.1  | ---- | 8.3     | 3.7  | ---- | 8.3      | 4.6  | ---- |
| Hysterectomy.....                          | 9               | 0.0                 | 0.1  | ---- | 0.0     | 0.3  | ---- | 0.0      | 0.6  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# WILLIAM NEWTON MEMORIAL HOSPITAL

Medicare Provider Number: 170019

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.4 years  
Proportion female..... 57.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 45.4 %  
Transferred from skilled nursing facility..... 1.0 %  
Admitted for elective procedure..... 46.8 %  
Admitted for emergency..... 7.7 %

### COMORBIDITIES:

Cancer..... 5.1 %  
Chronic cardiovascular disease..... 43.0 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 6.9 %  
Chronic pulmonary disease..... 15.5 %  
Cerebrovascular degeneration..... 3.5 %  
Diabetes mellitus..... 5.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 85.3%  
State ..... 11.0%  
Outside State ..... 3.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.3 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 99  
Occupancy Rate ..... 24.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 46.3 %  
Case Mix Index (CMI) ..... 1.2601

### STAFFING:

Total Number of Physicians..... 18  
Percent of Physicians Board  
Certified Specialists..... 38.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 52  
Licensed Practical Nurses ..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# WILSON COUNTY HOSPITAL


205 MILL ST  
NEODESHA, KS 66757  
Medicare Provider Number: 170073

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 135                | 19.3                | 14.2 | 4.2  | 24.4    | 20.3 | 4.1  | 28.1     | 24.4 | 4.0  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 6                  | 66.7                | 36.7 | ---- | 66.7    | 39.3 | ---- | 66.7     | 42.0 | ---- |
| Congestive Heart Failure.....              | 8                  | 25.0                | 12.5 | ---- | 37.5    | 20.4 | ---- | 37.5     | 27.3 | ---- |
| Pneumonia/Influenza.....                   | 18                 | 38.9                | 22.9 | ---- | 38.9    | 30.9 | ---- | 38.9     | 35.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 2.9  | ---- | 0.0     | 6.3  | ---- | 100.0    | 10.6 | ---- |
| Transient Cerebral Ischemia.....           | 3                  | 0.0                 | 2.2  | ---- | 0.0     | 4.9  | ---- | 0.0      | 8.4  | ---- |
| Stroke.....                                | 2                  | 0.0                 | 17.2 | ---- | 50.0    | 28.0 | ---- | 50.0     | 34.5 | ---- |
| Hip Fracture.....                          | 7                  | 0.0                 | 10.4 | ---- | 28.6    | 18.4 | ---- | 28.6     | 24.4 | ---- |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 2                  | 0.0                 | 5.6  | ---- | 0.0     | 9.6  | ---- | 0.0      | 12.2 | ---- |
| Open Reduction of Hip Fracture.....        | 3                  | 0.0                 | 13.6 | ---- | 66.7    | 26.2 | ---- | 66.7     | 34.5 | ---- |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 4                  | 0.0                 | 3.7  | ---- | 0.0     | 6.5  | ---- | 0.0      | 8.7  | ---- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.1  | ---- | 0.0     | 0.2  | ---- | 0.0      | 0.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# WILSON COUNTY HOSPITAL

Medicare Provider Number: 170073

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.2 years  
Proportion female..... 60.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 41.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 13.3 %  
Admitted for emergency..... 25.2 %

### COMORBIDITIES:

Cancer..... 9.6 %  
Chronic cardiovascular disease..... 38.5 %  
Chronic liver disease..... 1.5 %  
Chronic renal disease..... 3.7 %  
Chronic pulmonary disease..... 17.0 %  
Cerebrovascular degeneration..... 4.4 %  
Diabetes mellitus..... 7.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 79.1%  
State..... 19.4%  
Outside State..... 1.5%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.8 Days  
State..... 7.3 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 32  
Occupancy Rate..... 31.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 42.1 %  
Case Mix Index (CMI)..... 1.2139

### STAFFING:

Total Number of Physicians..... 15  
Percent of Physicians Board  
Certified Specialists.....(Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses..... 3

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# KANSAS

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |     |         |      |     |          |      |     |
|--------------------------------------------|--------------------|---------------------|------|-----|---------|------|-----|----------|------|-----|
|                                            |                    | 30 DAYS             |      |     | 90 DAYS |      |     | 180 DAYS |      |     |
|                                            |                    | OBS                 | PRED | SD* | OBS     | PRED | SD* | OBS      | PRED | SD* |
| ALL CAUSES.....                            | 73,224             | 9.1                 | 8.9  | 0.1 | 13.6    | 13.5 | 0.3 | 16.7     | 16.9 | 0.3 |
| CONDITIONS:                                |                    |                     |      |     |         |      |     |          |      |     |
| Acute Myocardial Infarction.....           | 2,226              | 28.3                | 27.0 | 1.0 | 32.2    | 30.2 | 1.6 | 34.2     | 33.0 | 1.3 |
| Congestive Heart Failure.....              | 3,466              | 16.1                | 15.0 | 0.8 | 24.1    | 23.6 | 0.7 | 30.5     | 29.9 | 0.9 |
| Pneumonia/influenza.....                   | 4,527              | 15.2                | 15.4 | 0.6 | 21.1    | 21.2 | 0.8 | 24.7     | 25.1 | 1.0 |
| Chronic Obstructive Pulmonary Disease..... | 1,102              | 8.8                 | 7.3  | 1.5 | 14.2    | 13.1 | 1.5 | 18.6     | 17.6 | 1.4 |
| Transient Cerebral Ischemia.....           | 974                | 2.0                 | 1.9  | 0.5 | 4.2     | 4.4  | 0.7 | 7.0      | 7.1  | 0.9 |
| Stroke.....                                | 2,506              | 21.8                | 20.3 | 1.2 | 28.3    | 26.9 | 1.0 | 32.9     | 30.8 | 1.4 |
| Hip Fracture.....                          | 2,087              | 7.0                 | 6.7  | 0.7 | 11.1    | 11.9 | 1.1 | 14.8     | 15.6 | 1.5 |
| Sepsis.....                                | 854                | 22.6                | 25.6 | 1.7 | 31.0    | 33.9 | 2.7 | 35.6     | 38.9 | 3.1 |
| PROCEDURES:                                |                    |                     |      |     |         |      |     |          |      |     |
| Angioplasty.....                           | 852                | 4.1                 | 3.4  | 0.7 | 4.8     | 4.4  | 0.7 | 5.8      | 5.3  | 0.8 |
| Coronary Artery Bypass Graft.....          | 903                | 6.1                 | 5.6  | 0.9 | 8.4     | 7.9  | 1.0 | 9.1      | 8.8  | 1.0 |
| Initial Pacemaker Insertion.....           | 522                | 3.1                 | 3.2  | 0.9 | 6.3     | 6.3  | 1.1 | 9.8      | 9.0  | 1.5 |
| Carotid Endarterectomy.....                | 476                | 2.1                 | 1.6  | 0.7 | 2.9     | 3.0  | 0.8 | 4.4      | 4.4  | 0.9 |
| Hip Replacement/Reconstruction.....        | 1,686              | 3.0                 | 3.1  | 0.5 | 5.5     | 5.8  | 1.0 | 7.1      | 7.9  | 1.3 |
| Open Reduction of Hip Fracture.....        | 902                | 7.2                 | 6.1  | 1.2 | 10.5    | 11.2 | 1.2 | 14.1     | 14.9 | 1.4 |
| Prostatectomy.....                         | 2,544              | 1.1                 | 0.9  | 0.3 | 2.5     | 2.1  | 0.4 | 3.8      | 3.7  | 0.4 |
| Cholecystectomy.....                       | 1,358              | 3.7                 | 2.5  | 0.7 | 5.2     | 4.6  | 0.7 | 6.8      | 6.2  | 0.8 |
| Hysterectomy.....                          | 643                | 0.8                 | 0.6  | 0.6 | 0.8     | 1.4  | 0.5 | 2.0      | 2.3  | 1.0 |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

|                                                |            |                                     |        |
|------------------------------------------------|------------|-------------------------------------|--------|
| DEMOGRAPHICS:                                  |            | COMORBIDITIES:                      |        |
| Average age at admission.....                  | 75.7 years | Cancer.....                         | 7.1 %  |
| Proportion female.....                         | 57.3 %     | Chronic cardiovascular disease..... | 36.6 % |
| ADMISSION SOURCES/TYPES:                       |            | Chronic liver disease.....          | 0.7 %  |
| Referred by personal or HMO physician.....     | 51.2 %     | Chronic renal disease.....          | 2.8 %  |
| Transferred from skilled nursing facility..... | 0.9 %      | Chronic pulmonary disease.....      | 14.9 % |
| Admitted for elective procedure.....           | 23.7 %     | Cerebrovascular degeneration.....   | 4.4 %  |
| Admitted for emergency.....                    | 23.9 %     | Diabetes mellitus.....              | 6.8 %  |

# ALL STATES

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 6,542,299          | 9.0                 | 9.0  | ---- | 13.9    | 13.7 | ---- | 17.3     | 17.1 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 204,673            | 25.3                | 25.6 | ---- | 29.5    | 28.7 | ---- | 32.1     | 31.4 | ---- |
| Congestive Heart Failure.....              | 335,426            | 14.3                | 14.4 | ---- | 22.9    | 22.8 | ---- | 29.2     | 29.0 | ---- |
| Pneumonia/Influenza.....                   | 313,303            | 15.3                | 15.5 | ---- | 21.5    | 21.3 | ---- | 25.5     | 25.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 107,387            | 8.0                 | 8.0  | ---- | 14.1    | 14.0 | ---- | 18.7     | 18.5 | ---- |
| Transient Cerebral Ischemia.....           | 96,866             | 1.8                 | 1.8  | ---- | 4.0     | 4.0  | ---- | 6.4      | 6.5  | ---- |
| Stroke.....                                | 241,803            | 19.7                | 19.8 | ---- | 26.5    | 26.3 | ---- | 30.4     | 30.0 | ---- |
| Hip Fracture.....                          | 163,386            | 6.7                 | 6.5  | ---- | 11.7    | 11.5 | ---- | 15.1     | 15.0 | ---- |
| Sepsis.....                                | 80,999             | 25.6                | 25.7 | ---- | 34.6    | 33.8 | ---- | 39.8     | 38.6 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 58,026             | 3.0                 | 3.0  | ---- | 4.0     | 4.0  | ---- | 5.0      | 4.9  | ---- |
| Coronary Artery Bypass Graft.....          | 80,798             | 6.0                 | 5.7  | ---- | 8.3     | 8.1  | ---- | 9.5      | 9.2  | ---- |
| Initial Pacemaker Insertion.....           | 49,642             | 3.2                 | 3.3  | ---- | 6.5     | 6.3  | ---- | 9.1      | 9.1  | ---- |
| Carotid Endarterectomy.....                | 29,990             | 1.6                 | 1.5  | ---- | 2.8     | 2.8  | ---- | 4.0      | 4.1  | ---- |
| Hip Replacement/Reconstruction.....        | 122,156            | 3.4                 | 3.2  | ---- | 6.2     | 5.9  | ---- | 8.1      | 8.0  | ---- |
| Open Reduction of Hip Fracture.....        | 80,075             | 6.1                 | 6.0  | ---- | 11.2    | 11.0 | ---- | 14.5     | 14.5 | ---- |
| Prostatectomy.....                         | 211,087            | 0.9                 | 1.0  | ---- | 2.2     | 2.3  | ---- | 3.7      | 3.8  | ---- |
| Cholecystectomy.....                       | 124,259            | 2.9                 | 2.7  | ---- | 5.0     | 4.9  | ---- | 6.5      | 6.5  | ---- |
| Hysterectomy.....                          | 53,905             | 0.7                 | 0.7  | ---- | 1.4     | 1.5  | ---- | 2.2      | 2.4  | ---- |

\* The Standard Deviation (SD) is not calculated.

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

|                                                |            |                                     |        |
|------------------------------------------------|------------|-------------------------------------|--------|
| DEMOGRAPHICS:                                  |            | COMORBIDITIES:                      |        |
| Average age at admission.....                  | 74.1 years | Cancer.....                         | 7.6 %  |
| Proportion female.....                         | 55.9 %     | Chronic cardiovascular disease..... | 36.6 % |
| ADMISSION SOURCES/TYPES:                       |            | Chronic liver disease.....          | 1.0 %  |
| Referred by personal or HMO physician.....     | 46.1 %     | Chronic renal disease.....          | 3.4 %  |
| Transferred from skilled nursing facility..... | 1.1 %      | Chronic pulmonary disease.....      | 15.0 % |
| Admitted for elective procedure.....           | 22.0 %     | Cerebrovascular degeneration.....   | 3.9 %  |
| Admitted for emergency.....                    | 46.5 %     | Diabetes mellitus.....              | 8.0 %  |





# **Hospital Comments**



## St. Joseph Medical Center

3600 East Harry/Wichita, Kansas 67218 / (316) 685-1111

March 16, 1992

Medicare Provider #: 170087

Gail R. Wilensky, Ph.D., Administrator  
Health Care Financing Administration  
Medicare Hospital Information  
Bureau of Data Management & Strategy  
Room 3-A-12, Security Office Park Bldg.  
6325 Security Blvd.  
Baltimore, Maryland 21207-5187  
ATTN: Robert Moore

We have received and reviewed our FY'90 Medicare Hospital Mortality Rate information. As a result of our review of your data, we decided to review the clinical charts of the deaths that occurred under one "Conditions" category (Chronic Obstructive Pulmonary Disease) and one "Procedures" category (Cholecystectomy) since the data would suggest that our observed mortality rates in these two areas were significantly higher than predicted. Our comments are primarily in regards to the misleading information that is published as a result of your study methodology.

There is no question that good outcome data is important in continuous quality improvement efforts. Mortality rates are one such outcome measure, but like many outcome measures it needs to be severity adjusted to have any validity. It appears as though HCFA is moving in that direction but it is not clear whether this data is severity adjusted or not. Our Aggregate data shows that our Medical Center is well within the normal range for mortality rates, but we were concerned that the data suggest that we have higher than expected mortality rates in the area of COPD and Cholecystectomy. We found this more focused data to be inaccurate and misleading.

The data in regards to Chronic Obstructive Pulmonary Disease reflected that there were thirteen deaths in patients aged 64-98. A review of the patients' records revealed that six did not die at St. Joseph Medical Center and cause of death was unknown. Of the five deaths that there were clearly known causes, those causes were as follows: ~~Pneumonia~~ <sup>Pneumonia</sup> carcinoma; post-thoracotomy for pulmonary hemorrhage; metastatic carcinoma (primary unknown); post-operative ARDS; and cardiac death.

A review of cholecystectomy revealed that there were ten deaths in patients aged 68-93. Three of these deaths did not occur at St. Joseph Medical Center and cause of death was unknown. In five of these cases the cholecystectomy was not even the primary surgical

**For all the reasons you need family care.**

Gail R. Wilensky, Ph.D., Administrator  
Health Care Financing Administration  
Medicare Hospital Information  
ATTN: Robert Moore  
March 16, 1992  
Page 2

Medicare Provider #: 170087

procedure and was not even listed as such in the clinical information. Of the five cases where the cholecystectomy was the primary surgery, one death occurred during the same hospitalization secondary to complications, and one death occurred in the nursing home one month after discharge. The three other cases recovered from their cholecystectomy and died of other causes. Of the six known causes of death among this group of patients, the following was found: Ruptured abdominal aortic aneurism, pancreatic carcinoma (two cases), intracranial hemorrhage during a subsequent hospitalization, ischemic enterocolitis; and bowel necrosis and peritonitis.

This type of data inconsistency is similar to what we found last year in reviewing our HCFA mortality data, and once again calls in to question the methodology of attribution in regards to mortality rates for specific conditions or procedures. The system of attributing deaths, especially those deaths that occur outside the hospital, to a random hospitalization during the previous year obviously creates some serious validity problems in terms of your attribution data. If this attribution methodology had any validity it would have led us to information that would have been useful in terms of quality improvement in our institution. Instead it caused us to utilize a significant amount of staff time only to uncover the inconsistencies. Such inconsistencies in your methodology would also once again raise the questions of the validity of your overall data and the usefulness of it to the institutions.

Sincerely yours,



LeRoy Rheault  
CEO, St. Joseph Medical Center

LR/las







CMS LIBRARY



3 8095 00015197 3

ISBN 0-16-037848-6



9 780160 378485